Florida High School Survey **Summary Tables - Weighted Data**

QN8: Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 8.0 | (6.9 - 9.4) | 6,152 | 10.1 | (8.4 - 12.0) | 2,930 | 5.8 | (4.9 - 6.9) | 3,133 |
| Age | | | | | | | | | | |
| | 15 or younger | 7.8 | (6.5 - 9.4) | 2,362 | 8.6 | (6.6 - 11.1) | 1,063 | 7.0 | (5.5 - 8.8) | 1,273 |
| | 16 or 17 | 7.4 | (6.1 - 9.0) | 3,032 | 9.7 | (7.7 - 12.2) | 1,470 | 5.0 | (3.8 - 6.4) | 1,527 |
| | 18 or older | 10.6 | (8.6 - 13.0) | 730 | 14.1 | (10.8 - 18.2) | 391 | 6.0 | (3.6 - 9.8) | 331 |
| Grade | | | | | | | | | | |
| | 9th | 8.3 | (6.5 - 10.6) | 1,700 | 9.3 | (6.7 - 12.7) | 809 | 7.3 | (5.3 - 10.1) | 870 |
| | 10th | 6.7 | (4.8 - 9.2) | 1,717 | 8.0 | (5.5 - 11.6) | 832 | 5.0 | (3.3 - 7.6) | 867 |
| | 11th | 7.9 | (6.5 - 9.6) | 1,523 | 10.5 | (8.2 - 13.5) | 690 | 5.4 | (3.9 - 7.5) | 814 |
| | 12th | 8.7 | (7.2 - 10.5) | 1,142 | 12.0 | (9.3 - 15.4) | 566 | 5.1 | (3.5 - 7.2) | 563 |
| Race/E | Ethnicity | | | | | | | | | |
| | Asian* | 7.1 | (4.8 - 10.5) | 190 | - | - | 86 | 9.0 | (5.5 - 14.5) | 100 |
| | Black* | 12.2 | (9.5 - 15.5) | 1,226 | 15.7 | (12.0 - 20.3) | 571 | 8.6 | (6.4 - 11.6) | 644 |
| | Hispanic/Latino | 8.5 | (7.2 - 10.0) | 2,140 | 9.3 | (7.3 - 11.7) | 1,012 | 7.5 | (5.8 - 9.6) | 1,102 |
| | White* | 4.1 | (3.2 - 5.2) | 2,113 | 5.9 | (4.4 - 7.7) | 1,036 | 2.2 | (1.5 - 3.2) | 1,060 |
| | All other races* | - | - | 75 | - | - | 41 | - | - | 32 |
| | Multiple races* | 10.0 | (6.9 - 14.2) | 275 | 15.0 | (9.5 - 22.7) | 122 | 5.8 | (3.2 - 10.3) | 151 |

Note: 19 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 17.1 | (16.0 - 18.2) | 6,085 | 17.0 | (15.7 - 18.3) | 2,897 | 17.2 | (15.6 - 18.8) | 3,099 |
| Age | | | | | | | | | | |
| | 15 or younger | 16.6 | (14.9 - 18.4) | 2,330 | 16.0 | (13.8 - 18.5) | 1,046 | 16.8 | (14.5 - 19.5) | 1,257 |
| | 16 or 17 | 17.6 | (16.3 - 18.9) | 3,003 | 17.2 | (15.5 - 19.0) | 1,456 | 18.0 | (16.2 - 19.9) | 1,512 |
| | 18 or older | 16.9 | (14.3 - 19.9) | 726 | 18.3 | (14.8 - 22.6) | 391 | 15.4 | (11.4 - 20.3) | 328 |
| Grade | | | | | | | | | | |
| | 9th | 16.1 | (14.0 - 18.6) | 1,675 | 15.6 | (13.0 - 18.6) | 792 | 16.5 | (13.5 - 20.0) | 862 |
| | 10th | 18.8 | (16.7 - 21.0) | 1,690 | 17.7 | (15.0 - 20.7) | 822 | 19.7 | (16.3 - 23.8) | 850 |
| | 11th | 16.8 | (14.9 - 19.0) | 1,513 | 17.0 | (14.2 - 20.1) | 687 | 16.9 | (14.7 - 19.5) | 807 |
| | 12th | 16.3 | (14.2 - 18.6) | 1,137 | 16.9 | (13.7 - 20.7) | 564 | 15.5 | (13.1 - 18.3) | 561 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 13.2 | (9.0 - 18.8) | 188 | - | - | 87 | - | - | 97 |
| | Black* | 16.5 | (14.0 - 19.3) | 1,198 | 18.3 | (15.1 - 22.0) | 562 | 14.6 | (11.7 - 18.1) | 625 |
| | Hispanic/Latino | 19.7 | (17.8 - 21.6) | 2,129 | 19.4 | (17.3 - 21.6) | 1,003 | 19.7 | (17.1 - 22.6) | 1,100 |
| | White* | 16.0 | (14.1 - 18.2) | 2,093 | 14.3 | (11.9 - 17.0) | 1,024 | 18.0 | (15.6 - 20.6) | 1,052 |
| | All other races* | - | - | 74 | - | - | 39 | - | - | 32 |
| | Multiple races* | 19.7 | (15.5 - 24.8) | 273 | 23.1 | (16.1 - 31.9) | 122 | 17.1 | (11.1 - 25.4) | 149 |

Note: 86 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

| | | Total | | | Male | | | Female | | | |
|----------------|--------|------------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|--|
| | Percen | tage 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | | |
| Total | 5.8 | (4.9 - 6.9) | 3,461 | 7.3 | (5.7 - 9.3) | 1,669 | 4.0 | (2.9 - 5.4) | 1,751 | | |
| Age | | | | | | | | | | | |
| 15 or younger | 5.9 | (4.5 - 7.6) | 987 | 7.0 | (4.9 - 9.9) | 453 | 4.1 | (2.4 - 7.0) | 522 | | |
| 16 or 17 | 5.3 | (4.0 - 6.9) | 1,936 | 6.6 | (4.7 - 9.3) | 930 | 3.9 | (2.5 - 6.2) | 990 | | |
| 18 or older | 7.3 | (5.4 - 9.8) | 528 | 9.6 | (6.5 - 13.9) | 285 | 4.1 | (2.2 - 7.6) | 238 | | |
| Grade | | | | | | | | | | | |
| 9th | 5.5 | (3.9 - 7.8) | 641 | 6.9 | (4.5 - 10.4) | 316 | 4.0 | (2.2 - 7.5) | 317 | | |
| 10th | 4.9 | (3.6 - 6.6) | 937 | 5.9 | (3.6 - 9.5) | 463 | 3.9 | (2.5 - 6.0) | 469 | | |
| 11th | 5.6 | (4.2 - 7.5) | 1,011 | 7.7 | (5.4 - 11.0) | 457 | 2.8 | (1.5 - 5.0) | 542 | | |
| 12th | 6.2 | (4.8 - 8.1) | 831 | 7.5 | (5.2 - 10.7) | 414 | 4.8 | (2.7 - 8.4) | 411 | | |
| Race/Ethnicity | | | | | | | | | | | |
| Asian* | - | - | 94 | - | - | 43 | - | - | 47 | | |
| Black* | 6.8 | (4.8 - 9.5) | 653 | 7.9 | (4.9 - 12.6) | 316 | 5.7 | (3.1 - 10.3) | 333 | | |
| Hispanic/Lati | no 5.8 | (4.5 - 7.5) | 1,139 | 7.7 | (5.4 - 11.0) | 556 | 3.4 | (2.3 - 5.0) | 572 | | |
| White* | 4.9 | (3.8 - 6.2) | 1,307 | 6.2 | (4.4 - 8.5) | 627 | 3.2 | (2.0 - 5.0) | 673 | | |
| All other race | s* - | - | 45 | - | - | 21 | - | - | 22 | | |
| Multiple races | s* 8.5 | (5.0 - 14.1) | 150 | - | - | 71 | - | - | 78 | | |

Note: 2,710 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

| | | Total | | Male | | | Female | | | |
|----------------|-------|-----------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | P | ercentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | | 35.1 | (33.0 - 37.4) | 3,531 | 36.9 | (33.8 - 40.1) | 1,722 | 33.1 | (30.2 - 36.2) | 1,765 |
| Age | | | | | | | | | | |
| 15 or youn | ger | 16.2 | (14.2 - 18.4) | 1,007 | 18.7 | (15.4 - 22.6) | 469 | 12.8 | (9.8 - 16.4) | 525 |
| 16 or 17 | | 38.6 | (35.6 - 41.7) | 1,970 | 39.4 | (35.3 - 43.6) | 955 | 38.1 | (34.3 - 42.1) | 998 |
| 18 or older | | 50.3 | (45.3 - 55.3) | 542 | 51.8 | (45.1 - 58.5) | 296 | 47.7 | (41.6 - 53.9) | 241 |
| Grade | | | | | | | | | | |
| 9th | | 16.6 | (13.4 - 20.4) | 657 | 20.7 | (15.9 - 26.4) | 329 | 11.5 | (7.4 - 17.5) | 319 |
| 10th | | 21.8 | (18.8 - 25.1) | 956 | 22.6 | (18.9 - 26.9) | 479 | 21.0 | (16.9 - 25.7) | 471 |
| 11th | | 38.8 | (34.7 - 43.0) | 1,023 | 40.1 | (34.5 - 45.9) | 463 | 37.0 | (32.0 - 42.2) | 548 |
| 12th | | 53.1 | (49.4 - 56.7) | 851 | 55.1 | (50.0 - 60.1) | 430 | 51.1 | (46.5 - 55.6) | 415 |
| Race/Ethnicity | | | | | | | | | | |
| Asian* | | - | - | 96 | - | - | 45 | - | - | 47 |
| Black* | | 30.2 | (27.0 - 33.7) | 675 | 36.2 | (30.4 - 42.4) | 334 | 23.5 | (18.8 - 28.8) | 337 |
| Hispanic/L | atino | 31.4 | (26.8 - 36.4) | 1,159 | 33.3 | (28.1 - 39.0) | 572 | 28.9 | (23.2 - 35.5) | 576 |
| White* | | 40.7 | (37.7 - 43.7) | 1,323 | 39.9 | (35.6 - 44.3) | 637 | 41.5 | (37.5 - 45.6) | 678 |
| All other ra | ices* | - | - | 49 | - | - | 24 | - | - | 22 |
| Multiple ra | ces* | 32.8 | (26.3 - 40.0) | 153 | - | - | 74 | - | - | 78 |

Note: 2,640 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN12: Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 14.2 | (13.0 - 15.5) | 6,070 | 20.1 | (18.4 - 22.0) | 2,872 | 7.9 | (6.8 - 9.1) | 3,115 |
| Age | | | | | | | | | | |
| | 15 or younger | 13.7 | (11.7 - 15.8) | 2,334 | 19.2 | (16.5 - 22.2) | 1,037 | 8.2 | (6.6 - 10.1) | 1,271 |
| | 16 or 17 | 14.0 | (12.4 - 15.7) | 2,993 | 19.8 | (17.4 - 22.4) | 1,448 | 7.8 | (6.5 - 9.3) | 1,514 |
| | 18 or older | 16.2 | (13.3 - 19.6) | 719 | 23.3 | (19.1 - 28.0) | 383 | 7.3 | (4.6 - 11.6) | 328 |
| Grade | | | | | | | | | | |
| | 9th | 14.4 | (12.2 - 16.9) | 1,673 | 19.4 | (16.6 - 22.6) | 784 | 8.7 | (6.8 - 10.9) | 869 |
| | 10th | 13.4 | (11.7 - 15.3) | 1,692 | 19.6 | (17.2 - 22.4) | 820 | 7.0 | (5.3 - 9.2) | 857 |
| | 11th | 14.8 | (12.9 - 17.0) | 1,508 | 20.4 | (17.5 - 23.6) | 681 | 8.7 | (6.7 - 11.2) | 809 |
| | 12th | 13.4 | (11.2 - 16.0) | 1,128 | 20.7 | (17.0 - 25.0) | 555 | 6.4 | (4.6 - 8.9) | 561 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 8.5 | (5.3 - 13.4) | 184 | - | - | 83 | - | - | 98 |
| | Black* | 9.5 | (8.2 - 11.1) | 1,203 | 14.3 | (11.7 - 17.3) | 556 | 4.7 | (3.6 - 6.2) | 638 |
| | Hispanic/Latino | 12.0 | (10.2 - 14.1) | 2,116 | 16.5 | (13.6 - 19.9) | 993 | 7.4 | (5.8 - 9.4) | 1,098 |
| | White* | 18.9 | (16.6 - 21.5) | 2,094 | 26.0 | (23.0 - 29.2) | 1,021 | 10.9 | (8.7 - 13.6) | 1,058 |
| | All other races* | - | - | 71 | - | - | 38 | - | - | 30 |
| | Multiple races* | 15.1 | (11.1 - 20.2) | 272 | 26.0 | (19.8 - 33.3) | 119 | 6.0 | (2.5 - 14.0) | 151 |

Note: 101 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN13: Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 3.2 | (2.7 - 3.7) | 6,072 | 4.4 | (3.6 - 5.4) | 2,872 | 1.7 | (1.2 - 2.3) | 3,118 |
| Age | | | | | | | | | | |
| | 15 or younger | 2.2 | (1.5 - 3.1) | 2,333 | 3.1 | (2.0 - 4.7) | 1,040 | 1.1 | (0.5 - 2.5) | 1,269 |
| | 16 or 17 | 3.6 | (2.9 - 4.5) | 2,996 | 4.9 | (3.8 - 6.4) | 1,448 | 2.2 | (1.5 - 3.2) | 1,518 |
| | 18 or older | 3.8 | (2.6 - 5.6) | 717 | 5.7 | (3.7 - 8.6) | 380 | 1.5 | (0.6 - 3.8) | 329 |
| Grade | | | | | | | | | | |
| | 9th | 1.8 | (1.2 - 2.8) | 1,674 | 2.9 | (1.8 - 4.5) | 787 | 0.8 | (0.3 - 2.2) | 867 |
| | 10th | 3.1 | (2.3 - 4.1) | 1,696 | 4.4 | (3.1 - 6.3) | 819 | 1.5 | (0.8 - 2.9) | 861 |
| | 11th | 3.8 | (2.9 - 5.0) | 1,509 | 4.7 | (3.3 - 6.5) | 682 | 2.7 | (1.7 - 4.4) | 809 |
| | 12th | 3.5 | (2.5 - 4.8) | 1,124 | 5.5 | (3.9 - 7.9) | 552 | 1.4 | (0.7 - 3.0) | 562 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 3.1 | (1.4 - 6.7) | 184 | - | - | 83 | - | - | 98 |
| | Black* | 2.9 | (2.1 - 3.8) | 1,201 | 4.5 | (3.1 - 6.5) | 553 | 1.3 | (0.7 - 2.6) | 639 |
| | Hispanic/Latino | 3.0 | (2.3 - 3.8) | 2,118 | 3.1 | (2.1 - 4.5) | 993 | 2.6 | (1.7 - 3.7) | 1,100 |
| | White* | 3.1 | (2.3 - 4.1) | 2,099 | 4.5 | (3.3 - 6.2) | 1,026 | 1.5 | (0.8 - 2.6) | 1,058 |
| | All other races* | - | - | 70 | - | - | 38 | - | - | 30 |
| | Multiple races* | 4.9 | (2.8 - 8.6) | 270 | 9.1 | (5.1 - 15.7) | 118 | 1.5 | (0.3 - 6.4) | 150 |

Note: 99 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN15: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 10.2 | (8.6 - 12.2) | 6,136 | 9.6 | (7.9 - 11.5) | 2,917 | 10.6 | (8.5 - 13.2) | 3,134 |
| Age | | | | | | | | | | |
| | 15 or younger | 9.8 | (8.0 - 11.9) | 2,358 | 8.1 | (6.1 - 10.5) | 1,059 | 11.2 | (8.7 - 14.3) | 1,274 |
| | 16 or 17 | 10.0 | (7.9 - 12.5) | 3,023 | 9.7 | (7.6 - 12.3) | 1,463 | 10.0 | (7.3 - 13.4) | 1,527 |
| | 18 or older | 12.3 | (9.5 - 15.8) | 729 | 12.5 | (8.9 - 17.1) | 390 | 11.4 | (7.8 - 16.3) | 331 |
| Grade | | | | | | | | | | |
| | 9th | 10.7 | (8.7 - 13.1) | 1,697 | 9.8 | (7.4 - 13.0) | 805 | 11.3 | (8.7 - 14.7) | 871 |
| | 10th | 10.2 | (8.1 - 12.9) | 1,712 | 8.0 | (5.8 - 10.8) | 830 | 12.0 | (9.1 - 15.7) | 865 |
| | 11th | 9.0 | (6.7 - 12.0) | 1,517 | 8.8 | (6.4 - 11.9) | 684 | 9.3 | (6.4 - 13.3) | 815 |
| | 12th | 10.8 | (8.8 - 13.2) | 1,141 | 11.4 | (8.8 - 14.7) | 565 | 9.9 | (7.1 - 13.5) | 564 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 10.7 | (6.5 - 17.3) | 188 | _ | - | 84 | 13.8 | (7.2 - 24.7) | 100 |
| | Black* | 11.6 | (9.5 - 14.1) | 1,222 | 11.4 | (9.0 - 14.3) | 567 | 11.6 | (8.8 - 15.1) | 645 |
| | Hispanic/Latino | 11.3 | (8.6 - 14.6) | 2,141 | 9.8 | (6.7 - 14.3) | 1,011 | 12.6 | (10.0 - 15.8) | 1,104 |
| | White* | 8.1 | (6.0 - 10.8) | 2,109 | 7.8 | (5.5 - 10.9) | 1,033 | 8.4 | (5.8 - 12.1) | 1,060 |
| | All other races* | - | - | 75 | - | - | 41 | - | - | 32 |
| | Multiple races* | 9.3 | (6.0 - 14.1) | 271 | 12.3 | (7.1 - 20.5) | 120 | 6.9 | (3.6 - 12.6) | 149 |

Note: 35 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN16: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 8.4 | (7.5 - 9.4) | 6,142 | 10.1 | (9.0 - 11.4) | 2,917 | 6.5 | (5.4 - 7.8) | 3,136 |
| Age | | | | | | | | | | |
| | 15 or younger | 8.4 | (7.2 - 9.7) | 2,364 | 10.1 | (8.3 - 12.3) | 1,059 | 6.6 | (5.0 - 8.7) | 1,278 |
| | 16 or 17 | 7.9 | (6.6 - 9.5) | 3,022 | 9.7 | (8.0 - 11.8) | 1,464 | 5.8 | (4.3 - 7.7) | 1,525 |
| | 18 or older | 10.1 | (7.9 - 12.8) | 728 | 11.4 | (8.5 - 15.1) | 389 | 8.9 | (5.9 - 13.1) | 331 |
| Grade | | | | | | | | | | |
| | 9th | 9.2 | (7.6 - 11.0) | 1,698 | 11.2 | (8.7 - 14.2) | 803 | 7.0 | (5.1 - 9.5) | 874 |
| | 10th | 8.4 | (7.0 - 10.1) | 1,716 | 9.0 | (6.8 - 11.7) | 832 | 7.5 | (5.8 - 9.6) | 867 |
| | 11th | 6.6 | (5.3 - 8.3) | 1,517 | 9.0 | (6.9 - 11.6) | 685 | 4.0 | (2.6 - 6.2) | 814 |
| | 12th | 9.1 | (7.4 - 11.1) | 1,139 | 10.9 | (8.6 - 13.8) | 564 | 7.2 | (5.0 - 10.1) | 562 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 8.9 | (5.9 - 13.2) | 188 | - | - | 84 | 5.1 | (2.0 - 12.1) | 100 |
| | Black* | 9.9 | (8.4 - 11.6) | 1,221 | 12.1 | (9.9 - 14.6) | 568 | 7.4 | (5.7 - 9.6) | 643 |
| | Hispanic/Latino | 7.8 | (6.3 - 9.7) | 2,140 | 9.4 | (7.3 - 12.2) | 1,008 | 6.1 | (4.6 - 8.0) | 1,106 |
| | White* | 6.9 | (5.4 - 8.7) | 2,111 | 7.8 | (5.9 - 10.3) | 1,034 | 5.9 | (4.2 - 8.0) | 1,061 |
| | All other races* | - | - | 76 | - | - | 41 | - | - | 32 |
| | Multiple races* | 11.3 | (8.1 - 15.6) | 272 | 19.1 | (13.3 - 26.5) | 120 | 4.8 | (2.3 - 10.1) | 150 |

Note: 29 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN17: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 21.1 | (19.8 - 22.6) | 6,073 | 27.0 | (25.1 - 29.0) | 2,880 | 15.0 | (13.4 - 16.8) | 3,108 |
| Age | | | | | | | | | | |
| | 15 or younger | 22.8 | (20.5 - 25.4) | 2,338 | 29.5 | (25.9 - 33.3) | 1,046 | 16.4 | (14.2 - 18.9) | 1,268 |
| | 16 or 17 | 20.9 | (19.3 - 22.7) | 2,990 | 26.7 | (24.4 - 29.1) | 1,442 | 15.0 | (12.7 - 17.7) | 1,514 |
| | 18 or older | 17.4 | (14.4 - 20.9) | 718 | 23.0 | (18.8 - 27.8) | 387 | 11.2 | (7.9 - 15.8) | 324 |
| Grade | | | | | | | | | | |
| | 9th | 25.3 | (22.2 - 28.6) | 1,680 | 31.8 | (27.3 - 36.6) | 793 | 18.5 | (15.7 - 21.7) | 867 |
| | 10th | 21.7 | (19.3 - 24.3) | 1,691 | 26.6 | (23.5 - 30.0) | 817 | 16.7 | (13.7 - 20.2) | 858 |
| | 11th | 20.4 | (18.2 - 22.9) | 1,505 | 27.7 | (23.8 - 32.0) | 680 | 13.1 | (10.8 - 15.9) | 806 |
| | 12th | 16.2 | (13.6 - 19.2) | 1,129 | 21.4 | (17.8 - 25.4) | 559 | 11.0 | (7.8 - 15.3) | 559 |
| Race/F | Ethnicity | | | | | | | | | |
| | Asian* | 12.0 | (7.9 - 17.7) | 189 | - | - | 86 | - | - | 99 |
| | Black* | 24.8 | (22.4 - 27.5) | 1,201 | 31.5 | (27.2 - 36.2) | 555 | 18.6 | (15.4 - 22.3) | 636 |
| | Hispanic/Latino | 19.7 | (17.7 - 21.8) | 2,115 | 24.5 | (21.4 - 27.8) | 997 | 14.5 | (12.1 - 17.4) | 1,094 |
| | White* | 18.8 | (16.6 - 21.2) | 2,098 | 25.0 | (22.2 - 28.0) | 1,026 | 12.1 | (10.1 - 14.5) | 1,056 |
| | All other races* | - | - | 73 | - | - | 38 | - | - | 32 |
| | Multiple races* | 26.3 | (20.2 - 33.5) | 269 | 35.7 | (25.7 - 47.1) | 119 | 17.8 | (11.9 - 25.8) | 148 |

Note: 98 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN18: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 7.9 | (7.0 - 8.9) | 6,073 | 10.2 | (8.9 - 11.7) | 2,881 | 5.5 | (4.4 - 6.7) | 3,108 |
| Age | | | | | | | | | | |
| | 15 or younger | 9.1 | (7.8 - 10.7) | 2,338 | 12.4 | (10.2 - 14.8) | 1,046 | 6.0 | (4.6 - 7.9) | 1,268 |
| | 16 or 17 | 7.5 | (6.4 - 8.9) | 2,992 | 9.5 | (7.8 - 11.4) | 1,444 | 5.5 | (4.0 - 7.5) | 1,514 |
| | 18 or older | 6.3 | (4.2 - 9.4) | 717 | 8.3 | (5.3 - 12.8) | 386 | 4.0 | (2.0 - 8.0) | 324 |
| Grade | | | | | | | | | | |
| | 9th | 10.8 | (9.0 - 12.9) | 1,680 | 14.1 | (11.1 - 17.7) | 792 | 7.3 | (5.5 - 9.6) | 868 |
| | 10th | 8.1 | (6.4 - 10.2) | 1,690 | 9.8 | (7.9 - 12.2) | 817 | 6.3 | (4.4 - 8.8) | 857 |
| | 11th | 6.4 | (5.0 - 8.2) | 1,506 | 9.7 | (7.2 - 12.9) | 682 | 3.2 | (1.9 - 5.4) | 805 |
| | 12th | 5.9 | (4.1 - 8.5) | 1,129 | 7.2 | (4.6 - 11.0) | 558 | 4.6 | (2.5 - 8.4) | 560 |
| Race/F | Ethnicity | | | | | | | | | |
| | Asian* | 6.1 | (3.6 - 10.1) | 189 | - | - | 86 | - | _ | 99 |
| | Black* | 10.7 | (9.1 - 12.6) | 1,200 | 13.6 | (11.2 - 16.3) | 555 | 8.1 | (5.9 - 10.9) | 635 |
| | Hispanic/Latino | 7.7 | (6.5 - 9.0) | 2,114 | 9.7 | (7.7 - 12.0) | 996 | 5.5 | (4.4 - 6.8) | 1,094 |
| | White* | 5.5 | (4.5 - 6.8) | 2,099 | 7.3 | (5.8 - 9.0) | 1,027 | 3.6 | (2.6 - 5.0) | 1,056 |
| | All other races* | - | - | 74 | - | - | 39 | - | - | 32 |
| | Multiple races* | 10.3 | (7.2 - 14.5) | 270 | 15.7 | (9.9 - 24.0) | 119 | 5.8 | (3.2 - 10.1) | 149 |

Note: 98 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 6.5 | (5.6 - 7.5) | 6,058 | 4.3 | (3.3 - 5.6) | 2,881 | 8.7 | (7.5 - 10.0) | 3,096 |
| Age | | | | | | | | | | |
| | 15 or younger | 5.7 | (4.4 - 7.2) | 2,331 | 3.8 | (2.5 - 5.8) | 1,048 | 7.2 | (5.6 - 9.2) | 1,258 |
| | 16 or 17 | 6.4 | (5.4 - 7.6) | 2,985 | 4.1 | (2.9 - 5.8) | 1,443 | 8.8 | (7.4 - 10.4) | 1,509 |
| | 18 or older | 8.9 | (6.9 - 11.5) | 718 | 6.1 | (3.9 - 9.4) | 384 | 12.0 | (8.7 - 16.4) | 328 |
| Grade | | | | | | | | | | |
| | 9th | 5.6 | (4.1 - 7.6) | 1,681 | 4.2 | (2.5 - 6.8) | 797 | 7.1 | (5.4 - 9.4) | 863 |
| | 10th | 6.4 | (5.1 - 8.0) | 1,681 | 3.1 | (1.8 - 5.1) | 815 | 9.6 | (7.3 - 12.5) | 850 |
| | 11th | 6.0 | (4.6 - 7.7) | 1,500 | 5.0 | (3.4 - 7.2) | 678 | 7.0 | (5.0 - 9.6) | 805 |
| | 12th | 8.1 | (6.3 - 10.3) | 1,129 | 5.3 | (3.5 - 8.1) | 559 | 10.8 | (8.0 - 14.4) | 560 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 1.8 | (0.7 - 4.7) | 190 | - | - | 87 | - | - | 99 |
| | Black* | 6.5 | (4.9 - 8.4) | 1,197 | 4.8 | (3.0 - 7.5) | 557 | 8.0 | (5.6 - 11.1) | 631 |
| | Hispanic/Latino | 7.0 | (5.9 - 8.3) | 2,118 | 5.1 | (4.0 - 6.6) | 996 | 8.7 | (7.2 - 10.6) | 1,097 |
| | White* | 6.2 | (5.1 - 7.5) | 2,083 | 3.4 | (2.3 - 4.9) | 1,024 | 9.4 | (7.5 - 11.6) | 1,043 |
| | All other races* | - | - | 71 | - | - | 37 | - | - | 32 |
| | Multiple races* | 8.6 | (5.1 - 14.0) | 272 | 5.0 | (2.3 - 10.8) | 120 | 11.8 | (6.7 - 19.9) | 150 |

Note: 113 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 9.9 | (8.9 - 10.9) | 6,009 | 7.0 | (5.7 - 8.4) | 2,872 | 12.8 | (11.5 - 14.2) | 3,054 |
| Age | | | | | | | | | | |
| | 15 or younger | 10.4 | (9.0 - 11.9) | 2,307 | 6.7 | (4.8 - 9.2) | 1,046 | 13.8 | (11.7 - 16.3) | 1,237 |
| | 16 or 17 | 9.4 | (8.3 - 10.7) | 2,970 | 6.4 | (5.0 - 8.2) | 1,445 | 12.6 | (10.8 - 14.6) | 1,493 |
| | 18 or older | 10.3 | (8.2 - 12.8) | 705 | 9.5 | (6.8 - 13.1) | 375 | 10.9 | (7.8 - 15.1) | 322 |
| Grade | | | | | | | | | | |
| | 9th | 10.2 | (8.3 - 12.4) | 1,663 | 6.7 | (4.8 - 9.4) | 797 | 13.9 | (11.4 - 16.9) | 845 |
| | 10th | 9.5 | (8.1 - 11.0) | 1,681 | 5.9 | (4.2 - 8.2) | 818 | 13.1 | (10.7 - 15.9) | 848 |
| | 11th | 9.7 | (7.8 - 11.9) | 1,495 | 7.5 | (5.7 - 9.8) | 679 | 11.8 | (9.0 - 15.3) | 798 |
| | 12th | 9.9 | (8.2 - 11.8) | 1,103 | 7.4 | (5.3 - 10.1) | 547 | 12.1 | (9.6 - 15.1) | 544 |
| Race/I | Ethnicity | | | | | | | | | |
| | Asian* | 7.4 | (4.4 - 12.1) | 190 | - | - | 87 | - | - | 99 |
| | Black* | 9.3 | (7.7 - 11.2) | 1,195 | 8.3 | (5.8 - 11.8) | 557 | 10.3 | (8.4 - 12.5) | 628 |
| | Hispanic/Latino | 10.2 | (8.8 - 11.8) | 2,101 | 7.1 | (5.7 - 8.8) | 993 | 13.0 | (10.9 - 15.5) | 1,083 |
| | White* | 9.8 | (8.4 - 11.5) | 2,060 | 4.9 | (3.4 - 6.8) | 1,020 | 15.4 | (12.9 - 18.2) | 1,025 |
| | All other races* | - | - | 70 | - | - | 38 | - | - | 30 |
| | Multiple races* | 14.3 | (10.0 - 20.1) | 265 | 16.5 | (11.1 - 24.0) | 117 | 12.7 | (7.9 - 19.8) | 146 |

Note: 162 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 6.2 | (5.4 - 7.1) | 3,727 | 4.9 | (3.8 - 6.4) | 1,759 | 7.6 | (6.5 - 8.7) | 1,927 |
| Age | | | | | | | | | | |
| | 15 or younger | 6.6 | (5.4 - 8.0) | 1,289 | 5.2 | (3.4 - 7.9) | 579 | 7.9 | (6.2 - 10.0) | 694 |
| | 16 or 17 | 6.2 | (5.1 - 7.5) | 1,954 | 4.5 | (3.2 - 6.2) | 933 | 8.0 | (6.6 - 9.7) | 1,008 |
| | 18 or older | 5.6 | (3.7 - 8.4) | 468 | 5.9 | (3.4 - 9.9) | 243 | 5.4 | (2.8 - 10.1) | 224 |
| Grade | | | | | | | | | | |
| | 9th | 6.8 | (5.2 - 9.0) | 929 | 5.0 | (3.2 - 7.8) | 451 | 9.0 | (6.5 - 12.3) | 466 |
| | 10th | 5.5 | (4.2 - 7.2) | 1,027 | 4.1 | (2.4 - 6.9) | 484 | 6.7 | (4.8 - 9.3) | 539 |
| | 11th | 7.3 | (5.3 - 9.8) | 980 | 5.8 | (4.0 - 8.3) | 441 | 8.9 | (6.2 - 12.7) | 531 |
| | 12th | 4.8 | (3.5 - 6.6) | 757 | 4.1 | (2.3 - 7.2) | 369 | 5.5 | (3.8 - 8.0) | 383 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | - | - | 75 | - | - | 35 | - | - | 40 |
| | Black* | 4.9 | (3.5 - 7.0) | 737 | 4.5 | (2.6 - 7.6) | 362 | 5.5 | (3.8 - 8.0) | 371 |
| | Hispanic/Latino | 6.6 | (5.2 - 8.5) | 1,294 | 5.2 | (3.4 - 7.7) | 596 | 7.9 | (5.9 - 10.5) | 685 |
| | White* | 6.7 | (5.5 - 8.1) | 1,332 | 4.3 | (2.9 - 6.4) | 637 | 9.3 | (7.2 - 11.9) | 687 |
| | All other races* | - | - | 36 | - | - | 17 | - | - | 19 |
| | Multiple races* | 9.6 | (5.9 - 15.3) | 173 | - | - | 76 | - | - | 95 |

Note: 2,444 students were excluded from this analysis.

^{*}Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)

| | | Total | | | Male | | Female | | | |
|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Total | 8.4 | (7.4 - 9.6) | 3,850 | 7.7 | (6.3 - 9.4) | 1,803 | 9.2 | (7.7 - 11.1) | 2,002 | |
| Age | | | | | | | | | | |
| 15 or younger | 8.6 | (6.9 - 10.7) | 1,338 | 7.8 | (5.3 - 11.2) | 592 | 9.4 | (7.0 - 12.4) | 728 | |
| 16 or 17 | 8.1 | (6.8 - 9.5) | 2,011 | 7.6 | (6.0 - 9.5) | 956 | 8.6 | (6.7 - 10.8) | 1,041 | |
| 18 or older | 9.3 | (6.9 - 12.3) | 485 | 7.9 | (4.8 - 12.8) | 252 | 10.9 | (7.3 - 15.9) | 232 | |
| Grade | | | | | | | | | | |
| 9th | 8.5 | (6.3 - 11.3) | 970 | 7.6 | (4.8 - 11.8) | 466 | 9.7 | (6.9 - 13.4) | 492 | |
| 10th | 7.7 | (5.8 - 10.1) | 1,053 | 6.8 | (4.7 - 9.7) | 492 | 8.3 | (5.6 - 12.3) | 556 | |
| 11th | 8.8 | (7.0 - 11.2) | 1,004 | 7.3 | (5.2 - 10.0) | 449 | 10.5 | (7.7 - 14.1) | 546 | |
| 12th | 8.1 | (6.0 - 10.8) | 787 | 8.2 | (5.3 - 12.5) | 381 | 7.9 | (5.3 - 11.5) | 400 | |
| Race/Ethnicity | | | | | | | | | | |
| Asian* | - | - | 76 | - | - | 35 | - | - | 41 | |
| Black* | 8.1 | (6.2 - 10.4) | 761 | 7.7 | (5.4 - 10.8) | 371 | 8.5 | (6.1 - 11.8) | 386 | |
| Hispanic/Latir | 7.6 | (6.3 - 9.3) | 1,331 | 7.8 | (5.5 - 10.8) | 612 | 7.3 | (5.6 - 9.5) | 705 | |
| White* | 8.6 | (7.2 - 10.3) | 1,377 | 7.0 | (5.2 - 9.2) | 649 | 10.4 | (8.0 - 13.5) | 719 | |
| All other races | * _ | - | 40 | - | - | 19 | - | - | 21 | |
| Multiple races | * 11.6 | (7.5 - 17.5) | 179 | - | - | 78 | - | - | 99 | |

Note: 2,321 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 14.3 | (13.3 - 15.4) | 6,141 | 11.2 | (9.9 - 12.5) | 2,924 | 17.4 | (16.1 - 18.7) | 3,126 |
| Age | | | | | | | | | | |
| | 15 or younger | 17.6 | (15.9 - 19.4) | 2,359 | 13.7 | (11.5 - 16.1) | 1,064 | 21.3 | (19.0 - 23.8) | 1,269 |
| | 16 or 17 | 13.2 | (11.7 - 14.8) | 3,024 | 10.5 | (8.7 - 12.6) | 1,464 | 16.0 | (14.0 - 18.1) | 1,525 |
| | 18 or older | 10.2 | (8.2 - 12.6) | 728 | 8.1 | (5.6 - 11.5) | 390 | 12.1 | (9.3 - 15.5) | 330 |
| Grade | | | | | | | | | | |
| | 9th | 18.3 | (16.2 - 20.5) | 1,700 | 14.7 | (12.4 - 17.4) | 808 | 22.1 | (19.3 - 25.2) | 871 |
| | 10th | 15.7 | (13.5 - 18.1) | 1,713 | 10.3 | (8.2 - 12.8) | 832 | 21.1 | (17.8 - 24.8) | 863 |
| | 11th | 11.5 | (9.8 - 13.4) | 1,518 | 10.0 | (7.7 - 13.0) | 688 | 12.7 | (10.6 - 15.2) | 811 |
| | 12th | 11.2 | (9.3 - 13.4) | 1,138 | 9.0 | (6.7 - 12.0) | 563 | 13.2 | (10.3 - 16.9) | 562 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 9.3 | (6.0 - 14.2) | 191 | - | - | 87 | 12.1 | (6.8 - 20.6) | 100 |
| | Black* | 12.4 | (10.6 - 14.6) | 1,217 | 10.4 | (8.1 - 13.3) | 570 | 14.4 | (12.2 - 17.0) | 636 |
| | Hispanic/Latino | 12.4 | (10.9 - 14.0) | 2,143 | 10.3 | (8.8 - 12.0) | 1,011 | 14.4 | (12.2 - 16.8) | 1,106 |
| | White* | 16.4 | (14.5 - 18.4) | 2,108 | 12.0 | (9.9 - 14.4) | 1,034 | 20.9 | (18.5 - 23.6) | 1,057 |
| | All other races* | - | - | 74 | - | - | 40 | - | - | 32 |
| | Multiple races* | 18.9 | (14.9 - 23.6) | 274 | 16.3 | (10.9 - 23.7) | 121 | 21.4 | (15.2 - 29.2) | 151 |

Note: 30 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 11.5 | (10.6 - 12.5) | 6,135 | 7.9 | (6.9 - 9.0) | 2,922 | 15.2 | (13.9 - 16.7) | 3,123 |
| Age | | | | | | | | | | |
| | 15 or younger | 13.8 | (12.4 - 15.3) | 2,359 | 9.6 | (7.7 - 12.0) | 1,063 | 17.7 | (15.5 - 20.0) | 1,270 |
| | 16 or 17 | 10.5 | (9.2 - 11.9) | 3,022 | 6.9 | (5.6 - 8.6) | 1,465 | 14.3 | (12.5 - 16.4) | 1,522 |
| | 18 or older | 9.9 | (7.7 - 12.6) | 725 | 7.4 | (4.9 - 11.0) | 388 | 12.0 | (8.9 - 16.0) | 329 |
| Grade | | | | | | | | | | |
| | 9th | 14.1 | (12.5 - 16.0) | 1,697 | 9.4 | (7.2 - 12.2) | 807 | 19.2 | (16.4 - 22.4) | 869 |
| | 10th | 11.9 | (10.1 - 13.9) | 1,714 | 7.9 | (5.9 - 10.5) | 832 | 16.0 | (13.3 - 19.1) | 864 |
| | 11th | 9.4 | (7.8 - 11.3) | 1,516 | 6.0 | (4.4 - 8.3) | 687 | 12.5 | (10.3 - 15.0) | 810 |
| | 12th | 10.3 | (8.7 - 12.2) | 1,137 | 7.6 | (5.4 - 10.7) | 563 | 13.0 | (10.6 - 15.8) | 561 |
| Race/E | Ethnicity | | | | | | | | | |
| | Asian* | 6.8 | (4.3 - 10.4) | 191 | - | - | 87 | 10.6 | (5.8 - 18.7) | 100 |
| | Black* | 9.2 | (7.3 - 11.6) | 1,216 | 7.7 | (5.3 - 11.1) | 569 | 10.7 | (8.4 - 13.7) | 636 |
| | Hispanic/Latino | 10.3 | (9.0 - 11.8) | 2,144 | 7.9 | (6.3 - 9.9) | 1,013 | 12.6 | (10.7 - 14.6) | 1,105 |
| | White* | 14.3 | (12.7 - 16.0) | 2,105 | 8.2 | (6.5 - 10.3) | 1,032 | 20.8 | (18.7 - 23.1) | 1,056 |
| | All other races* | - | - | 73 | - | - | 40 | - | - | 31 |
| | Multiple races* | 12.0 | (8.6 - 16.4) | 273 | 8.0 | (4.5 - 14.0) | 120 | 15.5 | (10.9 - 21.6) | 151 |

Note: 36 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN25: Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 27.8 | (26.4 - 29.3) | 6,096 | 17.8 | (16.4 - 19.4) | 2,902 | 38.1 | (36.1 - 40.2) | 3,106 |
| Age | | | | | | | | | | |
| | 15 or younger | 28.5 | (26.6 - 30.4) | 2,338 | 17.0 | (14.9 - 19.4) | 1,050 | 38.7 | (36.2 - 41.4) | 1,263 |
| | 16 or 17 | 27.4 | (25.5 - 29.4) | 3,005 | 17.4 | (15.1 - 20.0) | 1,458 | 38.3 | (35.9 - 40.8) | 1,513 |
| | 18 or older | 27.7 | (23.9 - 31.8) | 725 | 21.2 | (17.6 - 25.3) | 389 | 35.6 | (29.1 - 42.7) | 328 |
| Grade | | | | | | | | | | |
| | 9th | 28.3 | (25.9 - 30.9) | 1,681 | 18.3 | (15.4 - 21.4) | 799 | 38.9 | (35.6 - 42.3) | 861 |
| | 10th | 27.7 | (25.4 - 30.2) | 1,694 | 16.1 | (13.4 - 19.3) | 819 | 39.5 | (36.1 - 43.0) | 857 |
| | 11th | 28.1 | (25.8 - 30.6) | 1,516 | 17.7 | (14.6 - 21.4) | 688 | 38.5 | (35.4 - 41.8) | 809 |
| | 12th | 27.1 | (23.6 - 30.8) | 1,135 | 19.4 | (15.8 - 23.5) | 563 | 35.1 | (29.8 - 40.8) | 561 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 22.3 | (13.7 - 34.2) | 190 | - | - | 87 | - | - | 99 |
| | Black* | 26.5 | (24.1 - 29.1) | 1,199 | 17.7 | (14.6 - 21.3) | 559 | 35.6 | (32.1 - 39.2) | 629 |
| | Hispanic/Latino | 30.1 | (28.0 - 32.2) | 2,136 | 21.1 | (18.7 - 23.6) | 1,007 | 38.7 | (35.9 - 41.6) | 1,103 |
| | White* | 27.4 | (25.2 - 29.7) | 2,098 | 15.8 | (13.7 - 18.2) | 1,031 | 39.7 | (36.3 - 43.2) | 1,051 |
| | All other races* | - | - | 74 | - | - | 39 | - | - | 33 |
| | Multiple races* | 33.9 | (28.2 - 40.0) | 271 | 27.6 | (21.7 - 34.5) | 120 | 39.2 | (30.6 - 48.4) | 149 |

Note: 75 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN26: Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 13.8 | (12.8 - 14.8) | 6,095 | 9.5 | (8.4 - 10.8) | 2,900 | 18.1 | (16.8 - 19.5) | 3,107 |
| Age | | | | | | | | | | |
| | 15 or younger | 15.1 | (13.6 - 16.7) | 2,342 | 10.7 | (9.0 - 12.7) | 1,052 | 19.0 | (16.9 - 21.3) | 1,264 |
| | 16 or 17 | 13.6 | (12.2 - 15.2) | 3,006 | 9.1 | (7.5 - 11.0) | 1,457 | 18.5 | (16.6 - 20.5) | 1,515 |
| | 18 or older | 11.3 | (9.3 - 13.6) | 721 | 8.5 | (6.3 - 11.4) | 386 | 14.4 | (10.8 - 19.1) | 327 |
| Grade | | | | | | | | | | |
| | 9th | 15.0 | (13.3 - 16.9) | 1,684 | 11.2 | (9.5 - 13.2) | 800 | 18.9 | (16.1 - 22.1) | 863 |
| | 10th | 14.3 | (12.3 - 16.6) | 1,696 | 8.3 | (6.3 - 10.8) | 822 | 20.7 | (17.4 - 24.4) | 856 |
| | 11th | 13.8 | (12.2 - 15.7) | 1,514 | 10.3 | (8.1 - 13.1) | 686 | 17.1 | (14.8 - 19.7) | 809 |
| | 12th | 11.8 | (9.7 - 14.2) | 1,134 | 8.2 | (6.2 - 10.8) | 560 | 15.4 | (12.1 - 19.5) | 562 |
| Race/E | Cthnicity | | | | | | | | | |
| | Asian* | 10.5 | (6.8 - 15.8) | 190 | - | - | 87 | - | - | 99 |
| | Black* | 11.8 | (10.1 - 13.7) | 1,203 | 7.6 | (6.0 - 9.7) | 558 | 16.0 | (13.4 - 18.9) | 634 |
| | Hispanic/Latino | 14.9 | (13.4 - 16.5) | 2,131 | 10.8 | (8.9 - 13.0) | 1,006 | 19.0 | (17.3 - 20.7) | 1,099 |
| | White* | 14.4 | (12.9 - 16.2) | 2,098 | 10.2 | (8.0 - 12.9) | 1,032 | 19.0 | (16.7 - 21.5) | 1,050 |
| | All other races* | - | - | 73 | - | - | 38 | - | - | 33 |
| | Multiple races* | 20.6 | (15.7 - 26.6) | 269 | 17.0 | (12.2 - 23.2) | 119 | 24.0 | (17.3 - 32.3) | 148 |

Note: 76 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

| | | Total | | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 10.7 | (9.8 - 11.6) | 6,066 | 7.3 | (6.2 - 8.7) | 2,886 | 14.1 | (12.7 - 15.5) | 3,094 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 11.8 | (10.3 - 13.5) | 2,332 | 7.6 | (5.8 - 9.8) | 1,050 | 15.4 | (13.6 - 17.5) | 1,257 | |
| | 16 or 17 | 10.6 | (9.6 - 11.8) | 2,991 | 7.7 | (6.1 - 9.5) | 1,447 | 13.9 | (12.3 - 15.7) | 1,510 | |
| | 18 or older | 8.0 | (6.1 - 10.5) | 719 | 5.8 | (3.6 - 9.2) | 385 | 10.9 | (7.9 - 14.9) | 326 | |
| Grade | | | | | | | | | | | |
| | 9th | 11.6 | (9.7 - 13.8) | 1,677 | 8.0 | (6.0 - 10.6) | 799 | 15.2 | (12.7 - 18.1) | 858 | |
| | 10th | 11.2 | (9.4 - 13.2) | 1,693 | 7.3 | (5.5 - 9.6) | 820 | 15.1 | (12.5 - 18.2) | 855 | |
| | 11th | 10.8 | (9.4 - 12.4) | 1,501 | 7.3 | (5.5 - 9.6) | 678 | 14.5 | (12.1 - 17.2) | 805 | |
| | 12th | 8.7 | (6.8 - 11.0) | 1,127 | 6.5 | (4.1 - 10.2) | 556 | 10.8 | (8.1 - 14.2) | 559 | |
| Race/E | thnicity | | | | | | | | | | |
| | Asian* | 10.4 | (6.3 - 16.6) | 189 | - | - | 87 | - | - | 98 | |
| | Black* | 9.4 | (8.0 - 11.1) | 1,188 | 6.2 | (4.3 - 8.9) | 549 | 12.8 | (10.5 - 15.5) | 628 | |
| | Hispanic/Latino | 10.9 | (9.6 - 12.3) | 2,119 | 8.0 | (5.9 - 10.7) | 996 | 13.8 | (12.2 - 15.4) | 1,098 | |
| | White* | 11.0 | (9.7 - 12.5) | 2,092 | 7.4 | (5.9 - 9.2) | 1,033 | 14.7 | (12.6 - 17.1) | 1,044 | |
| | All other races* | - | - | 75 | - | - | 40 | - | - | 33 | |
| | Multiple races* | 16.5 | (12.0 - 22.4) | 272 | 15.1 | (9.2 - 23.8) | 121 | 18.0 | (11.8 - 26.5) | 149 | |

Note: 105 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN28: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 7.6 | (6.6 - 8.6) | 5,331 | 6.1 | (4.8 - 7.7) | 2,500 | 8.9 | (7.8 - 10.1) | 2,762 |
| Age | | | | | | | | | | |
| | 15 or younger | 8.9 | (7.3 - 10.9) | 2,108 | 6.4 | (4.3 - 9.2) | 927 | 10.9 | (9.0 - 13.0) | 1,158 |
| | 16 or 17 | 7.0 | (5.8 - 8.3) | 2,600 | 5.8 | (4.3 - 7.7) | 1,250 | 8.2 | (6.7 - 10.1) | 1,325 |
| | 18 or older | 6.1 | (4.6 - 8.0) | 603 | 6.7 | (4.6 - 9.8) | 319 | 5.5 | (3.6 - 8.3) | 278 |
| Grade | | | | | | | | | | |
| | 9th | 9.0 | (7.1 - 11.3) | 1,492 | 6.9 | (4.5 - 10.4) | 695 | 10.8 | (8.8 - 13.2) | 778 |
| | 10th | 8.2 | (6.4 - 10.4) | 1,484 | 5.7 | (3.7 - 8.7) | 709 | 10.6 | (8.0 - 14.0) | 763 |
| | 11th | 7.2 | (6.1 - 8.5) | 1,299 | 6.0 | (4.2 - 8.4) | 581 | 8.4 | (6.5 - 10.8) | 702 |
| | 12th | 5.3 | (4.0 - 6.9) | 1,003 | 5.2 | (3.3 - 8.2) | 490 | 5.3 | (3.7 - 7.6) | 505 |
| Race/I | Ethnicity | | | | | | | | | |
| | Asian* | 7.6 | (4.2 - 13.5) | 175 | - | - | 79 | - | - | 93 |
| | Black* | 7.8 | (5.9 - 10.1) | 943 | 7.1 | (4.7 - 10.7) | 431 | 8.5 | (6.5 - 11.1) | 504 |
| | Hispanic/Latino | 8.2 | (7.1 - 9.6) | 1,860 | 5.5 | (4.2 - 7.2) | 862 | 10.4 | (8.7 - 12.3) | 975 |
| | White* | 6.5 | (5.5 - 7.6) | 1,941 | 5.4 | (3.7 - 7.7) | 940 | 7.5 | (6.0 - 9.4) | 987 |
| | All other races* | - | - | 63 | - | - | 33 | - | - | 29 |
| | Multiple races* | 14.0 | (10.1 - 19.2) | 238 | 11.8 | (7.6 - 17.8) | 101 | 16.1 | (10.6 - 23.6) | 135 |

Note: 840 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN29: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 2.3 | (1.9 - 2.9) | 5,213 | 2.1 | (1.5 - 3.0) | 2,439 | 2.4 | (1.9 - 3.1) | 2,708 |
| Age | | | | | | | | | | |
| | 15 or younger | 2.4 | (1.7 - 3.4) | 2,049 | 1.9 | (1.1 - 3.2) | 896 | 2.8 | (1.9 - 4.1) | 1,132 |
| | 16 or 17 | 2.5 | (1.8 - 3.4) | 2,552 | 2.5 | (1.5 - 4.1) | 1,227 | 2.5 | (1.6 - 3.7) | 1,301 |
| | 18 or older | 1.3 | (0.6 - 2.6) | 591 | 1.1 | (0.4 - 3.2) | 312 | 1.4 | (0.5 - 3.7) | 273 |
| Grade | | | | | | | | | | |
| | 9th | 2.1 | (1.5 - 3.1) | 1,447 | 1.7 | (0.9 - 3.1) | 672 | 2.5 | (1.7 - 3.6) | 756 |
| | 10th | 2.9 | (2.0 - 4.4) | 1,449 | 2.1 | (0.9 - 4.8) | 687 | 3.8 | (2.5 - 5.8) | 749 |
| | 11th | 2.2 | (1.4 - 3.4) | 1,287 | 2.6 | (1.4 - 4.9) | 578 | 1.8 | (0.9 - 3.3) | 693 |
| | 12th | 1.6 | (0.9 - 2.8) | 981 | 1.7 | (0.8 - 3.6) | 477 | 1.5 | (0.7 - 3.0) | 496 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 2.9 | (1.1 - 7.3) | 173 | - | _ | 79 | - | - | 91 |
| | Black* | 2.6 | (1.7 - 3.9) | 929 | 2.7 | (1.3 - 5.6) | 424 | 2.5 | (1.5 - 4.2) | 497 |
| | Hispanic/Latino | 2.0 | (1.4 - 3.0) | 1,837 | 1.7 | (1.0 - 3.1) | 853 | 2.2 | (1.5 - 3.4) | 963 |
| | White* | 1.9 | (1.4 - 2.7) | 1,881 | 1.5 | (0.8 - 2.9) | 907 | 2.3 | (1.5 - 3.6) | 959 |
| | All other races* | - | - | 60 | - | - | 30 | - | - | 29 |
| | Multiple races* | 5.7 | (3.2 - 9.9) | 232 | - | - | 98 | 6.0 | (2.8 - 12.3) | 132 |

Note: 958 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN30: Percentage of students who ever tried cigarette smoking (even one or two puffs)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 18.6 | (17.2 - 20.1) | 5,863 | 18.9 | (17.0 - 21.0) | 2,754 | 18.1 | (16.3 - 20.1) | 3,026 |
| Age | | | | | | | | | | |
| | 15 or younger | 15.3 | (13.7 - 16.9) | 2,252 | 14.6 | (12.1 - 17.4) | 996 | 15.8 | (13.6 - 18.3) | 1,233 |
| | 16 or 17 | 19.0 | (17.1 - 21.0) | 2,897 | 19.4 | (17.1 - 21.8) | 1,392 | 18.4 | (15.9 - 21.1) | 1,473 |
| | 18 or older | 25.2 | (21.9 - 28.9) | 688 | 26.9 | (21.5 - 33.1) | 362 | 23.4 | (18.3 - 29.5) | 318 |
| Grade | | | | | | | | | | |
| | 9th | 15.0 | (13.2 - 17.0) | 1,615 | 13.9 | (11.1 - 17.3) | 754 | 16.2 | (13.1 - 19.9) | 840 |
| | 10th | 16.7 | (14.4 - 19.1) | 1,630 | 17.6 | (14.9 - 20.6) | 784 | 15.8 | (13.1 - 19.0) | 830 |
| | 11th | 19.1 | (17.1 - 21.3) | 1,477 | 19.8 | (16.9 - 23.0) | 660 | 18.2 | (15.7 - 21.0) | 798 |
| | 12th | 23.5 | (20.4 - 26.9) | 1,080 | 24.5 | (20.1 - 29.6) | 529 | 22.0 | (18.6 - 26.0) | 540 |
| Race/H | Ethnicity | | | | | | | | | |
| | Asian* | 14.1 | (9.4 - 20.8) | 180 | - | - | 81 | - | - | 95 |
| | Black* | 11.3 | (9.7 - 13.0) | 1,153 | 12.4 | (9.9 - 15.6) | 523 | 9.9 | (7.7 - 12.6) | 619 |
| | Hispanic/Latino | 20.5 | (18.4 - 22.9) | 2,070 | 20.3 | (17.7 - 23.1) | 972 | 20.6 | (17.1 - 24.6) | 1,075 |
| | White* | 23.2 | (20.4 - 26.3) | 2,009 | 22.6 | (19.2 - 26.5) | 975 | 23.8 | (20.6 - 27.4) | 1,019 |
| | All other races* | - | - | 72 | - | - | 38 | - | - | 32 |
| | Multiple races* | 21.9 | (16.8 - 28.1) | 260 | 24.3 | (15.4 - 36.0) | 113 | 20.2 | (13.9 - 28.6) | 145 |

Note: 308 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 6.8 | (6.1 - 7.5) | 5,948 | 7.8 | (6.8 - 8.9) | 2,799 | 5.7 | (4.7 - 6.8) | 3,062 |
| Age | | | | | | | | | | |
| | 15 or younger | 6.8 | (5.7 - 7.9) | 2,292 | 8.3 | (6.5 - 10.4) | 1,017 | 5.2 | (4.1 - 6.7) | 1,250 |
| | 16 or 17 | 6.8 | (5.9 - 7.9) | 2,930 | 8.0 | (6.5 - 9.7) | 1,410 | 5.5 | (4.3 - 7.1) | 1,488 |
| | 18 or older | 6.9 | (5.2 - 9.1) | 698 | 6.1 | (3.7 - 9.9) | 368 | 7.5 | (5.1 - 11.0) | 322 |
| Grade | | | | | | | | | | |
| | 9th | 6.8 | (5.6 - 8.2) | 1,646 | 7.8 | (5.9 - 10.3) | 770 | 5.8 | (4.4 - 7.6) | 855 |
| | 10th | 6.9 | (5.6 - 8.5) | 1,659 | 8.6 | (6.7 - 11.0) | 800 | 5.0 | (3.6 - 7.0) | 842 |
| | 11th | 6.3 | (5.2 - 7.6) | 1,482 | 7.2 | (5.5 - 9.5) | 663 | 5.2 | (3.6 - 7.5) | 800 |
| | 12th | 6.6 | (4.9 - 8.8) | 1,097 | 6.8 | (4.9 - 9.4) | 538 | 6.1 | (3.9 - 9.5) | 547 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 6.8 | (4.0 - 11.3) | 183 | - | - | 83 | - | - | 96 |
| | Black* | 6.4 | (5.3 - 7.7) | 1,158 | 7.8 | (6.0 - 10.0) | 527 | 4.7 | (3.2 - 6.7) | 620 |
| | Hispanic/Latino | 6.8 | (5.8 - 8.0) | 2,080 | 6.5 | (5.2 - 8.0) | 973 | 7.1 | (5.5 - 9.1) | 1,083 |
| | White* | 6.9 | (5.6 - 8.4) | 2,061 | 8.1 | (6.5 - 10.0) | 1,004 | 5.5 | (4.0 - 7.6) | 1,041 |
| | All other races* | - | - | 74 | - | - | 40 | - | - | 32 |
| | Multiple races* | 9.0 | (6.2 - 12.9) | 264 | 12.2 | (6.6 - 21.4) | 115 | 6.4 | (3.2 - 12.4) | 147 |

Note: 223 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 5.7 | (4.9 - 6.7) | 5,920 | 6.5 | (5.3 - 8.1) | 2,794 | 4.9 | (4.1 - 5.9) | 3,046 |
| Age | | | | | | | | | | |
| | 15 or younger | 4.9 | (4.1 - 6.0) | 2,267 | 4.1 | (3.1 - 5.5) | 1,006 | 5.6 | (4.4 - 7.0) | 1,238 |
| | 16 or 17 | 5.2 | (4.3 - 6.4) | 2,931 | 6.7 | (5.2 - 8.7) | 1,413 | 3.8 | (2.8 - 5.0) | 1,488 |
| | 18 or older | 9.3 | (7.1 - 12.2) | 697 | 10.9 | (7.5 - 15.6) | 371 | 7.4 | (4.8 - 11.1) | 318 |
| Grade | | | | | | | | | | |
| | 9th | 5.1 | (4.1 - 6.5) | 1,630 | 4.3 | (3.2 - 5.7) | 764 | 6.2 | (4.4 - 8.6) | 845 |
| | 10th | 4.3 | (3.3 - 5.6) | 1,645 | 5.5 | (3.8 - 7.8) | 793 | 3.2 | (2.1 - 4.7) | 837 |
| | 11th | 5.2 | (4.1 - 6.6) | 1,496 | 6.0 | (4.2 - 8.4) | 674 | 4.2 | (2.9 - 6.3) | 803 |
| | 12th | 8.0 | (6.1 - 10.5) | 1,088 | 10.2 | (7.1 - 14.5) | 534 | 5.9 | (4.3 - 8.2) | 544 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 3.6 | (1.7 - 7.7) | 183 | - | - | 84 | - | - | 96 |
| | Black* | 3.6 | (2.8 - 4.6) | 1,172 | 5.3 | (3.8 - 7.4) | 536 | 2.0 | (1.1 - 3.5) | 626 |
| | Hispanic/Latino | 5.5 | (4.4 - 6.9) | 2,082 | 6.4 | (4.8 - 8.3) | 977 | 4.5 | (3.4 - 6.0) | 1,082 |
| | White* | 7.4 | (5.9 - 9.2) | 2,026 | 7.4 | (5.3 - 10.3) | 988 | 7.4 | (5.7 - 9.5) | 1,023 |
| | All other races* | - | - | 73 | - | - | 38 | - | - | 33 |
| | Multiple races* | 8.4 | (5.4 - 12.8) | 264 | 10.8 | (5.9 - 19.0) | 117 | 6.4 | (3.3 - 11.9) | 145 |

Note: 251 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 1.3 | (1.0 - 1.8) | 5,920 | 1.7 | (1.3 - 2.2) | 2,794 | 1.0 | (0.6 - 1.6) | 3,046 |
| Age | | | | | | | | | | |
| | 15 or younger | 1.1 | (0.7 - 1.8) | 2,267 | 1.4 | (0.8 - 2.2) | 1,006 | 0.7 | (0.3 - 1.8) | 1,238 |
| | 16 or 17 | 1.2 | (0.8 - 1.7) | 2,931 | 1.6 | (1.0 - 2.5) | 1,413 | 0.8 | (0.4 - 1.4) | 1,488 |
| | 18 or older | 2.6 | (1.6 - 4.1) | 697 | 2.8 | (1.4 - 5.5) | 371 | 2.4 | (1.2 - 4.9) | 318 |
| Grade | | | | | | | | | | |
| | 9th | 0.8 | (0.5 - 1.4) | 1,630 | 1.2 | (0.7 - 2.0) | 764 | 0.4 | (0.1 - 1.3) | 845 |
| | 10th | 1.4 | (0.8 - 2.5) | 1,645 | 2.1 | (1.1 - 4.1) | 793 | 0.6 | (0.2 - 1.5) | 837 |
| | 11th | 0.9 | (0.5 - 1.6) | 1,496 | 1.0 | (0.5 - 2.2) | 674 | 0.8 | (0.3 - 2.1) | 803 |
| | 12th | 1.9 | (1.2 - 3.1) | 1,088 | 1.7 | (0.9 - 3.4) | 534 | 2.0 | (0.9 - 4.5) | 544 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 1.0 | (0.2 - 4.0) | 183 | - | - | 84 | - | - | 96 |
| | Black* | 0.9 | (0.5 - 1.8) | 1,172 | 1.3 | (0.5 - 3.0) | 536 | 0.6 | (0.2 - 1.9) | 626 |
| | Hispanic/Latino | 1.1 | (0.7 - 1.7) | 2,082 | 1.3 | (0.7 - 2.5) | 977 | 0.7 | (0.3 - 1.5) | 1,082 |
| | White* | 1.5 | (1.0 - 2.3) | 2,026 | 1.6 | (1.0 - 2.4) | 988 | 1.4 | (0.8 - 2.6) | 1,023 |
| | All other races* | - | - | 73 | - | - | 38 | - | - | 33 |
| | Multiple races* | 4.5 | (2.5 - 8.1) | 264 | 7.9 | (4.1 - 14.9) | 117 | 1.6 | (0.4 - 6.5) | 145 |

Note: 251 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 1.1 | (0.8 - 1.4) | 5,920 | 1.5 | (1.1 - 1.9) | 2,794 | 0.7 | (0.4 - 1.2) | 3,046 |
| Age | | | | | | | | | | |
| | 15 or younger | 0.8 | (0.5 - 1.3) | 2,267 | 1.2 | (0.7 - 2.1) | 1,006 | 0.4 | (0.1 - 1.0) | 1,238 |
| | 16 or 17 | 1.0 | (0.7 - 1.4) | 2,931 | 1.3 | (0.8 - 2.1) | 1,413 | 0.6 | (0.3 - 1.2) | 1,488 |
| | 18 or older | 2.2 | (1.3 - 3.8) | 697 | 2.6 | (1.2 - 5.3) | 371 | 1.9 | (0.8 - 4.3) | 318 |
| Grade | | | | | | | | | | |
| | 9th | 0.6 | (0.3 - 1.1) | 1,630 | 1.0 | (0.5 - 1.9) | 764 | 0.2 | (0.0 - 1.1) | 845 |
| | 10th | 1.1 | (0.6 - 2.1) | 1,645 | 1.6 | (0.7 - 3.4) | 793 | 0.5 | (0.2 - 1.4) | 837 |
| | 11th | 0.8 | (0.4 - 1.5) | 1,496 | 1.0 | (0.5 - 2.2) | 674 | 0.6 | (0.2 - 2.0) | 803 |
| | 12th | 1.4 | (0.8 - 2.3) | 1,088 | 1.6 | (0.8 - 3.2) | 534 | 1.1 | (0.5 - 2.6) | 544 |
| Race/E | Ethnicity | | | | | | | | | |
| | Asian* | 0.5 | (0.1 - 3.5) | 183 | - | - | 84 | - | - | 96 |
| | Black* | 0.6 | (0.3 - 1.3) | 1,172 | 0.8 | (0.3 - 2.3) | 536 | 0.4 | (0.1 - 1.2) | 626 |
| | Hispanic/Latino | 1.0 | (0.6 - 1.6) | 2,082 | 1.2 | (0.6 - 2.4) | 977 | 0.6 | (0.3 - 1.4) | 1,082 |
| | White* | 1.3 | (0.8 - 2.1) | 2,026 | 1.6 | (1.0 - 2.4) | 988 | 1.0 | (0.5 - 2.1) | 1,023 |
| | All other races* | - | - | 73 | - | - | 38 | - | - | 33 |
| | Multiple races* | 3.3 | (1.6 - 6.5) | 264 | 6.0 | (2.8 - 12.6) | 117 | 0.9 | (0.1 - 6.6) | 145 |

Note: 251 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN40: Percentage of students who ever drank alcohol (at least one drink of alcohol, on at least 1 day during their life)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 56.5 | (54.8 - 58.2) | 5,616 | 53.4 | (51.2 - 55.6) | 2,648 | 59.7 | (57.5 - 61.8) | 2,890 |
| Age | | | | | | | | | | |
| | 15 or younger | 49.7 | (47.5 - 52.0) | 2,168 | 46.3 | (42.7 - 50.0) | 971 | 52.4 | (49.5 - 55.2) | 1,176 |
| | 16 or 17 | 59.0 | (56.7 - 61.2) | 2,775 | 55.7 | (52.3 - 59.1) | 1,324 | 62.5 | (60.1 - 64.8) | 1,421 |
| | 18 or older | 65.4 | (61.2 - 69.3) | 648 | 61.6 | (56.3 - 66.6) | 349 | 69.4 | (62.7 - 75.4) | 291 |
| Grade | | | | | | | | | | |
| | 9th | 47.9 | (45.0 - 50.8) | 1,545 | 46.0 | (42.1 - 50.0) | 731 | 49.2 | (44.4 - 53.9) | 795 |
| | 10th | 52.3 | (49.6 - 55.0) | 1,560 | 47.4 | (42.9 - 51.9) | 746 | 57.7 | (54.3 - 60.9) | 798 |
| | 11th | 60.6 | (57.5 - 63.6) | 1,415 | 57.8 | (53.6 - 62.0) | 637 | 63.2 | (59.4 - 66.9) | 759 |
| | 12th | 66.4 | (62.6 - 70.0) | 1,039 | 63.4 | (58.2 - 68.2) | 507 | 69.1 | (64.3 - 73.6) | 523 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 41.1 | (32.5 - 50.2) | 175 | - | - | 78 | - | - | 93 |
| | Black* | 51.0 | (47.9 - 54.1) | 1,072 | 48.4 | (44.3 - 52.5) | 489 | 53.8 | (48.7 - 58.8) | 572 |
| | Hispanic/Latino | 59.0 | (56.3 - 61.7) | 1,969 | 54.7 | (51.5 - 57.9) | 918 | 63.0 | (59.3 - 66.5) | 1,030 |
| | White* | 60.3 | (57.8 - 62.8) | 1,969 | 56.9 | (53.4 - 60.4) | 967 | 63.6 | (60.5 - 66.5) | 986 |
| | All other races* | - | - | 67 | - | - | 35 | - | - | 31 |
| | Multiple races* | 56.9 | (49.9 - 63.7) | 249 | 56.5 | (45.5 - 66.8) | 110 | 57.0 | (47.4 - 66.2) | 138 |

Note: 555 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN41: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 16.8 | (15.4 - 18.2) | 5,657 | 18.4 | (16.7 - 20.2) | 2,664 | 15.1 | (13.6 - 16.8) | 2,911 |
| Age | | | | | | | | | | |
| | 15 or younger | 18.8 | (16.8 - 21.0) | 2,189 | 21.0 | (18.2 - 24.0) | 982 | 16.5 | (14.1 - 19.3) | 1,183 |
| | 16 or 17 | 15.6 | (13.6 - 17.8) | 2,785 | 17.2 | (14.5 - 20.3) | 1,322 | 13.9 | (11.9 - 16.2) | 1,433 |
| | 18 or older | 16.3 | (13.6 - 19.5) | 658 | 16.5 | (13.0 - 20.8) | 357 | 15.6 | (11.2 - 21.5) | 293 |
| Grade | | | | | | | | | | |
| | 9th | 18.8 | (16.6 - 21.3) | 1,560 | 21.4 | (18.3 - 24.9) | 739 | 15.9 | (12.9 - 19.6) | 802 |
| | 10th | 16.4 | (14.1 - 19.1) | 1,570 | 16.7 | (13.5 - 20.4) | 749 | 16.4 | (13.3 - 20.0) | 805 |
| | 11th | 15.9 | (13.8 - 18.3) | 1,414 | 18.5 | (15.1 - 22.4) | 634 | 12.8 | (10.5 - 15.5) | 762 |
| | 12th | 15.5 | (13.1 - 18.3) | 1,053 | 16.1 | (13.0 - 19.9) | 518 | 14.8 | (11.5 - 18.9) | 525 |
| Race/I | Ethnicity | | | | | | | | | |
| | Asian* | 12.7 | (9.0 - 17.8) | 176 | - | - | 77 | - | - | 95 |
| | Black* | 19.7 | (16.9 - 22.8) | 1,064 | 21.8 | (18.0 - 26.2) | 485 | 17.5 | (13.9 - 21.8) | 569 |
| | Hispanic/Latino | 16.7 | (14.8 - 18.8) | 1,967 | 17.2 | (14.3 - 20.5) | 915 | 16.1 | (13.9 - 18.6) | 1,030 |
| | White* | 14.5 | (13.0 - 16.1) | 2,010 | 15.9 | (13.9 - 18.3) | 986 | 12.8 | (10.9 - 15.0) | 1,008 |
| | All other races* | - | - | 67 | - | - | 37 | - | - | 29 |
| | Multiple races* | 21.1 | (16.4 - 26.8) | 251 | 26.4 | (19.3 - 34.9) | 111 | 16.8 | (10.5 - 25.7) | 139 |

Note: 514 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN42: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)

| | | Total | | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 27.0 | (25.6 - 28.6) | 5,811 | 25.0 | (23.1 - 26.9) | 2,753 | 29.1 | (27.2 - 31.1) | 2,977 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 21.2 | (18.9 - 23.6) | 2,243 | 19.4 | (16.2 - 22.9) | 1,009 | 22.7 | (19.9 - 25.7) | 1,213 | |
| | 16 or 17 | 28.1 | (26.2 - 30.0) | 2,861 | 25.1 | (22.4 - 27.9) | 1,374 | 31.1 | (28.9 - 33.4) | 1,455 | |
| | 18 or older | 38.2 | (33.9 - 42.7) | 682 | 36.8 | (31.3 - 42.6) | 367 | 39.4 | (33.6 - 45.5) | 307 | |
| Grade | | | | | | | | | | | |
| | 9th | 19.8 | (17.2 - 22.7) | 1,607 | 18.7 | (15.0 - 23.1) | 762 | 21.0 | (17.8 - 24.7) | 829 | |
| | 10th | 22.9 | (20.6 - 25.3) | 1,619 | 19.6 | (16.3 - 23.3) | 778 | 26.4 | (23.4 - 29.7) | 824 | |
| | 11th | 28.7 | (26.3 - 31.2) | 1,446 | 27.3 | (23.9 - 31.0) | 650 | 29.7 | (26.6 - 33.1) | 777 | |
| | 12th | 37.6 | (34.3 - 41.0) | 1,077 | 35.1 | (30.3 - 40.3) | 535 | 39.7 | (35.5 - 44.1) | 530 | |
| Race/E | thnicity | | | | | | | | | | |
| | Asian* | 19.1 | (13.5 - 26.3) | 181 | - | - | 80 | - | - | 97 | |
| | Black* | 19.8 | (17.6 - 22.3) | 1,124 | 17.6 | (14.9 - 20.8) | 510 | 21.9 | (18.1 - 26.3) | 603 | |
| | Hispanic/Latino | 27.5 | (25.7 - 29.4) | 2,028 | 24.5 | (22.0 - 27.1) | 958 | 30.3 | (27.9 - 32.8) | 1,049 | |
| | White* | 32.5 | (30.1 - 35.0) | 2,025 | 30.1 | (26.8 - 33.5) | 999 | 35.0 | (32.3 - 37.9) | 1,011 | |
| | All other races* | - | - | 68 | - | - | 37 | - | - | 30 | |
| | Multiple races* | 30.4 | (24.5 - 37.1) | 261 | 31.5 | (21.5 - 43.6) | 113 | 30.0 | (23.3 - 37.7) | 146 | |

Note: 360 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN44: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 12.7 | (11.5 - 14.0) | 5,974 | 12.3 | (10.9 - 13.9) | 2,835 | 13.0 | (11.5 - 14.6) | 3,055 |
| Age | | | | | | | | | | |
| | 15 or younger | 8.7 | (7.3 - 10.3) | 2,295 | 8.6 | (6.8 - 10.8) | 1,028 | 8.6 | (6.9 - 10.7) | 1,245 |
| | 16 or 17 | 13.6 | (11.8 - 15.6) | 2,941 | 12.6 | (10.6 - 15.0) | 1,420 | 14.6 | (12.2 - 17.2) | 1,488 |
| | 18 or older | 19.2 | (16.3 - 22.5) | 711 | 19.3 | (14.9 - 24.7) | 383 | 19.1 | (14.8 - 24.3) | 320 |
| Grade | | | | | | | | | | |
| | 9th | 8.0 | (6.5 - 9.9) | 1,651 | 8.6 | (6.5 - 11.2) | 781 | 7.5 | (5.6 - 10.0) | 853 |
| | 10th | 9.9 | (8.3 - 11.9) | 1,661 | 8.4 | (6.2 - 11.3) | 800 | 11.5 | (9.2 - 14.2) | 843 |
| | 11th | 14.0 | (11.9 - 16.4) | 1,481 | 14.2 | (11.3 - 17.6) | 669 | 13.6 | (11.0 - 16.7) | 793 |
| | 12th | 19.0 | (16.4 - 22.0) | 1,116 | 18.3 | (14.6 - 22.7) | 555 | 19.5 | (16.2 - 23.3) | 549 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 7.5 | (4.3 - 12.8) | 187 | - | - | 85 | - | - | 98 |
| | Black* | 7.5 | (6.1 - 9.1) | 1,181 | 7.3 | (5.2 - 10.2) | 547 | 7.6 | (5.5 - 10.4) | 623 |
| | Hispanic/Latino | 13.8 | (12.2 - 15.5) | 2,079 | 13.6 | (11.5 - 16.1) | 981 | 13.5 | (11.7 - 15.6) | 1,077 |
| | White* | 16.3 | (14.4 - 18.3) | 2,063 | 14.9 | (12.4 - 17.8) | 1,011 | 17.8 | (15.5 - 20.4) | 1,036 |
| | All other races* | - | - | 71 | - | - | 37 | - | - | 32 |
| | Multiple races* | 15.8 | (11.3 - 21.7) | 266 | 19.9 | (12.2 - 30.8) | 116 | 12.6 | (8.1 - 19.1) | 148 |

Note: 197 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN46: Percentage of students who ever used marijuana (one or more times during their life)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 34.5 | (32.6 - 36.4) | 5,879 | 35.6 | (33.3 - 38.0) | 2,776 | 33.2 | (30.7 - 35.9) | 3,023 |
| Age | | | | | | | | | | |
| | 15 or younger | 26.5 | (23.9 - 29.3) | 2,255 | 27.9 | (24.1 - 32.0) | 1,006 | 25.0 | (22.1 - 28.1) | 1,227 |
| | 16 or 17 | 37.5 | (35.1 - 40.0) | 2,902 | 37.3 | (34.2 - 40.6) | 1,397 | 37.6 | (34.7 - 40.6) | 1,473 |
| | 18 or older | 43.1 | (39.0 - 47.4) | 697 | 46.6 | (41.3 - 52.0) | 369 | 39.2 | (32.5 - 46.4) | 321 |
| Grade | | | | | | | | | | |
| | 9th | 26.0 | (23.1 - 29.1) | 1,614 | 26.7 | (22.2 - 31.8) | 758 | 24.9 | (21.2 - 29.0) | 836 |
| | 10th | 32.5 | (29.4 - 35.6) | 1,630 | 33.2 | (29.2 - 37.4) | 785 | 32.1 | (28.5 - 35.8) | 829 |
| | 11th | 37.5 | (34.5 - 40.7) | 1,478 | 38.2 | (34.1 - 42.5) | 668 | 36.6 | (32.8 - 40.6) | 792 |
| | 12th | 42.6 | (39.3 - 45.9) | 1,096 | 45.5 | (41.1 - 49.9) | 536 | 39.4 | (35.1 - 44.0) | 549 |
| Race/I | Ethnicity | | | | | | | | | |
| | Asian* | 19.9 | (15.3 - 25.5) | 185 | - | - | 84 | - | - | 97 |
| | Black* | 34.2 | (30.8 - 37.8) | 1,159 | 37.6 | (33.3 - 42.0) | 530 | 30.9 | (26.7 - 35.4) | 619 |
| | Hispanic/Latino | 34.2 | (31.5 - 37.0) | 2,070 | 33.9 | (30.8 - 37.1) | 972 | 34.3 | (30.7 - 38.1) | 1,076 |
| | White* | 35.9 | (33.4 - 38.4) | 2,014 | 35.9 | (32.1 - 39.8) | 985 | 35.6 | (32.4 - 39.0) | 1,014 |
| | All other races* | - | - | 72 | - | - | 37 | - | - | 33 |
| | Multiple races* | 37.5 | (31.6 - 43.9) | 259 | 43.0 | (34.3 - 52.2) | 114 | 33.4 | (26.2 - 41.6) | 143 |

Note: 292 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN47: Percentage of students who tried marijuana for the first time before age 13 years

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 7.1 | (6.2 - 8.1) | 5,978 | 9.2 | (7.8 - 10.8) | 2,824 | 4.8 | (4.1 - 5.6) | 3,069 |
| Age | | | | | | | | | | |
| | 15 or younger | 7.8 | (6.2 - 9.8) | 2,292 | 10.2 | (7.7 - 13.3) | 1,023 | 5.3 | (3.9 - 7.0) | 1,244 |
| | 16 or 17 | 6.7 | (5.5 - 8.2) | 2,949 | 9.0 | (7.0 - 11.4) | 1,419 | 4.5 | (3.5 - 5.7) | 1,497 |
| | 18 or older | 6.5 | (4.7 - 9.0) | 711 | 8.1 | (5.4 - 11.8) | 378 | 4.4 | (2.7 - 7.2) | 326 |
| Grade | | | | | | | | | | |
| | 9th | 8.1 | (6.4 - 10.3) | 1,643 | 10.1 | (7.3 - 13.8) | 771 | 5.8 | (4.2 - 8.1) | 852 |
| | 10th | 6.8 | (5.5 - 8.4) | 1,663 | 10.2 | (7.9 - 13.0) | 804 | 3.4 | (2.4 - 4.9) | 841 |
| | 11th | 6.8 | (5.2 - 8.9) | 1,489 | 8.4 | (6.0 - 11.7) | 670 | 4.9 | (3.4 - 7.1) | 801 |
| | 12th | 6.2 | (4.5 - 8.4) | 1,121 | 7.7 | (5.2 - 11.2) | 551 | 4.5 | (3.0 - 6.7) | 558 |
| Race/I | Ethnicity | | | | | | | | | |
| | Asian* | 6.5 | (3.7 - 11.3) | 187 | - | - | 84 | - | - | 99 |
| | Black* | 8.8 | (7.1 - 10.8) | 1,175 | 12.6 | (10.0 - 15.7) | 542 | 5.1 | (3.6 - 7.0) | 623 |
| | Hispanic/Latino | 5.8 | (4.9 - 7.0) | 2,085 | 6.7 | (5.3 - 8.5) | 975 | 4.7 | (3.5 - 6.2) | 1,086 |
| | White* | 6.2 | (5.0 - 7.7) | 2,066 | 7.7 | (5.9 - 9.9) | 1,010 | 4.5 | (3.4 - 6.1) | 1,040 |
| | All other races* | - | - | 73 | - | - | 38 | - | - | 33 |
| | Multiple races* | 8.6 | (5.1 - 14.2) | 264 | 10.8 | (5.9 - 19.1) | 116 | 6.9 | (3.5 - 13.1) | 146 |

Note: 193 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN48: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 20.2 | (18.9 - 21.7) | 5,990 | 21.8 | (20.0 - 23.8) | 2,835 | 18.5 | (16.8 - 20.3) | 3,071 |
| Age | | | | | | | | | | |
| | 15 or younger | 15.9 | (13.5 - 18.6) | 2,307 | 16.5 | (13.2 - 20.5) | 1,031 | 15.0 | (12.7 - 17.5) | 1,250 |
| | 16 or 17 | 21.2 | (19.3 - 23.2) | 2,945 | 22.8 | (20.1 - 25.6) | 1,421 | 19.6 | (17.3 - 22.2) | 1,492 |
| | 18 or older | 27.1 | (23.9 - 30.6) | 713 | 29.8 | (25.4 - 34.7) | 379 | 23.7 | (19.2 - 28.8) | 327 |
| Grade | | | | | | | | | | |
| | 9th | 15.5 | (13.0 - 18.5) | 1,653 | 16.2 | (12.7 - 20.5) | 779 | 14.6 | (11.9 - 17.8) | 854 |
| | 10th | 18.0 | (15.7 - 20.6) | 1,661 | 19.4 | (16.5 - 22.8) | 803 | 16.8 | (14.3 - 19.6) | 842 |
| | 11th | 21.6 | (19.1 - 24.4) | 1,488 | 23.3 | (19.4 - 27.7) | 672 | 19.8 | (17.0 - 22.9) | 798 |
| | 12th | 25.8 | (23.5 - 28.3) | 1,123 | 28.9 | (25.9 - 32.1) | 552 | 22.7 | (19.2 - 26.5) | 559 |
| Race/E | Ethnicity | | | | | | | | | |
| | Asian* | 12.7 | (8.7 - 18.1) | 187 | - | - | 85 | - | - | 98 |
| | Black* | 19.8 | (17.1 - 22.9) | 1,176 | 23.1 | (19.5 - 27.0) | 542 | 16.8 | (14.1 - 19.9) | 624 |
| | Hispanic/Latino | 19.4 | (17.6 - 21.3) | 2,092 | 19.8 | (17.8 - 22.1) | 981 | 18.7 | (16.1 - 21.5) | 1,088 |
| | White* | 21.2 | (19.4 - 23.2) | 2,069 | 22.0 | (19.3 - 24.9) | 1,014 | 20.1 | (17.4 - 23.1) | 1,040 |
| | All other races* | - | - | 74 | - | - | 38 | - | - | 33 |
| | Multiple races* | 23.2 | (17.6 - 29.9) | 261 | 27.1 | (19.1 - 36.8) | 115 | 20.2 | (14.3 - 27.7) | 144 |

Note: 181 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN49: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 4.7 | (4.0 - 5.5) | 6,085 | 5.8 | (4.7 - 7.2) | 2,888 | 3.4 | (2.7 - 4.2) | 3,108 |
| Age | | | | | | | | | | |
| | 15 or younger | 4.4 | (3.2 - 5.9) | 2,339 | 5.1 | (3.5 - 7.3) | 1,046 | 3.4 | (2.4 - 4.8) | 1,266 |
| | 16 or 17 | 4.6 | (3.8 - 5.6) | 2,994 | 6.1 | (4.7 - 7.7) | 1,449 | 3.1 | (2.4 - 4.1) | 1,512 |
| | 18 or older | 5.5 | (3.9 - 7.8) | 725 | 6.6 | (4.1 - 10.4) | 389 | 4.3 | (2.6 - 7.2) | 328 |
| Grade | | | | | | | | | | |
| | 9th | 3.8 | (2.6 - 5.6) | 1,679 | 4.2 | (2.7 - 6.6) | 795 | 3.5 | (2.1 - 5.7) | 863 |
| | 10th | 4.9 | (3.9 - 6.2) | 1,692 | 7.1 | (5.3 - 9.4) | 817 | 2.7 | (1.6 - 4.4) | 857 |
| | 11th | 4.5 | (3.4 - 5.9) | 1,511 | 5.3 | (3.8 - 7.4) | 683 | 3.5 | (2.4 - 5.2) | 809 |
| | 12th | 5.1 | (4.0 - 6.6) | 1,136 | 6.5 | (4.6 - 9.1) | 563 | 3.5 | (2.1 - 5.7) | 561 |
| Race/E | Ethnicity | | | | | | | | | |
| | Asian* | 5.2 | (2.8 - 9.5) | 189 | - | - | 85 | 4.0 | (1.4 - 11.0) | 100 |
| | Black* | 3.8 | (2.8 - 5.2) | 1,199 | 5.7 | (3.7 - 8.5) | 558 | 2.0 | (1.2 - 3.5) | 630 |
| | Hispanic/Latino | 4.9 | (4.0 - 5.9) | 2,124 | 4.9 | (3.5 - 6.8) | 997 | 4.5 | (3.3 - 6.1) | 1,102 |
| | White* | 4.6 | (3.7 - 5.7) | 2,093 | 5.5 | (4.2 - 7.2) | 1,026 | 3.6 | (2.7 - 4.8) | 1,051 |
| | All other races* | - | - | 76 | - | - | 40 | - | - | 33 |
| | Multiple races* | 7.7 | (4.7 - 12.2) | 271 | 13.6 | (8.1 - 21.7) | 121 | 2.6 | (0.9 - 7.1) | 148 |

Note: 86 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN55: Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 3.7 | (3.0 - 4.4) | 5,984 | 4.7 | (3.8 - 5.8) | 2,838 | 2.5 | (1.8 - 3.3) | 3,061 |
| Age | | | | | | | | | | |
| | 15 or younger | 3.7 | (2.8 - 4.9) | 2,287 | 4.3 | (3.1 - 6.0) | 1,021 | 2.8 | (1.9 - 4.3) | 1,243 |
| | 16 or 17 | 3.6 | (2.7 - 4.8) | 2,961 | 4.8 | (3.5 - 6.5) | 1,434 | 2.4 | (1.6 - 3.7) | 1,494 |
| | 18 or older | 3.8 | (2.5 - 5.5) | 709 | 5.1 | (3.1 - 8.2) | 379 | 1.8 | (0.8 - 3.6) | 322 |
| Grade | | | | | | | | | | |
| | 9th | 3.3 | (2.5 - 4.4) | 1,642 | 3.8 | (2.5 - 5.6) | 776 | 2.7 | (1.8 - 4.2) | 845 |
| | 10th | 4.5 | (3.3 - 6.1) | 1,665 | 6.5 | (4.6 - 9.2) | 803 | 2.4 | (1.5 - 3.9) | 844 |
| | 11th | 2.9 | (2.0 - 4.3) | 1,505 | 3.0 | (1.9 - 4.6) | 681 | 2.5 | (1.4 - 4.6) | 805 |
| | 12th | 3.4 | (2.3 - 4.9) | 1,110 | 5.0 | (3.2 - 7.6) | 549 | 1.7 | (0.9 - 3.3) | 550 |
| Race/H | Ethnicity | | | | | | | | | |
| | Asian* | 3.9 | (1.8 - 8.3) | 187 | - | - | 84 | - | - | 99 |
| | Black* | 4.0 | (3.0 - 5.4) | 1,190 | 5.7 | (4.1 - 8.0) | 554 | 2.2 | (1.3 - 3.9) | 625 |
| | Hispanic/Latino | 3.9 | (3.1 - 4.9) | 2,106 | 3.9 | (2.7 - 5.7) | 991 | 3.5 | (2.5 - 4.8) | 1,091 |
| | White* | 2.7 | (2.0 - 3.7) | 2,038 | 3.4 | (2.4 - 4.8) | 997 | 2.0 | (1.2 - 3.3) | 1,025 |
| | All other races* | - | - | 74 | - | - | 39 | - | - | 33 |
| | Multiple races* | 7.1 | (4.4 - 11.4) | 266 | 12.3 | (7.4 - 19.7) | 118 | 2.8 | (1.0 - 7.5) | 146 |

Note: 187 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN56: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 11.2 | (10.1 - 12.4) | 6,078 | 11.6 | (10.2 - 13.2) | 2,886 | 10.6 | (9.2 - 12.1) | 3,103 |
| Age | | | | | | | | | | |
| | 15 or younger | 10.5 | (9.0 - 12.4) | 2,335 | 10.3 | (8.3 - 12.7) | 1,046 | 10.4 | (8.5 - 12.6) | 1,263 |
| | 16 or 17 | 11.4 | (10.1 - 12.8) | 2,993 | 11.7 | (9.6 - 14.2) | 1,450 | 11.0 | (9.4 - 12.9) | 1,510 |
| | 18 or older | 12.0 | (9.5 - 15.1) | 723 | 14.1 | (10.3 - 19.2) | 387 | 9.4 | (6.6 - 13.4) | 328 |
| Grade | | | | | | | | | | |
| | 9th | 10.2 | (8.3 - 12.4) | 1,673 | 9.7 | (7.5 - 12.6) | 792 | 10.5 | (8.3 - 13.3) | 860 |
| | 10th | 10.7 | (9.2 - 12.5) | 1,695 | 11.3 | (8.9 - 14.3) | 819 | 10.2 | (8.1 - 12.7) | 858 |
| | 11th | 11.1 | (9.4 - 13.1) | 1,508 | 11.3 | (8.9 - 14.3) | 683 | 10.5 | (8.4 - 13.1) | 806 |
| | 12th | 12.2 | (9.6 - 15.3) | 1,135 | 13.8 | (10.2 - 18.3) | 562 | 10.7 | (8.1 - 13.9) | 561 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 9.1 | (5.6 - 14.6) | 189 | - | - | 85 | 11.3 | (6.8 - 18.3) | 100 |
| | Black* | 9.7 | (8.0 - 11.8) | 1,198 | 12.3 | (9.5 - 15.8) | 558 | 7.1 | (5.3 - 9.4) | 629 |
| | Hispanic/Latino | 11.1 | (9.8 - 12.6) | 2,123 | 9.8 | (7.9 - 12.0) | 997 | 11.7 | (10.1 - 13.5) | 1,101 |
| | White* | 11.8 | (10.2 - 13.7) | 2,090 | 11.2 | (9.4 - 13.3) | 1,026 | 12.6 | (10.3 - 15.3) | 1,048 |
| | All other races* | - | - | 74 | - | - | 39 | - | - | 33 |
| | Multiple races* | 15.8 | (12.1 - 20.4) | 271 | 22.9 | (16.2 - 31.3) | 121 | 9.8 | (5.9 - 15.8) | 148 |

Note: 93 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN58: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 17.0 | (15.7 - 18.4) | 6,061 | 18.3 | (16.9 - 19.9) | 2,872 | 15.4 | (13.4 - 17.6) | 3,100 |
| Age | | | | | | | | | | |
| | 15 or younger | 18.2 | (16.2 - 20.5) | 2,323 | 19.6 | (16.6 - 23.0) | 1,037 | 16.5 | (14.4 - 18.9) | 1,260 |
| | 16 or 17 | 16.2 | (14.4 - 18.2) | 2,986 | 17.1 | (15.3 - 19.2) | 1,444 | 15.2 | (12.6 - 18.3) | 1,509 |
| | 18 or older | 16.9 | (14.1 - 20.0) | 724 | 19.6 | (15.9 - 24.0) | 387 | 12.9 | (9.7 - 16.8) | 329 |
| Grade | | | | | | | | | | |
| | 9th | 17.6 | (15.2 - 20.3) | 1,669 | 18.8 | (15.5 - 22.8) | 788 | 16.1 | (13.2 - 19.4) | 860 |
| | 10th | 17.7 | (15.6 - 20.0) | 1,687 | 18.3 | (15.5 - 21.6) | 815 | 17.1 | (13.9 - 20.9) | 854 |
| | 11th | 14.5 | (12.4 - 16.9) | 1,504 | 16.0 | (13.4 - 19.0) | 679 | 12.7 | (10.1 - 16.0) | 806 |
| | 12th | 17.8 | (15.0 - 21.1) | 1,136 | 20.1 | (16.6 - 24.2) | 562 | 15.3 | (11.7 - 19.7) | 562 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 14.1 | (9.9 - 19.7) | 189 | - | - | 85 | 12.9 | (7.9 - 20.4) | 100 |
| | Black* | 12.7 | (10.6 - 15.2) | 1,194 | 14.8 | (11.8 - 18.4) | 552 | 10.6 | (7.6 - 14.7) | 631 |
| | Hispanic/Latino | 19.7 | (17.4 - 22.2) | 2,119 | 20.4 | (17.9 - 23.2) | 997 | 18.7 | (15.6 - 22.2) | 1,097 |
| | White* | 18.3 | (16.5 - 20.3) | 2,082 | 19.3 | (17.1 - 21.7) | 1,019 | 16.9 | (13.9 - 20.3) | 1,047 |
| | All other races* | - | - | 75 | - | - | 40 | - | - | 33 |
| | Multiple races* | 22.6 | (17.6 - 28.6) | 270 | 28.0 | (20.6 - 36.7) | 120 | 18.3 | (13.3 - 24.6) | 148 |

Florida High School Survey **Summary Tables - Weighted Data**

QN59: Percentage of students who ever had sexual intercourse

| | | Total | | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 38.1 | (36.0 - 40.2) | 5,639 | 42.0 | (39.3 - 44.7) | 2,624 | 34.4 | (32.3 - 36.6) | 2,944 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 21.9 | (19.3 - 24.7) | 2,171 | 25.7 | (21.9 - 29.8) | 944 | 18.2 | (15.7 - 21.1) | 1,206 | |
| | 16 or 17 | 44.1 | (41.6 - 46.7) | 2,795 | 47.4 | (44.5 - 50.3) | 1,339 | 41.2 | (37.8 - 44.6) | 1,429 | |
| | 18 or older | 57.1 | (53.2 - 60.9) | 652 | 59.7 | (53.2 - 66.0) | 339 | 53.9 | (48.2 - 59.4) | 307 | |
| Grade | | | | | | | | | | | |
| | 9th | 20.4 | (17.3 - 23.9) | 1,556 | 25.5 | (21.1 - 30.4) | 716 | 15.1 | (12.3 - 18.5) | 822 | |
| | 10th | 33.6 | (30.4 - 37.0) | 1,566 | 36.5 | (31.9 - 41.4) | 743 | 31.2 | (27.9 - 34.7) | 807 | |
| | 11th | 45.2 | (42.3 - 48.1) | 1,411 | 51.2 | (46.9 - 55.5) | 634 | 39.4 | (36.0 - 43.0) | 761 | |
| | 12th | 54.5 | (51.1 - 57.9) | 1,053 | 56.4 | (50.7 - 61.9) | 508 | 52.5 | (48.2 - 56.8) | 538 | |
| Race/E | thnicity | | | | | | | | | | |
| | Asian* | 18.9 | (13.4 - 25.9) | 180 | - | - | 81 | - | - | 96 | |
| | Black* | 39.9 | (36.4 - 43.5) | 1,061 | 48.9 | (43.6 - 54.3) | 475 | 31.7 | (28.0 - 35.7) | 577 | |
| | Hispanic/Latino | 39.2 | (36.2 - 42.3) | 1,962 | 42.3 | (38.6 - 46.2) | 906 | 36.3 | (32.5 - 40.3) | 1,035 | |
| | White* | 37.3 | (34.5 - 40.2) | 1,992 | 38.4 | (34.8 - 42.1) | 962 | 36.4 | (33.0 - 40.0) | 1,017 | |
| | All other races* | - | - | 69 | - | - | 36 | - | - | 31 | |
| | Multiple races* | 38.1 | (31.1 - 45.6) | 262 | 42.9 | (33.1 - 53.3) | 112 | 33.9 | (25.1 - 44.0) | 148 | |

Note: 532 students were excluded from this analysis.

^{*}Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN60: Percentage of students who had sexual intercourse for the first time before age 13 years

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 5.0 | (4.3 - 5.7) | 5,609 | 8.0 | (6.8 - 9.5) | 2,600 | 2.0 | (1.5 - 2.6) | 2,938 |
| Age | | | | | | | | | | |
| | 15 or younger | 4.4 | (3.4 - 5.7) | 2,163 | 6.8 | (4.8 - 9.6) | 939 | 2.1 | (1.4 - 3.1) | 1,203 |
| | 16 or 17 | 5.3 | (4.3 - 6.4) | 2,776 | 9.0 | (7.2 - 11.2) | 1,322 | 1.4 | (0.9 - 2.3) | 1,427 |
| | 18 or older | 5.3 | (3.7 - 7.7) | 650 | 7.3 | (4.9 - 10.7) | 337 | 3.3 | (1.5 - 7.2) | 306 |
| Grade | | | | | | | | | | |
| | 9th | 4.7 | (3.4 - 6.5) | 1,550 | 7.5 | (5.0 - 11.1) | 714 | 2.0 | (1.3 - 3.0) | 818 |
| | 10th | 5.0 | (3.3 - 7.4) | 1,560 | 8.5 | (5.4 - 13.1) | 738 | 1.7 | (0.9 - 3.2) | 806 |
| | 11th | 5.6 | (4.5 - 6.9) | 1,402 | 9.4 | (7.1 - 12.2) | 625 | 1.6 | (0.9 - 3.0) | 761 |
| | 12th | 4.2 | (3.0 - 5.7) | 1,048 | 6.3 | (4.2 - 9.5) | 502 | 1.9 | (0.8 - 4.4) | 538 |
| Race/I | Ethnicity | | | | | | | | | |
| | Asian* | 1.9 | (0.6 - 5.7) | 180 | - | - | 81 | - | - | 96 |
| | Black* | 7.7 | (6.1 - 9.6) | 1,055 | 13.8 | (11.0 - 17.3) | 473 | 1.8 | (1.0 - 3.2) | 573 |
| | Hispanic/Latino | 4.3 | (3.5 - 5.3) | 1,954 | 7.1 | (5.3 - 9.4) | 896 | 1.6 | (0.9 - 2.6) | 1,037 |
| | White* | 3.3 | (2.6 - 4.2) | 1,981 | 4.4 | (3.3 - 5.8) | 954 | 2.1 | (1.4 - 3.3) | 1,014 |
| | All other races* | - | - | 68 | - | - | 35 | - | - | 31 |
| | Multiple races* | 6.1 | (3.7 - 9.9) | 260 | 11.0 | (6.3 - 18.6) | 111 | 2.2 | (0.7 - 7.0) | 147 |

Florida High School Survey **Summary Tables - Weighted Data**

QN61: Percentage of students who had sexual intercourse with four or more persons during their life

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 9.9 | (8.8 - 11.1) | 5,618 | 14.1 | (12.4 - 16.1) | 2,604 | 5.8 | (4.7 - 7.1) | 2,942 |
| Age | | | | | | | | | | |
| | 15 or younger | 5.4 | (4.4 - 6.7) | 2,172 | 7.6 | (5.8 - 10.1) | 944 | 3.3 | (2.2 - 4.8) | 1,207 |
| | 16 or 17 | 11.0 | (9.5 - 12.8) | 2,776 | 16.2 | (13.5 - 19.3) | 1,322 | 5.9 | (4.6 - 7.6) | 1,427 |
| | 18 or older | 17.1 | (13.8 - 21.0) | 649 | 21.7 | (16.9 - 27.4) | 336 | 12.3 | (8.4 - 17.6) | 306 |
| Grade | | | | | | | | | | |
| | 9th | 4.8 | (3.5 - 6.4) | 1,553 | 7.2 | (5.0 - 10.2) | 713 | 2.3 | (1.4 - 3.7) | 822 |
| | 10th | 8.0 | (6.2 - 10.4) | 1,564 | 11.9 | (8.9 - 15.7) | 742 | 4.3 | (2.8 - 6.4) | 806 |
| | 11th | 12.2 | (10.2 - 14.5) | 1,401 | 19.2 | (15.4 - 23.7) | 623 | 5.4 | (4.0 - 7.4) | 762 |
| | 12th | 14.4 | (12.0 - 17.3) | 1,047 | 17.9 | (14.6 - 21.7) | 503 | 11.2 | (8.5 - 14.7) | 536 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 4.2 | (2.1 - 8.2) | 180 | - | - | 81 | - | - | 96 |
| | Black* | 12.1 | (9.8 - 14.8) | 1,050 | 21.3 | (17.4 - 25.8) | 468 | 3.9 | (2.4 - 6.3) | 573 |
| | Hispanic/Latino | 9.3 | (8.0 - 10.8) | 1,957 | 11.9 | (9.9 - 14.3) | 900 | 6.6 | (5.2 - 8.2) | 1,036 |
| | White* | 8.5 | (7.2 - 9.9) | 1,989 | 10.1 | (8.3 - 12.3) | 958 | 6.7 | (5.3 - 8.5) | 1,018 |
| | All other races* | - | - | 68 | - | - | 35 | - | - | 31 |
| | Multiple races* | 12.5 | (8.4 - 18.2) | 261 | 18.0 | (11.7 - 26.5) | 111 | 8.3 | (4.4 - 15.2) | 148 |

Florida High School Survey **Summary Tables - Weighted Data**

QN62: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 26.3 | (24.8 - 27.9) | 5,620 | 27.7 | (25.8 - 29.6) | 2,605 | 25.1 | (23.2 - 27.2) | 2,942 |
| Age | | | | | | | | | | |
| | 15 or younger | 13.6 | (11.7 - 15.7) | 2,169 | 14.1 | (11.5 - 17.3) | 943 | 12.6 | (10.3 - 15.2) | 1,204 |
| | 16 or 17 | 31.1 | (29.2 - 33.1) | 2,781 | 32.5 | (29.8 - 35.4) | 1,324 | 30.2 | (27.5 - 33.1) | 1,430 |
| | 18 or older | 41.2 | (37.4 - 45.1) | 649 | 41.6 | (35.7 - 47.7) | 336 | 40.9 | (36.0 - 46.0) | 306 |
| Grade | | | | | | | | | | |
| | 9th | 11.5 | (9.5 - 13.9) | 1,549 | 13.1 | (10.5 - 16.3) | 712 | 9.7 | (7.1 - 13.1) | 819 |
| | 10th | 22.8 | (20.2 - 25.6) | 1,568 | 24.3 | (20.9 - 28.1) | 744 | 21.5 | (18.5 - 24.9) | 808 |
| | 11th | 31.8 | (29.1 - 34.6) | 1,402 | 34.6 | (30.5 - 39.0) | 624 | 29.3 | (25.8 - 33.0) | 762 |
| | 12th | 40.5 | (37.8 - 43.3) | 1,047 | 40.8 | (35.8 - 46.0) | 502 | 40.4 | (37.0 - 44.0) | 537 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 14.6 | (9.5 - 21.9) | 178 | - | - | 79 | - | - | 96 |
| | Black* | 25.1 | (22.7 - 27.6) | 1,055 | 30.4 | (26.4 - 34.9) | 471 | 20.4 | (17.4 - 23.8) | 575 |
| | Hispanic/Latino | 26.3 | (24.0 - 28.8) | 1,959 | 26.9 | (23.7 - 30.3) | 901 | 25.7 | (22.2 - 29.5) | 1,037 |
| | White* | 28.0 | (25.4 - 30.7) | 1,986 | 27.1 | (23.8 - 30.8) | 958 | 28.9 | (25.8 - 32.2) | 1,015 |
| | All other races* | - | - | 69 | - | - | 35 | - | - | 31 |
| | Multiple races* | 26.7 | (21.1 - 33.1) | 262 | 27.3 | (19.2 - 37.1) | 112 | 25.8 | (18.6 - 34.5) | 148 |

Florida High School Survey **Summary Tables - Weighted Data**

QN63: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)

| | | Total | | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-----|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 20.4 | (18.1 - 23.0) | 1,408 | 23.5 | (20.1 - 27.2) | 683 | 16.9 | (14.2 - 20.0) | 710 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 25.5 | (20.5 - 31.3) | 285 | 26.8 | (20.3 - 34.5) | 128 | 24.0 | (17.8 - 31.7) | 149 | |
| | 16 or 17 | 18.1 | (15.2 - 21.4) | 852 | 21.4 | (17.0 - 26.6) | 414 | 14.5 | (10.8 - 19.1) | 436 | |
| | 18 or older | 22.3 | (17.6 - 28.0) | 267 | 26.5 | (19.1 - 35.6) | 141 | 16.9 | (11.1 - 24.9) | 124 | |
| Grade | | | | | | | | | | | |
| | 9th | 25.6 | (19.4 - 33.0) | 176 | _ | - | 91 | _ | - | 81 | |
| | 10th | 18.0 | (13.0 - 24.3) | 345 | 21.7 | (14.6 - 30.9) | 167 | 14.2 | (8.7 - 22.1) | 175 | |
| | 11th | 19.7 | (16.2 - 23.9) | 444 | 22.5 | (17.3 - 28.6) | 212 | 15.9 | (11.7 - 21.2) | 230 | |
| | 12th | 19.6 | (15.5 - 24.5) | 427 | 24.0 | (19.0 - 29.9) | 206 | 15.5 | (10.7 - 22.0) | 218 | |
| Race/E | thnicity | | | | | | | | | | |
| | Asian* | - | - | 25 | - | - | 10 | - | - | 15 | |
| | Black* | 17.9 | (13.0 - 24.2) | 256 | 21.6 | (15.5 - 29.3) | 142 | 13.1 | (7.3 - 22.5) | 113 | |
| | Hispanic/Latino | 19.4 | (15.1 - 24.5) | 489 | 21.3 | (14.8 - 29.6) | 233 | 17.1 | (12.9 - 22.2) | 250 | |
| | White* | 21.6 | (18.8 - 24.7) | 529 | 23.9 | (19.4 - 29.1) | 246 | 19.1 | (15.3 - 23.5) | 280 | |
| | All other races* | - | - | 14 | - | - | 8 | - | - | 6 | |
| | Multiple races* | - | - | 68 | - | - | 30 | - | - | 37 | |

Florida High School Survey **Summary Tables - Weighted Data**

QN64: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 57.4 | (54.5 - 60.3) | 1,369 | 63.1 | (59.4 - 66.6) | 659 | 52.0 | (47.8 - 56.2) | 696 |
| Age | | | | | | | | | | |
| | 15 or younger | 60.5 | (52.6 - 67.9) | 274 | 62.7 | (51.6 - 72.6) | 120 | 58.5 | (47.9 - 68.3) | 147 |
| | 16 or 17 | 57.8 | (53.9 - 61.5) | 827 | 63.1 | (57.5 - 68.3) | 399 | 52.1 | (47.8 - 56.3) | 426 |
| | 18 or older | 54.6 | (47.4 - 61.6) | 264 | 63.2 | (53.8 - 71.8) | 140 | 46.0 | (35.0 - 57.4) | 122 |
| Grade | | | | | | | | | | |
| | 9th | 64.0 | (55.6 - 71.7) | 168 | _ | - | 86 | _ | - | 79 |
| | 10th | 63.5 | (58.6 - 68.1) | 332 | 66.2 | (57.8 - 73.8) | 158 | 60.4 | (51.3 - 68.9) | 171 |
| | 11th | 57.1 | (51.5 - 62.6) | 432 | 61.2 | (53.3 - 68.5) | 205 | 53.3 | (47.4 - 59.2) | 225 |
| | 12th | 52.7 | (47.4 - 58.0) | 421 | 61.5 | (54.0 - 68.5) | 203 | 45.1 | (37.6 - 52.8) | 215 |
| Race/F | Ethnicity | | | | | | | | | |
| | Asian* | - | - | 25 | - | - | 10 | - | - | 15 |
| | Black* | 62.1 | (55.3 - 68.5) | 240 | 72.3 | (63.8 - 79.4) | 133 | 47.9 | (38.2 - 57.7) | 106 |
| | Hispanic/Latino | 56.5 | (52.1 - 60.9) | 478 | 61.8 | (55.1 - 68.0) | 226 | 51.5 | (45.6 - 57.4) | 247 |
| | White* | 56.7 | (52.0 - 61.4) | 520 | 59.3 | (52.4 - 65.9) | 240 | 54.6 | (48.2 - 60.9) | 277 |
| | All other races* | - | - | 13 | - | - | 7 | - | - | 6 |
| | Multiple races* | - | - | 67 | - | - | 30 | - | - | 36 |

Florida High School Survey **Summary Tables - Weighted Data**

QN65: Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 16.6 | (14.3 - 19.3) | 1,319 | 13.4 | (11.0 - 16.1) | 629 | 20.1 | (16.6 - 24.2) | 675 |
| Age | | | | | | | | | | |
| | 15 or younger | 10.5 | (7.6 - 14.4) | 266 | 10.5 | (6.2 - 17.3) | 119 | 9.7 | (5.2 - 17.2) | 139 |
| | 16 or 17 | 16.7 | (13.6 - 20.3) | 801 | 12.9 | (10.0 - 16.4) | 382 | 20.7 | (16.3 - 25.9) | 417 |
| | 18 or older | 21.8 | (16.8 - 27.8) | 248 | 16.9 | (10.8 - 25.4) | 128 | 27.3 | (19.4 - 36.9) | 118 |
| Grade | | | | | | | | | | |
| | 9th | 10.9 | (6.5 - 17.7) | 162 | - | - | 84 | - | - | 75 |
| | 10th | 10.6 | (7.2 - 15.3) | 320 | 9.0 | (5.1 - 15.4) | 152 | 12.5 | (7.0 - 21.2) | 165 |
| | 11th | 16.6 | (13.1 - 20.8) | 418 | 13.2 | (9.2 - 18.5) | 195 | 20.6 | (15.6 - 26.7) | 221 |
| | 12th | 22.6 | (18.3 - 27.6) | 402 | 19.3 | (13.7 - 26.4) | 191 | 25.8 | (19.0 - 34.0) | 208 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | - | - | 24 | - | - | 10 | - | - | 14 |
| | Black* | 9.4 | (6.2 - 14.1) | 230 | 4.6 | (2.2 - 9.4) | 126 | 14.7 | (8.5 - 24.4) | 103 |
| | Hispanic/Latino | 12.8 | (9.8 - 16.5) | 465 | 15.2 | (10.7 - 21.3) | 218 | 10.6 | (7.3 - 15.2) | 242 |
| | White* | 23.5 | (20.1 - 27.4) | 498 | 18.9 | (14.7 - 24.0) | 228 | 28.2 | (23.1 - 34.0) | 267 |
| | All other races* | - | - | 12 | - | - | 6 | - | - | 5 |
| | Multiple races* | - | - | 65 | - | - | 29 | - | - | 35 |

Florida High School Survey **Summary Tables - Weighted Data**

QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 1.9 | (1.2 - 2.8) | 1,319 | 1.9 | (1.0 - 3.5) | 629 | 1.9 | (1.1 - 3.2) | 675 |
| Age | | | | | | | | | | |
| | 15 or younger | 1.4 | (0.4 - 4.6) | 266 | 1.9 | (0.4 - 7.9) | 119 | 1.0 | (0.1 - 7.0) | 139 |
| | 16 or 17 | 1.6 | (0.9 - 2.7) | 801 | 1.6 | (0.9 - 3.0) | 382 | 1.5 | (0.7 - 3.4) | 417 |
| | 18 or older | 3.0 | (1.4 - 6.1) | 248 | 2.5 | (0.8 - 7.6) | 128 | 3.6 | (1.3 - 9.4) | 118 |
| Grade | | | | | | | | | | |
| | 9th | 0.8 | (0.1 - 6.5) | 162 | - | - | 84 | - | - | 75 |
| | 10th | 1.1 | (0.3 - 3.2) | 320 | 0.9 | (0.2 - 4.3) | 152 | 1.2 | (0.2 - 5.5) | 165 |
| | 11th | 2.1 | (1.1 - 3.7) | 418 | 2.4 | (1.2 - 4.9) | 195 | 1.7 | (0.6 - 4.8) | 221 |
| | 12th | 2.2 | (1.1 - 4.4) | 402 | 2.2 | (0.7 - 6.3) | 191 | 2.2 | (0.9 - 5.6) | 208 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | - | - | 24 | - | - | 10 | - | - | 14 |
| | Black* | 1.0 | (0.3 - 3.3) | 230 | 0.7 | (0.1 - 5.0) | 126 | 1.4 | (0.3 - 6.0) | 103 |
| | Hispanic/Latino | 1.7 | (0.8 - 3.8) | 465 | 1.8 | (0.7 - 4.6) | 218 | 1.7 | (0.6 - 4.6) | 242 |
| | White* | 2.2 | (1.2 - 4.1) | 498 | 2.2 | (0.8 - 5.5) | 228 | 2.2 | (1.0 - 5.2) | 267 |
| | All other races* | - | - | 12 | - | - | 6 | - | - | 5 |
| | Multiple races* | - | - | 65 | - | - | 29 | - | - | 35 |

Florida High School Survey **Summary Tables - Weighted Data**

QNSHPARG: Percentage of students who used a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active))

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 3.4 | (2.5 - 4.4) | 1,319 | 2.4 | (1.5 - 3.9) | 629 | 4.1 | (2.8 - 6.0) | 675 |
| Age | | | | | | | | | | |
| | 15 or younger | 0.8 | (0.2 - 3.2) | 266 | 0.0 | - | 119 | 1.6 | (0.4 - 6.9) | 139 |
| | 16 or 17 | 5.0 | (3.7 - 6.7) | 801 | 4.0 | (2.5 - 6.4) | 382 | 6.0 | (4.1 - 8.9) | 417 |
| | 18 or older | 1.1 | (0.3 - 3.8) | 248 | 0.0 | - | 128 | 0.9 | (0.2 - 3.5) | 118 |
| Grade | | | | | | | | | | |
| | 9th | 1.6 | (0.5 - 5.3) | 162 | - | - | 84 | - | - | 75 |
| | 10th | 3.4 | (1.9 - 6.0) | 320 | 3.4 | (1.8 - 6.3) | 152 | 3.6 | (1.5 - 8.5) | 165 |
| | 11th | 4.4 | (2.7 - 7.2) | 418 | 3.5 | (1.5 - 7.9) | 195 | 4.6 | (2.4 - 8.7) | 221 |
| | 12th | 3.0 | (1.8 - 5.1) | 402 | 1.5 | (0.5 - 4.4) | 191 | 4.3 | (2.3 - 7.9) | 208 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | - | - | 24 | - | - | 10 | - | - | 14 |
| | Black* | 2.8 | (1.2 - 6.5) | 230 | 2.0 | (0.5 - 8.1) | 126 | 3.9 | (1.4 - 10.0) | 103 |
| | Hispanic/Latino | 2.8 | (1.5 - 5.0) | 465 | 1.8 | (0.6 - 4.9) | 218 | 3.8 | (2.0 - 7.2) | 242 |
| | White* | 3.9 | (2.5 - 6.1) | 498 | 2.9 | (1.2 - 6.8) | 228 | 4.3 | (2.4 - 7.5) | 267 |
| | All other races* | - | - | 12 | - | - | 6 | - | - | 5 |
| | Multiple races* | - | - | 65 | - | - | 29 | - | - | 35 |

Florida High School Survey **Summary Tables - Weighted Data**

QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 21.8 | (19.3 - 24.6) | 1,319 | 17.6 | (14.6 - 21.1) | 629 | 26.1 | (22.2 - 30.4) | 675 |
| Age | | | | | | | | | | |
| | 15 or younger | 12.7 | (9.5 - 16.8) | 266 | 12.4 | (7.9 - 18.9) | 119 | 12.3 | (7.6 - 19.4) | 139 |
| | 16 or 17 | 23.3 | (19.8 - 27.1) | 801 | 18.5 | (14.6 - 23.3) | 382 | 28.3 | (23.4 - 33.7) | 417 |
| | 18 or older | 25.8 | (20.7 - 31.7) | 248 | 19.3 | (13.3 - 27.3) | 128 | 31.7 | (22.9 - 42.1) | 118 |
| Grade | | | | | | | | | | |
| | 9th | 13.3 | (8.7 - 19.9) | 162 | - | - | 84 | - | - | 75 |
| | 10th | 15.1 | (11.2 - 20.0) | 320 | 13.3 | (8.5 - 20.2) | 152 | 17.2 | (11.1 - 25.6) | 165 |
| | 11th | 23.1 | (18.9 - 27.8) | 418 | 19.1 | (13.4 - 26.3) | 195 | 26.9 | (21.5 - 33.2) | 221 |
| | 12th | 27.8 | (23.5 - 32.7) | 402 | 23.0 | (17.2 - 30.0) | 191 | 32.3 | (25.2 - 40.5) | 208 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | - | - | 24 | - | - | 10 | - | - | 14 |
| | Black* | 13.2 | (9.8 - 17.6) | 230 | 7.2 | (3.8 - 13.3) | 126 | 20.0 | (13.1 - 29.3) | 103 |
| | Hispanic/Latino | 17.3 | (14.1 - 21.1) | 465 | 18.8 | (14.1 - 24.8) | 218 | 16.1 | (12.0 - 21.3) | 242 |
| | White* | 29.7 | (25.5 - 34.1) | 498 | 24.0 | (18.7 - 30.3) | 228 | 34.8 | (29.0 - 41.1) | 267 |
| | All other races* | - | - | 12 | - | - | 6 | - | - | 5 |
| | Multiple races* | - | - | 65 | - | - | 29 | - | - | 35 |

Florida High School Survey **Summary Tables - Weighted Data**

QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 7.6 | (6.3 - 9.1) | 1,310 | 6.7 | (5.0 - 9.1) | 623 | 8.3 | (6.2 - 11.0) | 673 |
| Age | | | | | | | | | | |
| | 15 or younger | 5.5 | (3.2 - 9.4) | 261 | 6.5 | (3.3 - 12.3) | 115 | 3.5 | (1.2 - 9.5) | 139 |
| | 16 or 17 | 7.7 | (5.8 - 10.0) | 798 | 7.0 | (4.6 - 10.5) | 380 | 8.4 | (5.9 - 11.8) | 416 |
| | 18 or older | 9.0 | (6.0 - 13.4) | 247 | 6.3 | (3.1 - 12.4) | 128 | 12.0 | (6.8 - 20.4) | 117 |
| Grade | | | | | | | | | | |
| | 9th | 5.0 | (2.3 - 10.7) | 160 | - | - | 82 | - | - | 75 |
| | 10th | 6.7 | (4.0 - 11.0) | 318 | 7.0 | (3.2 - 14.4) | 150 | 6.4 | (3.3 - 12.2) | 165 |
| | 11th | 7.6 | (4.9 - 11.7) | 414 | 7.2 | (3.9 - 12.7) | 193 | 8.3 | (4.7 - 14.1) | 219 |
| | 12th | 9.1 | (6.7 - 12.1) | 402 | 7.9 | (4.6 - 13.2) | 191 | 10.2 | (6.7 - 15.3) | 208 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | - | - | 24 | - | - | 10 | - | - | 14 |
| | Black* | 5.7 | (3.4 - 9.3) | 228 | 5.0 | (2.2 - 11.1) | 125 | 5.5 | (2.5 - 11.8) | 102 |
| | Hispanic/Latino | 5.4 | (3.5 - 8.2) | 462 | 6.6 | (3.7 - 11.3) | 216 | 4.4 | (2.6 - 7.3) | 241 |
| | White* | 10.1 | (8.0 - 12.5) | 495 | 8.1 | (5.2 - 12.3) | 225 | 12.0 | (8.7 - 16.4) | 267 |
| | All other races* | - | - | 11 | - | - | 6 | - | - | 5 |
| | Multiple races* | - | - | 65 | - | - | 29 | - | - | 35 |

Note: 4,861 students were excluded from this analysis.

^{*}Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 13.3 | (11.7 - 15.1) | 1,319 | 10.7 | (8.3 - 13.6) | 629 | 15.9 | (12.9 - 19.5) | 675 |
| Age | | | | | | | | | | |
| | 15 or younger | 18.5 | (14.0 - 24.0) | 266 | 12.9 | (7.4 - 21.4) | 119 | 23.0 | (16.1 - 31.7) | 139 |
| | 16 or 17 | 12.1 | (10.1 - 14.6) | 801 | 10.6 | (7.8 - 14.2) | 382 | 13.8 | (10.5 - 17.9) | 417 |
| | 18 or older | 12.3 | (8.4 - 17.6) | 248 | 9.1 | (4.9 - 16.5) | 128 | 15.8 | (9.6 - 24.9) | 118 |
| Grade | | | | | | | | | | |
| | 9th | 15.2 | (10.5 - 21.6) | 162 | - | - | 84 | - | - | 75 |
| | 10th | 13.7 | (10.3 - 17.9) | 320 | 12.1 | (7.1 - 19.8) | 152 | 15.6 | (10.7 - 22.2) | 165 |
| | 11th | 14.0 | (11.0 - 17.7) | 418 | 12.9 | (8.3 - 19.7) | 195 | 14.9 | (11.6 - 19.0) | 221 |
| | 12th | 11.9 | (9.2 - 15.3) | 402 | 7.3 | (4.4 - 12.0) | 191 | 15.4 | (10.4 - 22.4) | 208 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | _ | - | 24 | - | - | 10 | - | - | 14 |
| | Black* | 13.6 | (9.8 - 18.6) | 230 | 8.1 | (4.9 - 13.1) | 126 | 21.0 | (12.8 - 32.4) | 103 |
| | Hispanic/Latino | 15.7 | (13.2 - 18.5) | 465 | 9.2 | (6.1 - 13.8) | 218 | 21.6 | (17.2 - 26.8) | 242 |
| | White* | 11.6 | (8.6 - 15.5) | 498 | 12.4 | (8.4 - 18.1) | 228 | 10.7 | (7.4 - 15.2) | 267 |
| | All other races* | - | - | 12 | - | - | 6 | - | - | 5 |
| | Multiple races* | - | - | 65 | - | - | 29 | - | - | 35 |

Florida High School Survey **Summary Tables - Weighted Data**

QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)**

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 10.9 | (9.6 - 12.4) | 4,885 | 13.4 | (11.6 - 15.5) | 2,283 | 8.6 | (7.1 - 10.4) | 2,602 |
| Age | | | | | | | | | | |
| | 15 or younger | 9.7 | (8.2 - 11.4) | 1,899 | 12.0 | (9.7 - 14.9) | 840 | 7.7 | (6.0 - 9.8) | 1,059 |
| | 16 or 17 | 11.3 | (9.6 - 13.2) | 2,415 | 13.8 | (11.9 - 15.9) | 1,142 | 8.8 | (6.7 - 11.5) | 1,273 |
| | 18 or older | 12.8 | (9.6 - 16.8) | 571 | 15.1 | (10.1 - 21.8) | 301 | 10.3 | (6.3 - 16.4) | 270 |
| Grade | | | | | | | | | | |
| | 9th | 9.7 | (8.1 - 11.5) | 1,328 | 11.5 | (9.2 - 14.3) | 628 | 7.8 | (5.8 - 10.3) | 700 |
| | 10th | 10.9 | (8.7 - 13.5) | 1,406 | 14.4 | (11.3 - 18.2) | 667 | 7.5 | (5.5 - 10.3) | 739 |
| | 11th | 11.2 | (9.4 - 13.2) | 1,202 | 14.9 | (12.3 - 17.8) | 528 | 7.7 | (5.8 - 10.2) | 674 |
| | 12th | 12.1 | (9.4 - 15.5) | 914 | 13.0 | (9.5 - 17.6) | 438 | 11.3 | (7.9 - 15.9) | 476 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 4.8 | (1.9 - 11.8) | 158 | - | - | 69 | - | - | 89 |
| | Black* | 13.9 | (10.9 - 17.5) | 936 | 15.1 | (11.2 - 20.1) | 425 | 12.7 | (9.1 - 17.5) | 511 |
| | Hispanic/Latino | 10.6 | (9.4 - 12.0) | 1,704 | 13.9 | (11.7 - 16.4) | 803 | 7.4 | (5.8 - 9.5) | 901 |
| | White* | 9.3 | (7.9 - 10.8) | 1,732 | 12.0 | (10.0 - 14.3) | 818 | 6.6 | (5.1 - 8.4) | 914 |
| | All other races* | - | - | 58 | - | - | 32 | - | - | 26 |
| | Multiple races* | 11.0 | (7.6 - 15.6) | 225 | - | - | 99 | 9.3 | (5.1 - 16.1) | 126 |
| | | | | | | | | | | |

Note: 1,286 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

**Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

Florida High School Survey **Summary Tables - Weighted Data**

QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)**

| | Total | | Male | | | Female | | | |
|------------------|---|---|---|--|--|--|------------|-------------------------------|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 14.2 | (13.2 - 15.2) | 4,885 | 13.0 | (11.6 - 14.5) | 2,283 | 15.3 | (13.7 - 17.1) | 2,602 |
| | | | | | | | | | |
| 15 or younger | 14.6 | (13.3 - 16.1) | 1,899 | 14.5 | (11.9 - 17.5) | 840 | 14.7 | (12.7 - 17.1) | 1,059 |
| 16 or 17 | 15.2 | (13.8 - 16.7) | 2,415 | 14.1 | (11.8 - 16.7) | 1,142 | 16.2 | (14.1 - 18.6) | 1,273 |
| 18 or older | 9.6 | (6.7 - 13.4) | 571 | 6.2 | (3.5 - 10.7) | 301 | 13.3 | (8.7 - 19.8) | 270 |
| | | | | | | | | | |
| 9th | 14.3 | (12.7 - 16.1) | 1,328 | 13.7 | (11.2 - 16.5) | 628 | 15.0 | (13.0 - 17.4) | 700 |
| 10th | 13.8 | (12.0 - 15.8) | 1,406 | 13.7 | (10.7 - 17.5) | 667 | 13.9 | (11.1 - 17.4) | 739 |
| 11th | 17.1 | (14.9 - 19.7) | 1,202 | 15.7 | (12.5 - 19.4) | 528 | 18.5 | (15.7 - 21.7) | 674 |
| 12th | 11.0 | (8.4 - 14.4) | 914 | 8.4 | (5.7 - 12.0) | 438 | 13.5 | (9.6 - 18.6) | 476 |
| thnicity | | | | | | | | | |
| Asian* | 11.2 | (7.2 - 16.9) | 158 | - | - | 69 | - | - | 89 |
| Black* | 17.7 | (15.4 - 20.3) | 936 | 14.3 | (11.3 - 18.0) | 425 | 20.9 | (17.6 - 24.8) | 511 |
| Hispanic/Latino | 15.0 | (13.1 - 17.2) | 1,704 | 13.3 | (11.0 - 16.0) | 803 | 16.7 | (13.7 - 20.2) | 901 |
| White* | 11.5 | (10.1 - 13.1) | 1,732 | 12.0 | (9.8 - 14.6) | 818 | 11.1 | (8.9 - 13.8) | 914 |
| All other races* | - | - | 58 | - | - | 32 | - | - | 26 |
| Multiple races* | 11.8 | (8.3 - 16.5) | 225 | - | - | 99 | 10.0 | (6.2 - 15.8) | 126 |
| | 15 or younger 16 or 17 18 or older 9th 10th 11th 12th thnicity Asian* Black* Hispanic/Latino White* All other races* | Total 14.2 15 or younger 14.6 16 or 17 15.2 18 or older 9.6 9th 14.3 10th 13.8 11th 17.1 12th 11.0 thnicity Asian* 11.2 Black* 17.7 Hispanic/Latino 15.0 White* 11.5 All other races* - | Percentage 95% confidence interval Total 14.2 (13.2 - 15.2) 15 or younger 14.6 (13.3 - 16.1) 16 or 17 15.2 (13.8 - 16.7) 18 or older 9.6 (6.7 - 13.4) 9th 14.3 (12.7 - 16.1) 10th 13.8 (12.0 - 15.8) 11th 17.1 (14.9 - 19.7) 12th 11.0 (8.4 - 14.4) thnicity Asian* 11.2 (7.2 - 16.9) Black* 17.7 (15.4 - 20.3) Hispanic/Latino 15.0 (13.1 - 17.2) White* 11.5 (10.1 - 13.1) All other races* - - | Percentage 95% confidence interval N Total 14.2 (13.2 - 15.2) 4,885 15 or younger 14.6 (13.3 - 16.1) 1,899 16 or 17 15.2 (13.8 - 16.7) 2,415 18 or older 9.6 (6.7 - 13.4) 571 9th 14.3 (12.7 - 16.1) 1,328 10th 13.8 (12.0 - 15.8) 1,406 11th 17.1 (14.9 - 19.7) 1,202 12th 11.0 (8.4 - 14.4) 914 thnicity Asian* 11.2 (7.2 - 16.9) 158 Black* 17.7 (15.4 - 20.3) 936 Hispanic/Latino 15.0 (13.1 - 17.2) 1,704 White* 11.5 (10.1 - 13.1) 1,732 All other races* - - 58 | Percentage 95% confidence interval N Percentage Total 14.2 (13.2 - 15.2) 4,885 13.0 15 or younger 14.6 (13.3 - 16.1) 1,899 14.5 16 or 17 15.2 (13.8 - 16.7) 2,415 14.1 18 or older 9.6 (6.7 - 13.4) 571 6.2 9th 14.3 (12.7 - 16.1) 1,328 13.7 10th 13.8 (12.0 - 15.8) 1,406 13.7 11th 17.1 (14.9 - 19.7) 1,202 15.7 12th 11.0 (8.4 - 14.4) 914 8.4 thincity Asian* 11.2 (7.2 - 16.9) 158 - Black* 17.7 (15.4 - 20.3) 936 14.3 Hispanic/Latino 15.0 (13.1 - 17.2) 1,704 13.3 White* 11.5 (10.1 - 13.1) 1,732 12.0 All other races* - 58 - | Percentage 95% confidence interval N Percentage confidence interval Total 14.2 (13.2 - 15.2) 4,885 13.0 (11.6 - 14.5) 15 or younger 14.6 (13.3 - 16.1) 1,899 14.5 (11.9 - 17.5) 16 or 17 15.2 (13.8 - 16.7) 2,415 14.1 (11.8 - 16.7) 18 or older 9.6 (6.7 - 13.4) 571 6.2 (3.5 - 10.7) 9th 14.3 (12.7 - 16.1) 1,328 13.7 (11.2 - 16.5) 10th 13.8 (12.0 - 15.8) 1,406 13.7 (10.7 - 17.5) 11th 17.1 (14.9 - 19.7) 1,202 15.7 (12.5 - 19.4) 12th 11.0 (8.4 - 14.4) 914 8.4 (5.7 - 12.0) thnicity Asian* 11.2 (7.2 - 16.9) 158 - - - Black* 17.7 (15.4 - 20.3) 936 14.3 (11.3 - 18.0) Hispanic/Latino 15.0 (13.1 - 17.2) 1,704 | Percentage | Percentage | Percentage 95% N Percentage 95% confidence interval N Percentage Percentage |

Note: 1,286 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

**Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

Florida High School Survey **Summary Tables - Weighted Data**

QN68: Percentage of students who described themselves as slightly or very overweight

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 29.9 | (28.2 - 31.7) | 6,006 | 24.7 | (22.8 - 26.8) | 2,856 | 35.3 | (32.7 - 38.0) | 3,067 |
| Age | | | | | | | | | | |
| | 15 or younger | 30.6 | (28.2 - 33.1) | 2,314 | 24.9 | (22.3 - 27.7) | 1,042 | 36.0 | (32.4 - 39.8) | 1,247 |
| | 16 or 17 | 29.0 | (27.1 - 31.0) | 2,947 | 23.5 | (21.5 - 25.7) | 1,424 | 34.8 | (31.8 - 38.0) | 1,491 |
| | 18 or older | 31.5 | (26.9 - 36.4) | 720 | 28.5 | (22.6 - 35.3) | 386 | 35.0 | (28.3 - 42.3) | 327 |
| Grade | | | | | | | | | | |
| | 9th | 28.8 | (26.4 - 31.4) | 1,660 | 23.4 | (20.6 - 26.4) | 788 | 34.8 | (31.1 - 38.7) | 852 |
| | 10th | 28.3 | (25.8 - 31.0) | 1,667 | 24.4 | (20.8 - 28.4) | 809 | 32.5 | (28.9 - 36.3) | 842 |
| | 11th | 31.0 | (28.1 - 34.1) | 1,488 | 25.1 | (21.4 - 29.3) | 675 | 37.1 | (32.6 - 41.7) | 795 |
| | 12th | 31.7 | (28.5 - 35.0) | 1,125 | 26.4 | (22.6 - 30.6) | 555 | 36.7 | (31.3 - 42.5) | 559 |
| Race/E | Ethnicity | | | | | | | | | |
| | Asian* | 23.5 | (16.8 - 31.9) | 187 | - | - | 84 | - | - | 99 |
| | Black* | 29.8 | (26.6 - 33.2) | 1,178 | 22.1 | (18.0 - 27.0) | 550 | 37.7 | (32.7 - 43.0) | 618 |
| | Hispanic/Latino | 32.7 | (30.6 - 34.9) | 2,094 | 28.0 | (25.4 - 30.8) | 985 | 37.1 | (34.3 - 39.8) | 1,085 |
| | White* | 29.2 | (26.7 - 31.8) | 2,076 | 24.4 | (21.5 - 27.6) | 1,020 | 34.4 | (30.8 - 38.2) | 1,041 |
| | All other races* | - | - | 73 | - | - | 39 | - | - | 32 |
| | Multiple races* | 28.7 | (23.0 - 35.1) | 270 | 29.3 | (21.4 - 38.6) | 120 | 27.7 | (20.2 - 36.8) | 148 |

Florida High School Survey **Summary Tables - Weighted Data**

QN69: Percentage of students who were trying to lose weight

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 42.8 | (41.1 - 44.6) | 6,007 | 31.2 | (29.2 - 33.3) | 2,845 | 55.0 | (53.0 - 57.1) | 3,078 |
| Age | | | | | | | | | | |
| | 15 or younger | 43.6 | (41.0 - 46.3) | 2,317 | 33.6 | (30.3 - 37.0) | 1,039 | 53.2 | (50.0 - 56.5) | 1,253 |
| | 16 or 17 | 42.5 | (40.1 - 44.9) | 2,946 | 29.4 | (26.6 - 32.3) | 1,419 | 56.4 | (53.6 - 59.1) | 1,494 |
| | 18 or older | 42.5 | (38.4 - 46.8) | 719 | 32.2 | (27.8 - 37.0) | 383 | 54.9 | (48.6 - 61.1) | 329 |
| Grade | | | | | | | | | | |
| | 9th | 42.3 | (39.6 - 45.1) | 1,663 | 32.3 | (28.5 - 36.4) | 786 | 52.9 | (49.7 - 56.2) | 856 |
| | 10th | 41.2 | (38.1 - 44.3) | 1,671 | 31.3 | (27.8 - 35.0) | 807 | 51.5 | (48.1 - 54.7) | 847 |
| | 11th | 44.1 | (41.0 - 47.3) | 1,486 | 31.6 | (27.6 - 35.8) | 669 | 57.3 | (53.5 - 61.0) | 798 |
| | 12th | 44.6 | (41.8 - 47.4) | 1,122 | 30.3 | (26.6 - 34.3) | 553 | 58.8 | (54.9 - 62.5) | 559 |
| Race/E | Ethnicity | | | | | | | | | |
| | Asian* | 37.5 | (29.4 - 46.4) | 188 | - | - | 84 | 41.8 | (31.3 - 53.0) | 100 |
| | Black* | 40.1 | (36.4 - 43.9) | 1,180 | 28.1 | (24.2 - 32.4) | 551 | 52.5 | (47.3 - 57.8) | 618 |
| | Hispanic/Latino | 48.7 | (46.3 - 51.1) | 2,092 | 38.5 | (35.7 - 41.4) | 977 | 58.4 | (55.4 - 61.3) | 1,090 |
| | White* | 42.4 | (40.2 - 44.6) | 2,080 | 29.8 | (27.0 - 32.8) | 1,019 | 56.4 | (53.1 - 59.5) | 1,046 |
| | All other races* | - | - | 74 | - | - | 39 | - | - | 33 |
| | Multiple races* | 40.7 | (34.2 - 47.4) | 269 | 28.5 | (20.5 - 38.2) | 120 | 51.9 | (43.4 - 60.3) | 147 |

Florida High School Survey **Summary Tables - Weighted Data**

QN70: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 28.9 | (27.5 - 30.3) | 5,985 | 27.2 | (25.6 - 28.9) | 2,838 | 30.5 | (28.5 - 32.6) | 3,060 |
| Age | | | | | | | | | | |
| | 15 or younger | 29.1 | (27.3 - 30.9) | 2,305 | 27.6 | (24.8 - 30.6) | 1,036 | 30.3 | (27.8 - 33.0) | 1,243 |
| | 16 or 17 | 27.8 | (26.0 - 29.6) | 2,939 | 25.3 | (22.9 - 27.8) | 1,417 | 29.9 | (27.5 - 32.6) | 1,489 |
| | 18 or older | 32.2 | (28.5 - 36.1) | 715 | 32.6 | (27.5 - 38.2) | 381 | 32.4 | (27.6 - 37.7) | 326 |
| Grade | | | | | | | | | | |
| | 9th | 29.2 | (26.8 - 31.8) | 1,650 | 27.5 | (23.9 - 31.4) | 780 | 30.8 | (28.0 - 33.7) | 850 |
| | 10th | 28.9 | (26.6 - 31.3) | 1,672 | 26.6 | (23.4 - 29.9) | 811 | 30.9 | (27.5 - 34.5) | 843 |
| | 11th | 26.3 | (24.2 - 28.5) | 1,485 | 24.3 | (21.6 - 27.3) | 672 | 28.3 | (25.3 - 31.5) | 795 |
| | 12th | 31.3 | (28.4 - 34.2) | 1,112 | 30.5 | (26.1 - 35.3) | 546 | 32.2 | (28.3 - 36.4) | 554 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 36.6 | (29.4 - 44.5) | 187 | - | - | 84 | - | - | 99 |
| | Black* | 23.0 | (20.7 - 25.3) | 1,173 | 24.4 | (21.1 - 27.9) | 549 | 21.3 | (18.5 - 24.3) | 614 |
| | Hispanic/Latino | 26.8 | (24.9 - 28.8) | 2,085 | 25.0 | (22.3 - 27.8) | 978 | 28.2 | (25.6 - 30.9) | 1,083 |
| | White* | 34.2 | (32.2 - 36.3) | 2,069 | 31.1 | (28.4 - 34.0) | 1,012 | 37.6 | (34.0 - 41.3) | 1,041 |
| | All other races* | - | - | 74 | - | - | 39 | - | - | 32 |
| | Multiple races* | 26.0 | (20.9 - 31.9) | 268 | 23.9 | (16.5 - 33.2) | 118 | 27.4 | (21.2 - 34.7) | 148 |

Florida High School Survey **Summary Tables - Weighted Data**

QN71: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)

| | | Total | | | Male | | | Female | | | |
|-------|------------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 14.0 | (12.9 - 15.1) | 5,977 | 15.7 | (14.3 - 17.2) | 2,833 | 11.8 | (10.4 - 13.4) | 3,057 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 13.6 | (12.2 - 15.3) | 2,300 | 15.3 | (13.0 - 18.0) | 1,032 | 11.8 | (10.3 - 13.5) | 1,243 | |
| | 16 or 17 | 13.4 | (12.0 - 15.0) | 2,933 | 15.0 | (12.9 - 17.3) | 1,416 | 11.7 | (9.7 - 14.0) | 1,484 | |
| | 18 or older | 16.1 | (13.4 - 19.1) | 717 | 18.9 | (15.7 - 22.6) | 381 | 12.3 | (8.4 - 17.8) | 328 | |
| Grade | | | | | | | | | | | |
| | 9th | 13.9 | (12.0 - 15.9) | 1,648 | 14.8 | (12.2 - 17.7) | 778 | 12.7 | (10.9 - 14.8) | 850 | |
| | 10th | 14.4 | (12.6 - 16.2) | 1,668 | 16.5 | (14.1 - 19.2) | 809 | 11.9 | (9.6 - 14.8) | 841 | |
| | 11th | 13.1 | (11.5 - 15.0) | 1,480 | 14.9 | (12.1 - 18.2) | 670 | 11.5 | (9.1 - 14.4) | 792 | |
| | 12th | 13.9 | (11.9 - 16.2) | 1,115 | 16.3 | (13.1 - 19.9) | 547 | 11.1 | (8.3 - 14.8) | 556 | |
| Race/ | Ethnicity | | | | | | | | | | |
| | Asian* | 7.7 | (4.6 - 12.5) | 186 | - | - | 84 | - | - | 98 | |
| | Black* | 16.7 | (14.6 - 19.2) | 1,170 | 18.5 | (15.6 - 21.8) | 547 | 14.6 | (11.5 - 18.2) | 613 | |
| | Hispanic/Latino | 14.5 | (13.1 - 16.0) | 2,086 | 15.0 | (13.2 - 17.1) | 978 | 13.9 | (11.5 - 16.6) | 1,084 | |
| | White* | 11.6 | (10.0 - 13.4) | 2,064 | 14.4 | (12.1 - 17.0) | 1,011 | 8.8 | (7.3 - 10.6) | 1,037 | |
| | All other races* | - | - | 73 | - | - | 38 | - | - | 33 | |
| | Multiple races* | 12.5 | (8.8 - 17.5) | 268 | 13.8 | (8.9 - 20.8) | 118 | 10.8 | (6.1 - 18.5) | 148 | |

Florida High School Survey **Summary Tables - Weighted Data**

QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 7.5 | (6.7 - 8.4) | 5,965 | 8.9 | (7.9 - 10.1) | 2,828 | 5.9 | (4.9 - 7.0) | 3,051 |
| Age | | | | | | | | | | |
| | 15 or younger | 7.4 | (6.2 - 8.8) | 2,295 | 9.2 | (7.2 - 11.6) | 1,031 | 5.7 | (4.6 - 7.0) | 1,239 |
| | 16 or 17 | 7.1 | (5.9 - 8.5) | 2,929 | 8.1 | (6.7 - 9.9) | 1,412 | 5.8 | (4.3 - 7.8) | 1,484 |
| | 18 or older | 8.9 | (6.7 - 11.7) | 715 | 11.1 | (8.1 - 15.1) | 381 | 6.6 | (4.1 - 10.4) | 326 |
| Grade | | | | | | | | | | |
| | 9th | 7.5 | (6.2 - 9.2) | 1,644 | 9.0 | (6.8 - 11.7) | 777 | 6.1 | (4.7 - 7.9) | 847 |
| | 10th | 8.1 | (6.6 - 9.8) | 1,666 | 9.3 | (7.5 - 11.4) | 808 | 6.5 | (4.7 - 8.8) | 840 |
| | 11th | 7.1 | (5.6 - 8.9) | 1,479 | 8.8 | (6.6 - 11.6) | 669 | 5.5 | (3.7 - 8.2) | 792 |
| | 12th | 7.0 | (5.6 - 8.7) | 1,111 | 8.5 | (6.2 - 11.5) | 545 | 5.3 | (3.5 - 7.8) | 554 |
| Race/E | Ethnicity | | | | | | | | | |
| | Asian* | 4.8 | (2.5 - 9.2) | 186 | _ | - | 84 | - | - | 98 |
| | Black* | 8.5 | (6.9 - 10.5) | 1,169 | 11.2 | (8.9 - 13.8) | 547 | 5.6 | (3.7 - 8.3) | 612 |
| | Hispanic/Latino | 7.8 | (6.7 - 9.0) | 2,082 | 8.6 | (7.1 - 10.4) | 976 | 6.8 | (5.3 - 8.7) | 1,082 |
| | White* | 6.5 | (5.3 - 8.0) | 2,060 | 7.6 | (6.0 - 9.8) | 1,008 | 5.5 | (4.0 - 7.3) | 1,036 |
| | All other races* | - | - | 72 | - | - | 38 | - | - | 32 |
| | Multiple races* | 8.0 | (5.3 - 11.9) | 268 | 9.2 | (5.1 - 16.0) | 118 | 6.2 | (3.1 - 12.0) | 148 |

Florida High School Survey **Summary Tables - Weighted Data**

QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 59.8 | (58.4 - 61.3) | 5,965 | 62.7 | (60.9 - 64.5) | 2,828 | 57.0 | (54.9 - 59.1) | 3,051 |
| Age | | | | | | | | | | |
| | 15 or younger | 61.4 | (59.6 - 63.2) | 2,295 | 64.9 | (62.3 - 67.4) | 1,031 | 58.2 | (55.3 - 61.1) | 1,239 |
| | 16 or 17 | 60.2 | (58.1 - 62.3) | 2,929 | 63.7 | (60.9 - 66.4) | 1,412 | 56.7 | (54.0 - 59.5) | 1,484 |
| | 18 or older | 55.0 | (51.2 - 58.7) | 715 | 54.7 | (49.4 - 59.9) | 381 | 54.8 | (48.7 - 60.7) | 326 |
| Grade | | | | | | | | | | |
| | 9th | 61.5 | (59.1 - 63.9) | 1,644 | 65.2 | (61.5 - 68.7) | 777 | 57.6 | (54.1 - 61.0) | 847 |
| | 10th | 60.2 | (57.3 - 63.0) | 1,666 | 64.0 | (60.7 - 67.2) | 808 | 56.6 | (52.7 - 60.5) | 840 |
| | 11th | 60.5 | (58.1 - 62.9) | 1,479 | 62.5 | (58.4 - 66.3) | 669 | 58.3 | (54.0 - 62.5) | 792 |
| | 12th | 57.1 | (53.7 - 60.4) | 1,111 | 59.1 | (53.8 - 64.2) | 545 | 55.1 | (51.8 - 58.5) | 554 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 59.0 | (52.3 - 65.3) | 186 | - | - | 84 | - | - | 98 |
| | Black* | 61.1 | (58.2 - 64.0) | 1,169 | 63.0 | (59.3 - 66.6) | 547 | 59.1 | (54.9 - 63.2) | 612 |
| | Hispanic/Latino | 59.1 | (56.6 - 61.5) | 2,082 | 64.7 | (61.8 - 67.6) | 976 | 53.8 | (50.0 - 57.5) | 1,082 |
| | White* | 58.7 | (56.6 - 60.8) | 2,060 | 59.7 | (56.7 - 62.6) | 1,008 | 57.8 | (54.0 - 61.5) | 1,036 |
| | All other races* | - | - | 72 | - | - | 38 | - | - | 32 |
| | Multiple races* | 65.0 | (56.9 - 72.3) | 268 | 70.6 | (59.8 - 79.6) | 118 | 60.5 | (50.9 - 69.3) | 148 |

Florida High School Survey **Summary Tables - Weighted Data**

QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 31.3 | (29.9 - 32.8) | 5,965 | 33.6 | (31.8 - 35.5) | 2,828 | 28.9 | (26.8 - 31.0) | 3,051 |
| Age | | | | | | | | | | |
| | 15 or younger | 31.8 | (29.4 - 34.2) | 2,295 | 34.3 | (31.3 - 37.6) | 1,031 | 29.3 | (26.4 - 32.3) | 1,239 |
| | 16 or 17 | 31.4 | (29.5 - 33.4) | 2,929 | 33.9 | (31.1 - 36.7) | 1,412 | 28.7 | (26.1 - 31.5) | 1,484 |
| | 18 or older | 29.8 | (25.7 - 34.3) | 715 | 31.5 | (26.1 - 37.4) | 381 | 28.2 | (22.6 - 34.6) | 326 |
| Grade | | | | | | | | | | |
| | 9th | 31.4 | (29.0 - 33.8) | 1,644 | 34.2 | (31.1 - 37.6) | 777 | 28.1 | (25.0 - 31.5) | 847 |
| | 10th | 32.6 | (30.2 - 35.2) | 1,666 | 35.6 | (32.3 - 39.0) | 808 | 29.7 | (26.3 - 33.3) | 840 |
| | 11th | 33.2 | (30.4 - 36.1) | 1,479 | 35.1 | (31.5 - 39.0) | 669 | 31.1 | (27.2 - 35.4) | 792 |
| | 12th | 27.8 | (24.8 - 31.0) | 1,111 | 29.1 | (24.7 - 34.1) | 545 | 26.4 | (22.5 - 30.7) | 554 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 27.2 | (21.0 - 34.4) | 186 | - | - | 84 | _ | - | 98 |
| | Black* | 35.2 | (31.6 - 38.9) | 1,169 | 36.8 | (32.3 - 41.5) | 547 | 33.3 | (28.4 - 38.5) | 612 |
| | Hispanic/Latino | 31.5 | (29.1 - 33.9) | 2,082 | 36.1 | (33.0 - 39.3) | 976 | 27.0 | (24.0 - 30.1) | 1,082 |
| | White* | 27.4 | (25.6 - 29.2) | 2,060 | 28.8 | (26.4 - 31.4) | 1,008 | 26.1 | (23.5 - 28.8) | 1,036 |
| | All other races* | - | - | 72 | - | - | 38 | - | - | 32 |
| | Multiple races* | 38.8 | (32.8 - 45.1) | 268 | 43.6 | (34.6 - 53.0) | 118 | 34.6 | (27.3 - 42.7) | 148 |

Florida High School Survey **Summary Tables - Weighted Data**

QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 20.0 | (18.8 - 21.3) | 5,965 | 21.9 | (20.2 - 23.6) | 2,828 | 18.0 | (16.3 - 19.7) | 3,051 |
| Age | | | | | | | | | | |
| | 15 or younger | 20.0 | (18.2 - 21.9) | 2,295 | 22.1 | (19.7 - 24.7) | 1,031 | 18.0 | (15.6 - 20.6) | 1,239 |
| | 16 or 17 | 20.2 | (18.4 - 22.1) | 2,929 | 22.1 | (19.5 - 24.9) | 1,412 | 18.0 | (15.5 - 20.9) | 1,484 |
| | 18 or older | 19.3 | (16.3 - 22.7) | 715 | 20.9 | (16.5 - 26.2) | 381 | 17.5 | (13.9 - 21.9) | 326 |
| Grade | | | | | | | | | | |
| | 9th | 19.8 | (18.1 - 21.6) | 1,644 | 21.8 | (19.2 - 24.6) | 777 | 17.7 | (15.2 - 20.5) | 847 |
| | 10th | 20.6 | (18.3 - 23.2) | 1,666 | 23.7 | (20.4 - 27.5) | 808 | 17.5 | (14.8 - 20.5) | 840 |
| | 11th | 20.7 | (18.3 - 23.2) | 1,479 | 21.2 | (17.9 - 25.0) | 669 | 19.9 | (16.2 - 24.2) | 792 |
| | 12th | 18.5 | (16.0 - 21.4) | 1,111 | 20.3 | (16.3 - 24.9) | 545 | 16.7 | (13.9 - 19.8) | 554 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 11.7 | (7.6 - 17.6) | 186 | - | - | 84 | - | - | 98 |
| | Black* | 25.0 | (21.9 - 28.3) | 1,169 | 27.1 | (23.1 - 31.5) | 547 | 22.7 | (18.6 - 27.3) | 612 |
| | Hispanic/Latino | 20.8 | (19.0 - 22.8) | 2,082 | 23.9 | (21.2 - 26.9) | 976 | 17.9 | (15.2 - 20.9) | 1,082 |
| | White* | 15.3 | (13.9 - 16.8) | 2,060 | 16.4 | (14.4 - 18.6) | 1,008 | 14.3 | (12.2 - 16.6) | 1,036 |
| | All other races* | - | - | 72 | - | - | 38 | - | - | 32 |
| | Multiple races* | 23.2 | (18.3 - 28.9) | 268 | 28.6 | (21.7 - 36.6) | 118 | 18.9 | (12.8 - 26.9) | 148 |

Florida High School Survey **Summary Tables - Weighted Data**

QN72: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 41.4 | (39.5 - 43.3) | 5,978 | 44.7 | (42.5 - 46.9) | 2,832 | 37.9 | (35.5 - 40.4) | 3,058 |
| Age | | | | | | | | | | |
| | 15 or younger | 42.1 | (39.6 - 44.8) | 2,303 | 46.7 | (43.0 - 50.5) | 1,033 | 37.8 | (34.4 - 41.4) | 1,244 |
| | 16 or 17 | 40.8 | (38.7 - 43.0) | 2,935 | 44.1 | (41.6 - 46.6) | 1,416 | 37.2 | (33.9 - 40.6) | 1,486 |
| | 18 or older | 41.5 | (36.9 - 46.4) | 713 | 42.1 | (35.8 - 48.8) | 379 | 40.9 | (35.5 - 46.5) | 326 |
| Grade | | | | | | | | | | |
| | 9th | 43.7 | (40.0 - 47.4) | 1,649 | 47.9 | (43.8 - 52.0) | 779 | 39.2 | (34.1 - 44.4) | 850 |
| | 10th | 42.3 | (39.1 - 45.5) | 1,669 | 46.5 | (43.0 - 50.0) | 808 | 37.5 | (33.2 - 42.0) | 843 |
| | 11th | 39.5 | (36.2 - 42.9) | 1,482 | 43.6 | (39.6 - 47.8) | 671 | 35.5 | (31.6 - 39.7) | 793 |
| | 12th | 40.2 | (36.2 - 44.3) | 1,111 | 40.7 | (34.6 - 47.1) | 545 | 39.7 | (35.8 - 43.7) | 554 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 36.7 | (30.1 - 43.8) | 187 | - | - | 84 | - | - | 99 |
| | Black* | 49.3 | (46.0 - 52.7) | 1,170 | 47.8 | (43.0 - 52.6) | 547 | 50.7 | (46.8 - 54.6) | 613 |
| | Hispanic/Latino | 42.3 | (40.1 - 44.5) | 2,084 | 44.7 | (41.6 - 47.8) | 978 | 40.0 | (37.4 - 42.7) | 1,082 |
| | White* | 35.8 | (33.6 - 38.0) | 2,065 | 42.6 | (39.6 - 45.7) | 1,009 | 28.4 | (25.6 - 31.5) | 1,040 |
| | All other races* | - | - | 75 | - | - | 39 | - | - | 33 |
| | Multiple races* | 35.0 | (29.1 - 41.4) | 267 | 41.7 | (31.3 - 53.0) | 118 | 28.2 | (21.0 - 36.8) | 147 |

Florida High School Survey **Summary Tables - Weighted Data**

QN73: Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 40.0 | (38.4 - 41.7) | 5,970 | 37.3 | (35.1 - 39.5) | 2,828 | 42.7 | (40.8 - 44.7) | 3,058 |
| Age | | | | | | | | | | |
| | 15 or younger | 42.3 | (39.8 - 44.8) | 2,302 | 41.0 | (37.3 - 44.7) | 1,032 | 43.2 | (40.0 - 46.5) | 1,246 |
| | 16 or 17 | 38.7 | (36.8 - 40.7) | 2,933 | 35.2 | (32.3 - 38.3) | 1,416 | 42.2 | (39.7 - 44.7) | 1,484 |
| | 18 or older | 39.4 | (35.4 - 43.4) | 709 | 36.1 | (30.6 - 41.9) | 376 | 43.3 | (37.8 - 48.8) | 326 |
| Grade | | | | | | | | | | |
| | 9th | 43.5 | (40.8 - 46.3) | 1,650 | 43.9 | (39.8 - 48.0) | 777 | 43.0 | (39.5 - 46.7) | 853 |
| | 10th | 40.6 | (37.6 - 43.7) | 1,667 | 36.5 | (32.4 - 40.7) | 809 | 44.3 | (39.8 - 48.9) | 841 |
| | 11th | 38.8 | (35.8 - 42.0) | 1,481 | 35.6 | (31.6 - 39.9) | 670 | 42.2 | (38.5 - 46.1) | 793 |
| | 12th | 37.2 | (33.7 - 40.9) | 1,107 | 33.2 | (28.9 - 37.9) | 543 | 41.0 | (36.5 - 45.7) | 553 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 33.3 | (26.0 - 41.6) | 187 | - | - | 84 | - | - | 99 |
| | Black* | 50.4 | (47.3 - 53.6) | 1,168 | 46.3 | (41.9 - 50.7) | 545 | 54.2 | (50.4 - 58.0) | 613 |
| | Hispanic/Latino | 37.8 | (35.9 - 39.9) | 2,082 | 35.2 | (32.1 - 38.6) | 974 | 40.5 | (37.6 - 43.4) | 1,084 |
| | White* | 34.1 | (31.8 - 36.6) | 2,066 | 33.2 | (30.0 - 36.5) | 1,012 | 35.1 | (31.8 - 38.6) | 1,039 |
| | All other races* | - | - | 73 | - | - | 39 | - | - | 32 |
| | Multiple races* | 39.0 | (32.7 - 45.7) | 267 | 31.6 | (24.0 - 40.4) | 118 | 45.3 | (35.9 - 55.0) | 147 |

Florida High School Survey **Summary Tables - Weighted Data**

QN74: Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 60.4 | (58.9 - 61.9) | 5,960 | 59.0 | (57.0 - 61.0) | 2,822 | 61.8 | (59.7 - 63.9) | 3,054 |
| Age | | | | | | | | | | |
| | 15 or younger | 60.7 | (58.6 - 62.8) | 2,300 | 59.0 | (56.0 - 62.1) | 1,027 | 62.4 | (59.5 - 65.3) | 1,249 |
| | 16 or 17 | 60.3 | (58.1 - 62.5) | 2,924 | 59.4 | (56.8 - 61.9) | 1,412 | 61.2 | (58.1 - 64.2) | 1,479 |
| | 18 or older | 60.3 | (56.4 - 64.1) | 710 | 58.3 | (53.0 - 63.5) | 378 | 62.3 | (56.4 - 67.8) | 324 |
| Grade | | | | | | | | | | |
| | 9th | 60.4 | (57.5 - 63.2) | 1,646 | 58.7 | (54.8 - 62.6) | 774 | 62.0 | (58.5 - 65.4) | 852 |
| | 10th | 62.1 | (59.3 - 64.9) | 1,664 | 60.8 | (57.3 - 64.2) | 805 | 63.6 | (59.7 - 67.3) | 842 |
| | 11th | 59.6 | (56.9 - 62.2) | 1,477 | 58.9 | (54.9 - 62.7) | 668 | 60.2 | (56.2 - 64.0) | 792 |
| | 12th | 59.5 | (55.7 - 63.2) | 1,107 | 57.3 | (52.6 - 61.8) | 545 | 61.5 | (56.3 - 66.5) | 550 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 49.4 | (42.4 - 56.5) | 186 | - | - | 83 | - | - | 99 |
| | Black* | 68.2 | (65.5 - 70.8) | 1,168 | 65.3 | (61.1 - 69.3) | 544 | 70.9 | (68.0 - 73.7) | 614 |
| | Hispanic/Latino | 62.2 | (59.6 - 64.8) | 2,080 | 61.0 | (57.7 - 64.3) | 975 | 63.7 | (59.8 - 67.4) | 1,082 |
| | White* | 54.6 | (52.2 - 57.0) | 2,060 | 55.0 | (51.7 - 58.3) | 1,009 | 54.0 | (51.0 - 57.0) | 1,036 |
| | All other races* | - | - | 74 | - | - | 39 | - | - | 33 |
| | Multiple races* | 58.2 | (52.6 - 63.5) | 265 | 47.5 | (37.3 - 58.0) | 116 | 66.6 | (57.6 - 74.6) | 147 |

Florida High School Survey **Summary Tables - Weighted Data**

QN75: Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 24.4 | (22.9 - 25.9) | 5,948 | 25.6 | (23.8 - 27.4) | 2,817 | 23.4 | (21.3 - 25.5) | 3,047 |
| Age | | | | | | | | | | |
| | 15 or younger | 24.9 | (22.9 - 26.9) | 2,293 | 26.5 | (23.5 - 29.6) | 1,025 | 23.3 | (20.7 - 26.1) | 1,243 |
| | 16 or 17 | 24.7 | (22.6 - 26.9) | 2,919 | 25.1 | (22.4 - 28.0) | 1,408 | 24.2 | (21.5 - 27.2) | 1,478 |
| | 18 or older | 22.8 | (20.1 - 25.8) | 711 | 25.2 | (21.7 - 29.0) | 379 | 20.5 | (16.4 - 25.3) | 324 |
| Grade | | | | | | | | | | |
| | 9th | 26.0 | (23.5 - 28.6) | 1,640 | 27.4 | (24.0 - 31.0) | 770 | 24.5 | (21.5 - 27.8) | 850 |
| | 10th | 24.7 | (22.0 - 27.5) | 1,660 | 25.3 | (22.4 - 28.5) | 805 | 23.7 | (19.7 - 28.2) | 838 |
| | 11th | 24.4 | (21.8 - 27.2) | 1,475 | 26.6 | (23.3 - 30.2) | 667 | 22.5 | (19.1 - 26.4) | 791 |
| | 12th | 22.3 | (20.1 - 24.6) | 1,107 | 22.2 | (19.2 - 25.5) | 545 | 22.8 | (19.2 - 26.7) | 550 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 11.1 | (7.8 - 15.6) | 185 | - | - | 82 | - | - | 99 |
| | Black* | 31.9 | (29.1 - 34.8) | 1,166 | 32.6 | (29.0 - 36.5) | 545 | 31.2 | (27.8 - 34.8) | 611 |
| | Hispanic/Latino | 30.1 | (27.6 - 32.7) | 2,074 | 29.5 | (26.4 - 32.8) | 971 | 30.7 | (27.4 - 34.2) | 1,080 |
| | White* | 16.7 | (15.2 - 18.4) | 2,057 | 19.6 | (16.9 - 22.7) | 1,008 | 13.7 | (12.0 - 15.7) | 1,034 |
| | All other races* | - | - | 75 | - | - | 39 | - | - | 33 |
| | Multiple races* | 20.6 | (16.6 - 25.2) | 265 | 19.0 | (13.2 - 26.5) | 116 | 22.2 | (16.2 - 29.7) | 147 |

Florida High School Survey **Summary Tables - Weighted Data**

QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

| | | Total | | | Male | | Female | | | |
|--------------|---------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Tot | al | 10.0 | (9.1 - 11.0) | 5,910 | 11.2 | (9.9 - 12.6) | 2,795 | 8.9 | (7.6 - 10.4) | 3,033 |
| Age | | | | | | | | | | |
| 15 | or younger | 10.4 | (9.2 - 11.7) | 2,278 | 11.6 | (9.7 - 13.9) | 1,019 | 9.2 | (7.4 - 11.4) | 1,235 |
| 16 | or 17 | 9.8 | (8.6 - 11.2) | 2,904 | 10.6 | (8.9 - 12.6) | 1,399 | 8.9 | (7.3 - 10.8) | 1,472 |
| 18 | or older | 10.2 | (8.2 - 12.6) | 704 | 12.2 | (9.3 - 15.7) | 373 | 8.1 | (5.2 - 12.4) | 324 |
| Grade | | | | | | | | | | |
| 9th | | 11.5 | (9.9 - 13.3) | 1,629 | 12.8 | (10.5 - 15.4) | 765 | 10.4 | (8.2 - 13.1) | 844 |
| 10t | h | 10.1 | (8.3 - 12.3) | 1,651 | 11.5 | (9.1 - 14.3) | 800 | 8.4 | (6.2 - 11.1) | 834 |
| 11t | h | 9.6 | (8.0 - 11.6) | 1,467 | 11.4 | (9.2 - 14.1) | 662 | 8.1 | (6.0 - 10.8) | 788 |
| 12t | h | 8.8 | (7.4 - 10.5) | 1,099 | 9.0 | (6.9 - 11.8) | 539 | 8.8 | (6.7 - 11.4) | 549 |
| Race/Ethnici | ity | | | | | | | | | |
| Asi | ian* | 4.0 | (1.9 - 8.4) | 185 | - | - | 82 | - | - | 99 |
| Bla | ck* | 14.3 | (12.2 - 16.6) | 1,157 | 15.5 | (12.3 - 19.4) | 541 | 12.9 | (10.5 - 15.7) | 606 |
| His | spanic/Latino | 13.0 | (11.5 - 14.8) | 2,060 | 13.4 | (11.1 - 16.1) | 963 | 12.6 | (10.7 - 14.7) | 1,074 |
| Wh | iite* | 5.8 | (4.7 - 7.1) | 2,048 | 7.6 | (6.0 - 9.5) | 1,001 | 3.9 | (2.8 - 5.6) | 1,032 |
| All | other races* | - | - | 73 | - | - | 39 | - | - | 32 |
| Mu | ltiple races* | 7.9 | (4.9 - 12.5) | 264 | 8.9 | (4.6 - 16.6) | 115 | 7.1 | (3.5 - 14.0) | 147 |

Florida High School Survey **Summary Tables - Weighted Data**

QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 54.8 | (52.8 - 56.8) | 5,910 | 56.5 | (54.3 - 58.6) | 2,795 | 53.1 | (50.6 - 55.5) | 3,033 |
| Age | | | | | | | | | | |
| | 15 or younger | 54.3 | (52.4 - 56.3) | 2,278 | 56.0 | (53.1 - 59.0) | 1,019 | 53.0 | (50.4 - 55.6) | 1,235 |
| | 16 or 17 | 55.0 | (52.3 - 57.8) | 2,904 | 56.2 | (53.2 - 59.2) | 1,399 | 53.6 | (49.9 - 57.2) | 1,472 |
| | 18 or older | 54.7 | (51.1 - 58.4) | 704 | 57.7 | (53.2 - 62.1) | 373 | 51.7 | (45.4 - 57.9) | 324 |
| Grade | | | | | | | | | | |
| | 9th | 54.3 | (51.5 - 57.1) | 1,629 | 55.9 | (52.2 - 59.5) | 765 | 52.6 | (48.9 - 56.3) | 844 |
| | 10th | 52.5 | (49.4 - 55.7) | 1,651 | 53.9 | (49.8 - 57.9) | 800 | 51.4 | (47.4 - 55.3) | 834 |
| | 11th | 57.0 | (53.7 - 60.2) | 1,467 | 58.2 | (54.4 - 62.0) | 662 | 55.9 | (51.5 - 60.2) | 788 |
| | 12th | 55.3 | (50.9 - 59.6) | 1,099 | 57.6 | (52.9 - 62.2) | 539 | 52.4 | (46.7 - 58.0) | 549 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 73.3 | (66.6 - 79.1) | 185 | - | - | 82 | - | - | 99 |
| | Black* | 45.0 | (41.7 - 48.3) | 1,157 | 49.8 | (45.4 - 54.1) | 541 | 40.2 | (36.6 - 43.9) | 606 |
| | Hispanic/Latino | 51.1 | (48.7 - 53.6) | 2,060 | 53.7 | (50.5 - 56.9) | 963 | 48.4 | (45.0 - 51.8) | 1,074 |
| | White* | 62.4 | (59.8 - 64.9) | 2,048 | 60.4 | (56.9 - 63.8) | 1,001 | 64.9 | (61.8 - 67.9) | 1,032 |
| | All other races* | - | - | 73 | - | - | 39 | - | - | 32 |
| | Multiple races* | 59.6 | (53.1 - 65.8) | 264 | 65.9 | (54.6 - 75.7) | 115 | 54.3 | (47.1 - 61.3) | 147 |

Florida High School Survey **Summary Tables - Weighted Data**

QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 26.2 | (24.7 - 27.8) | 5,910 | 27.7 | (26.1 - 29.4) | 2,795 | 24.8 | (22.7 - 27.1) | 3,033 |
| Age | | | | | | | | | | |
| | 15 or younger | 25.7 | (23.7 - 27.7) | 2,278 | 27.4 | (24.7 - 30.1) | 1,019 | 24.2 | (21.4 - 27.2) | 1,235 |
| | 16 or 17 | 25.9 | (23.9 - 28.0) | 2,904 | 27.1 | (24.7 - 29.5) | 1,399 | 24.7 | (22.0 - 27.6) | 1,472 |
| | 18 or older | 28.7 | (25.7 - 32.0) | 704 | 30.2 | (25.8 - 35.1) | 373 | 27.1 | (22.6 - 32.1) | 324 |
| Grade | | | | | | | | | | |
| | 9th | 25.9 | (23.4 - 28.6) | 1,629 | 27.4 | (24.3 - 30.8) | 765 | 24.5 | (21.1 - 28.2) | 844 |
| | 10th | 25.1 | (22.7 - 27.6) | 1,651 | 25.9 | (22.9 - 29.1) | 800 | 24.1 | (20.9 - 27.6) | 834 |
| | 11th | 26.6 | (23.8 - 29.5) | 1,467 | 27.9 | (24.6 - 31.5) | 662 | 25.1 | (21.4 - 29.2) | 788 |
| | 12th | 27.4 | (24.5 - 30.5) | 1,099 | 29.5 | (25.8 - 33.6) | 539 | 25.4 | (21.3 - 30.1) | 549 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 33.5 | (26.7 - 41.0) | 185 | - | - | 82 | - | - | 99 |
| | Black* | 22.3 | (19.7 - 25.3) | 1,157 | 27.4 | (23.3 - 31.9) | 541 | 17.2 | (14.7 - 20.0) | 606 |
| | Hispanic/Latino | 25.8 | (23.9 - 27.7) | 2,060 | 28.3 | (25.7 - 31.1) | 963 | 23.2 | (21.0 - 25.7) | 1,074 |
| | White* | 28.3 | (25.8 - 31.0) | 2,048 | 26.2 | (23.2 - 29.5) | 1,001 | 30.8 | (27.6 - 34.2) | 1,032 |
| | All other races* | - | - | 73 | - | - | 39 | - | - | 32 |
| | Multiple races* | 30.6 | (25.3 - 36.5) | 264 | 35.3 | (26.8 - 45.0) | 115 | 27.1 | (20.9 - 34.3) | 147 |

Florida High School Survey **Summary Tables - Weighted Data**

QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 14.7 | (13.5 - 15.9) | 5,910 | 15.7 | (14.3 - 17.3) | 2,795 | 13.5 | (11.9 - 15.2) | 3,033 |
| Age | | | | | | | | | | |
| | 15 or younger | 13.2 | (11.6 - 14.9) | 2,278 | 13.8 | (11.6 - 16.4) | 1,019 | 12.5 | (10.4 - 14.9) | 1,235 |
| | 16 or 17 | 14.9 | (13.3 - 16.8) | 2,904 | 15.9 | (13.7 - 18.4) | 1,399 | 13.8 | (11.8 - 16.1) | 1,472 |
| | 18 or older | 17.3 | (14.8 - 20.0) | 704 | 19.1 | (15.9 - 22.7) | 373 | 15.1 | (11.2 - 20.0) | 324 |
| Grade | | | | | | | | | | |
| | 9th | 12.7 | (11.0 - 14.7) | 1,629 | 13.3 | (10.8 - 16.2) | 765 | 12.1 | (9.7 - 14.9) | 844 |
| | 10th | 15.2 | (12.9 - 17.8) | 1,651 | 16.3 | (13.3 - 19.9) | 800 | 13.9 | (11.5 - 16.8) | 834 |
| | 11th | 14.6 | (12.4 - 17.2) | 1,467 | 15.3 | (12.5 - 18.7) | 662 | 13.5 | (10.6 - 17.1) | 788 |
| | 12th | 16.0 | (13.9 - 18.3) | 1,099 | 17.9 | (15.0 - 21.3) | 539 | 14.1 | (11.2 - 17.7) | 549 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 18.3 | (13.6 - 24.1) | 185 | - | - | 82 | - | - | 99 |
| | Black* | 13.7 | (11.6 - 16.1) | 1,157 | 16.3 | (13.4 - 19.8) | 541 | 10.9 | (8.6 - 13.8) | 606 |
| | Hispanic/Latino | 15.0 | (13.3 - 16.8) | 2,060 | 17.1 | (14.8 - 19.7) | 963 | 12.7 | (10.7 - 15.1) | 1,074 |
| | White* | 14.1 | (12.5 - 16.0) | 2,048 | 13.2 | (10.9 - 15.8) | 1,001 | 15.2 | (12.9 - 17.9) | 1,032 |
| | All other races* | - | - | 73 | - | - | 39 | - | - | 32 |
| | Multiple races* | 18.1 | (12.9 - 24.8) | 264 | 23.3 | (15.0 - 34.3) | 115 | 14.0 | (8.3 - 22.7) | 147 |

Florida High School Survey **Summary Tables - Weighted Data**

QN76: Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)

| | | | Total | | | Male | | | Female | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 31.4 | (29.6 - 33.3) | 5,847 | 29.3 | (27.2 - 31.5) | 2,765 | 33.7 | (30.9 - 36.7) | 3,002 |
| Age | | | | | | | | | | |
| | 15 or younger | 30.4 | (28.1 - 32.8) | 2,238 | 28.2 | (24.4 - 32.3) | 998 | 32.4 | (29.6 - 35.4) | 1,218 |
| | 16 or 17 | 32.3 | (29.6 - 35.0) | 2,885 | 29.8 | (27.1 - 32.7) | 1,390 | 35.0 | (30.9 - 39.3) | 1,463 |
| | 18 or older | 31.1 | (27.5 - 34.9) | 699 | 30.2 | (25.4 - 35.6) | 372 | 32.7 | (26.6 - 39.3) | 319 |
| Grade | | | | | | | | | | |
| | 9th | 26.9 | (24.2 - 29.8) | 1,599 | 25.3 | (21.5 - 29.4) | 750 | 28.6 | (25.1 - 32.3) | 830 |
| | 10th | 34.9 | (32.5 - 37.3) | 1,633 | 33.2 | (29.0 - 37.6) | 789 | 36.5 | (33.1 - 40.1) | 826 |
| | 11th | 31.7 | (28.5 - 35.1) | 1,468 | 28.5 | (24.8 - 32.7) | 663 | 35.2 | (30.0 - 40.7) | 788 |
| | 12th | 32.2 | (28.9 - 35.6) | 1,085 | 30.4 | (27.0 - 34.0) | 533 | 34.5 | (29.1 - 40.4) | 541 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 46.8 | (37.6 - 56.2) | 183 | - | - | 81 | - | - | 98 |
| | Black* | 32.1 | (29.5 - 34.8) | 1,156 | 32.7 | (29.3 - 36.2) | 539 | 31.7 | (25.6 - 38.5) | 607 |
| | Hispanic/Latino | 29.5 | (27.2 - 31.9) | 2,056 | 27.9 | (25.6 - 30.3) | 964 | 31.2 | (27.6 - 35.0) | 1,071 |
| | White* | 31.4 | (28.0 - 35.1) | 2,002 | 27.5 | (24.0 - 31.2) | 979 | 36.0 | (32.0 - 40.2) | 1,007 |
| | All other races* | - | - | 73 | - | - | 38 | - | - | 33 |
| | Multiple races* | 26.9 | (20.8 - 33.9) | 260 | 23.3 | (15.1 - 34.3) | 113 | 30.3 | (20.9 - 41.7) | 145 |

Florida High School Survey **Summary Tables - Weighted Data**

QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 17.5 | (16.2 - 18.9) | 5,847 | 20.6 | (18.4 - 23.0) | 2,765 | 14.0 | (12.6 - 15.5) | 3,002 |
| Age | | | | | | | | | | |
| | 15 or younger | 17.3 | (15.3 - 19.5) | 2,238 | 19.7 | (16.5 - 23.3) | 998 | 14.8 | (12.8 - 17.1) | 1,218 |
| | 16 or 17 | 16.8 | (15.1 - 18.6) | 2,885 | 20.2 | (17.6 - 23.0) | 1,390 | 12.9 | (11.0 - 15.0) | 1,463 |
| | 18 or older | 20.5 | (17.6 - 23.8) | 699 | 24.0 | (19.1 - 29.6) | 372 | 15.7 | (12.1 - 20.2) | 319 |
| Grade | | | | | | | | | | |
| | 9th | 17.9 | (15.5 - 20.5) | 1,599 | 20.2 | (16.6 - 24.3) | 750 | 15.4 | (12.8 - 18.4) | 830 |
| | 10th | 17.2 | (14.8 - 19.7) | 1,633 | 19.6 | (16.4 - 23.2) | 789 | 14.2 | (12.0 - 16.7) | 826 |
| | 11th | 17.7 | (15.5 - 20.0) | 1,468 | 21.4 | (17.8 - 25.5) | 663 | 13.6 | (11.2 - 16.5) | 788 |
| | 12th | 17.0 | (14.3 - 20.2) | 1,085 | 21.2 | (17.1 - 25.9) | 533 | 12.5 | (9.6 - 16.0) | 541 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 10.0 | (6.1 - 16.1) | 183 | - | - | 81 | - | - | 98 |
| | Black* | 18.1 | (16.0 - 20.3) | 1,156 | 19.6 | (15.7 - 24.0) | 539 | 16.2 | (13.4 - 19.3) | 607 |
| | Hispanic/Latino | 16.1 | (14.2 - 18.2) | 2,056 | 18.4 | (15.7 - 21.4) | 964 | 13.7 | (11.0 - 16.8) | 1,071 |
| | White* | 18.0 | (15.8 - 20.5) | 2,002 | 22.1 | (18.8 - 25.9) | 979 | 13.3 | (11.2 - 15.7) | 1,007 |
| | All other races* | - | - | 73 | - | - | 38 | - | - | 33 |
| | Multiple races* | 16.9 | (11.6 - 24.1) | 260 | 26.0 | (16.8 - 37.9) | 113 | 9.5 | (5.6 - 15.7) | 145 |

Florida High School Survey **Summary Tables - Weighted Data**

QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 11.2 | (10.2 - 12.4) | 5,847 | 12.7 | (11.1 - 14.5) | 2,765 | 9.5 | (8.3 - 11.0) | 3,002 |
| Age | | | | | | | | | | |
| | 15 or younger | 10.8 | (9.4 - 12.3) | 2,238 | 11.2 | (9.2 - 13.6) | 998 | 9.9 | (8.2 - 12.1) | 1,218 |
| | 16 or 17 | 10.7 | (9.2 - 12.3) | 2,885 | 12.3 | (10.3 - 14.7) | 1,390 | 8.7 | (7.2 - 10.5) | 1,463 |
| | 18 or older | 14.3 | (11.9 - 17.2) | 699 | 16.8 | (12.5 - 22.1) | 372 | 11.1 | (8.1 - 15.1) | 319 |
| Grade | | | | | | | | | | |
| | 9th | 11.4 | (9.6 - 13.5) | 1,599 | 11.9 | (9.3 - 15.0) | 750 | 10.7 | (8.5 - 13.5) | 830 |
| | 10th | 11.0 | (9.1 - 13.2) | 1,633 | 12.3 | (9.9 - 15.1) | 789 | 9.3 | (7.5 - 11.4) | 826 |
| | 11th | 10.5 | (8.6 - 12.8) | 1,468 | 12.3 | (9.4 - 15.9) | 663 | 8.6 | (6.4 - 11.4) | 788 |
| | 12th | 11.7 | (9.5 - 14.2) | 1,085 | 13.8 | (10.0 - 18.6) | 533 | 9.2 | (6.9 - 12.1) | 541 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 6.3 | (3.3 - 11.7) | 183 | - | - | 81 | - | - | 98 |
| | Black* | 12.4 | (10.6 - 14.4) | 1,156 | 11.8 | (8.9 - 15.3) | 539 | 12.7 | (10.2 - 15.8) | 607 |
| | Hispanic/Latino | 10.1 | (8.6 - 11.8) | 2,056 | 10.8 | (8.9 - 13.1) | 964 | 9.1 | (7.0 - 11.8) | 1,071 |
| | White* | 10.9 | (9.5 - 12.6) | 2,002 | 13.8 | (11.4 - 16.5) | 979 | 7.8 | (6.3 - 9.7) | 1,007 |
| | All other races* | - | - | 73 | - | - | 38 | - | - | 33 |
| | Multiple races* | 11.7 | (7.8 - 17.3) | 260 | 17.4 | (11.1 - 26.2) | 113 | 7.2 | (3.9 - 12.9) | 145 |

Florida High School Survey **Summary Tables - Weighted Data**

QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 6.6 | (5.7 - 7.5) | 5,847 | 7.4 | (6.2 - 8.9) | 2,765 | 5.4 | (4.5 - 6.6) | 3,002 |
| Age | | | | | | | | | | |
| | 15 or younger | 6.2 | (5.1 - 7.7) | 2,238 | 6.6 | (4.9 - 8.8) | 998 | 5.4 | (4.1 - 7.2) | 1,218 |
| | 16 or 17 | 5.9 | (4.9 - 7.2) | 2,885 | 7.2 | (5.7 - 9.2) | 1,390 | 4.5 | (3.4 - 5.9) | 1,463 |
| | 18 or older | 9.4 | (7.4 - 11.7) | 699 | 9.9 | (6.6 - 14.4) | 372 | 8.8 | (6.2 - 12.3) | 319 |
| Grade | | | | | | | | | | |
| | 9th | 6.5 | (5.1 - 8.2) | 1,599 | 6.9 | (5.0 - 9.4) | 750 | 5.7 | (4.3 - 7.6) | 830 |
| | 10th | 5.6 | (4.3 - 7.3) | 1,633 | 7.2 | (5.3 - 9.7) | 789 | 3.8 | (2.6 - 5.6) | 826 |
| | 11th | 6.6 | (4.9 - 8.7) | 1,468 | 7.4 | (5.3 - 10.3) | 663 | 5.5 | (3.6 - 8.2) | 788 |
| | 12th | 7.1 | (5.5 - 9.2) | 1,085 | 7.8 | (5.0 - 11.7) | 533 | 6.4 | (4.6 - 8.8) | 541 |
| Race/E | Cthnicity | | | | | | | | | |
| | Asian* | 3.9 | (1.7 - 8.5) | 183 | - | - | 81 | - | - | 98 |
| | Black* | 7.5 | (6.1 - 9.1) | 1,156 | 7.4 | (5.4 - 10.1) | 539 | 7.3 | (5.5 - 9.8) | 607 |
| | Hispanic/Latino | 6.2 | (5.3 - 7.3) | 2,056 | 6.4 | (4.9 - 8.3) | 964 | 5.7 | (4.3 - 7.5) | 1,071 |
| | White* | 6.1 | (4.9 - 7.5) | 2,002 | 7.9 | (6.0 - 10.3) | 979 | 3.9 | (2.8 - 5.5) | 1,007 |
| | All other races* | - | - | 73 | - | - | 38 | - | - | 33 |
| | Multiple races* | 6.7 | (3.9 - 11.4) | 260 | 9.0 | (4.6 - 16.8) | 113 | 4.9 | (2.2 - 10.2) | 145 |
| | | | | | | | | | | |

Florida High School Survey **Summary Tables - Weighted Data**

QN77: Percentage of students who did not drink milk (during the 7 days before the survey)

| | | Total | | | Male | | Female | | | |
|----------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 29.1 | (27.7 - 30.4) | 5,816 | 21.8 | (19.9 - 23.8) | 2,745 | 36.2 | (34.5 - 37.9) | 2,990 |
| Age | | | | | | | | | | |
| | 15 or younger | 27.1 | (24.7 - 29.6) | 2,229 | 20.2 | (17.1 - 23.8) | 994 | 32.9 | (30.0 - 35.9) | 1,213 |
| | 16 or 17 | 29.8 | (27.8 - 31.9) | 2,868 | 21.7 | (19.3 - 24.2) | 1,379 | 38.2 | (35.1 - 41.3) | 1,456 |
| | 18 or older | 31.4 | (28.1 - 34.9) | 695 | 25.9 | (20.7 - 31.8) | 368 | 38.1 | (33.3 - 43.1) | 319 |
| Grade | | | | | | | | | | |
| | 9th | 25.4 | (22.7 - 28.4) | 1,592 | 18.6 | (15.4 - 22.3) | 747 | 32.0 | (28.5 - 35.6) | 825 |
| | 10th | 29.3 | (26.7 - 32.0) | 1,623 | 22.5 | (19.9 - 25.5) | 782 | 35.7 | (31.1 - 40.5) | 824 |
| | 11th | 30.1 | (27.5 - 32.9) | 1,464 | 21.3 | (18.5 - 24.3) | 661 | 39.3 | (35.3 - 43.4) | 785 |
| | 12th | 31.9 | (29.2 - 34.8) | 1,076 | 25.0 | (20.7 - 29.9) | 526 | 38.6 | (34.4 - 42.9) | 539 |
| Race/Eth | nicity | | | | | | | | | |
| | Asian* | 25.3 | (19.8 - 31.6) | 183 | - | - | 82 | - | - | 97 |
| | Black* | 34.7 | (32.3 - 37.2) | 1,150 | 26.3 | (23.0 - 29.8) | 533 | 43.0 | (39.1 - 47.0) | 607 |
| | Hispanic/Latino | 25.6 | (23.6 - 27.7) | 2,042 | 16.8 | (14.5 - 19.4) | 956 | 33.6 | (30.5 - 36.9) | 1,063 |
| | White* | 27.0 | (24.8 - 29.4) | 1,994 | 21.4 | (18.6 - 24.5) | 975 | 33.2 | (30.2 - 36.3) | 1,004 |
| | All other races* | - | - | 72 | - | - | 37 | - | - | 33 |
| | Multiple races* | 27.9 | (22.4 - 34.1) | 259 | 19.0 | (12.6 - 27.8) | 112 | 34.8 | (27.2 - 43.3) | 145 |

Florida High School Survey **Summary Tables - Weighted Data**

QNMILK1: Percentage of students who drank one or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)

| | | Total | | | Male | | | Female | | | |
|---------|-------------------------|------------|-------------------------------|-------------|------------|-------------------------------|-----------|------------|-------------------------------|-------------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 28.6 | (27.1 - 30.1) | 5,816 | 37.3 | (35.2 - 39.5) | 2,745 | 19.9 | (18.3 - 21.7) | 2,990 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 29.7 | (27.3 - 32.1) | 2,229 | 39.3 | (35.8 - 42.9) | 994 | 21.1 | (18.4 - 24.2) | 1,213 | |
| | 16 or 17 | 29.2 | (26.8 - 31.8) | 2,868 | 38.2 | (35.3 - 41.3) | 1,379 | 19.8 | (16.8 - 23.2) | 1,456 | |
| | 18 or older | 23.8 | (20.3 - 27.6) | 695 | 30.1 | (25.1 - 35.7) | 368 | 17.1 | (12.9 - 22.3) | 319 | |
| Grade | | | | | | | | | | | |
| | 9th | 29.5 | (26.5 - 32.7) | 1,592 | 38.2 | (33.7 - 43.0) | 747 | 20.9 | (17.9 - 24.3) | 825 | |
| | 10th | 31.1 | (29.0 - 33.2) | 1,623 | 40.7 | (37.3 - 44.1) | 782 | 21.8 | (18.6 - 25.3) | 824 | |
| | 11th | 28.0 | (25.0 - 31.3) | 1,464 | 35.7 | (31.7 - 40.0) | 661 | 20.5 | (16.9 - 24.7) | 785 | |
| | 12th | 24.9 | (21.9 - 28.1) | 1,076 | 33.9 | (29.7 - 38.5) | 526 | 15.8 | (13.1 - 19.1) | 539 | |
| Race/Et | hnicity | | | | | | | | | | |
| | Asian* | 32.5 | (26.4 - 39.3) | 183 | - | - | 82 | - | - | 97 | |
| | Black* | 22.8 | (20.2 - 25.8) | 1,150 | 29.4 | (24.6 - 34.7) | 533 | 16.3 | (13.8 - 19.3) | 607 | |
| | Hispanic/Latino | 34.0 | (31.6 - 36.6) | 2,042 | 43.7 | (39.9 - 47.5) | 956 | 24.9 | (21.9 - 28.3) | 1,063 | |
| | White* | 29.9 | (27.7 - 32.2) | 1,994 | 39.8 | (36.4 - 43.3) | 975 | 19.5 | (16.8 - 22.5) | 1,004 | |
| | All other races* | - | - | 72 | - | - | 37 | - | - | 33 | |
| | Multiple races* | 27.7 | (21.8 - 34.4) | 259 | 38.9 | (28.3 - 50.6) | 112 | 18.7 | (13.8 - 25.0) | 145 | |
| | White* All other races* | 29.9 | (27.7 - 32.2) | 1,994 72 | 39.8 | (36.4 - 43.3) | 975 37 | 19.5 | (16.8 - 22.5) | 1,004 33 | |

Note: 355 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QNMILK2: Percentage of students who drank two or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 15.3 | (14.3 - 16.4) | 5,816 | 20.8 | (19.1 - 22.7) | 2,745 | 9.8 | (8.5 - 11.2) | 2,990 |
| Age | | | | | | | | | | |
| | 15 or younger | 15.6 | (14.0 - 17.4) | 2,229 | 21.0 | (18.5 - 23.7) | 994 | 10.8 | (8.7 - 13.2) | 1,213 |
| | 16 or 17 | 15.9 | (14.1 - 17.8) | 2,868 | 22.1 | (19.7 - 24.7) | 1,379 | 9.3 | (7.5 - 11.5) | 1,456 |
| | 18 or older | 12.5 | (9.9 - 15.6) | 695 | 16.0 | (12.5 - 20.2) | 368 | 8.8 | (5.6 - 13.4) | 319 |
| Grade | | | | | | | | | | |
| | 9th | 15.8 | (13.8 - 18.1) | 1,592 | 21.2 | (18.2 - 24.5) | 747 | 10.4 | (8.1 - 13.3) | 825 |
| | 10th | 16.3 | (14.4 - 18.5) | 1,623 | 22.1 | (18.7 - 25.9) | 782 | 10.6 | (8.5 - 13.1) | 824 |
| | 11th | 15.6 | (13.7 - 17.7) | 1,464 | 21.9 | (18.5 - 25.7) | 661 | 9.2 | (6.8 - 12.4) | 785 |
| | 12th | 13.0 | (10.8 - 15.5) | 1,076 | 17.6 | (14.2 - 21.8) | 526 | 8.4 | (6.5 - 10.8) | 539 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 14.3 | (10.5 - 19.0) | 183 | - | - | 82 | - | - | 97 |
| | Black* | 12.7 | (10.7 - 15.0) | 1,150 | 17.5 | (14.2 - 21.3) | 533 | 8.0 | (5.9 - 10.7) | 607 |
| | Hispanic/Latino | 18.3 | (17.0 - 19.7) | 2,042 | 25.0 | (22.5 - 27.8) | 956 | 11.8 | (9.8 - 14.1) | 1,063 |
| | White* | 15.4 | (13.8 - 17.2) | 1,994 | 20.9 | (18.3 - 23.9) | 975 | 9.6 | (7.6 - 12.2) | 1,004 |
| | All other races* | - | - | 72 | - | - | 37 | - | - | 33 |
| | Multiple races* | 16.5 | (12.5 - 21.4) | 259 | 24.6 | (16.7 - 34.7) | 112 | 9.9 | (6.1 - 15.6) | 145 |

Note: 355 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QNMILK3: Percentage of students who drank three or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 6.6 | (5.9 - 7.3) | 5,816 | 9.6 | (8.5 - 10.8) | 2,745 | 3.5 | (2.8 - 4.4) | 2,990 |
| Age | | | | | | | | | | |
| | 15 or younger | 6.1 | (5.1 - 7.4) | 2,229 | 8.3 | (6.8 - 10.2) | 994 | 4.1 | (2.9 - 5.7) | 1,213 |
| | 16 or 17 | 6.9 | (5.9 - 8.1) | 2,868 | 10.5 | (8.8 - 12.4) | 1,379 | 3.1 | (2.1 - 4.6) | 1,456 |
| | 18 or older | 6.5 | (4.6 - 9.0) | 695 | 9.3 | (6.8 - 12.6) | 368 | 3.4 | (1.7 - 6.5) | 319 |
| Grade | | | | | | | | | | |
| | 9th | 6.3 | (5.0 - 7.9) | 1,592 | 8.8 | (6.8 - 11.2) | 747 | 3.7 | (2.3 - 5.7) | 825 |
| | 10th | 7.2 | (5.8 - 8.8) | 1,623 | 10.3 | (8.2 - 13.0) | 782 | 4.1 | (2.7 - 6.0) | 824 |
| | 11th | 6.5 | (5.3 - 7.9) | 1,464 | 9.7 | (7.4 - 12.4) | 661 | 3.1 | (1.9 - 5.1) | 785 |
| | 12th | 6.0 | (4.6 - 7.8) | 1,076 | 9.0 | (6.9 - 11.8) | 526 | 3.0 | (1.9 - 4.9) | 539 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 4.4 | (2.1 - 8.8) | 183 | - | - | 82 | - | - | 97 |
| | Black* | 6.0 | (4.7 - 7.5) | 1,150 | 9.4 | (7.2 - 12.0) | 533 | 2.6 | (1.6 - 4.1) | 607 |
| | Hispanic/Latino | 8.0 | (6.9 - 9.2) | 2,042 | 11.8 | (9.9 - 13.9) | 956 | 4.3 | (3.0 - 6.1) | 1,063 |
| | White* | 6.2 | (5.2 - 7.3) | 1,994 | 8.3 | (6.5 - 10.6) | 975 | 3.9 | (2.6 - 5.6) | 1,004 |
| | All other races* | - | - | 72 | - | - | 37 | - | - | 33 |
| | Multiple races* | 5.8 | (3.3 - 9.9) | 259 | 9.7 | (5.3 - 17.1) | 112 | 2.6 | (0.8 - 8.1) | 145 |

Note: 355 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN78: Percentage of students who did not eat breakfast (during the 7 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 16.9 | (15.4 - 18.6) | 5,833 | 17.0 | (15.1 - 19.1) | 2,753 | 16.7 | (15.1 - 18.4) | 3,002 |
| Age | | | | | | | | | | |
| | 15 or younger | 16.4 | (14.8 - 18.2) | 2,237 | 14.4 | (12.3 - 16.9) | 997 | 18.0 | (15.8 - 20.5) | 1,218 |
| | 16 or 17 | 17.0 | (15.0 - 19.3) | 2,873 | 17.6 | (15.1 - 20.4) | 1,381 | 16.2 | (14.1 - 18.5) | 1,462 |
| | 18 or older | 18.0 | (15.4 - 20.8) | 698 | 20.7 | (16.6 - 25.4) | 370 | 15.2 | (11.4 - 19.9) | 320 |
| Grade | | | | | | | | | | |
| | 9th | 17.7 | (15.7 - 19.9) | 1,598 | 14.2 | (11.6 - 17.3) | 747 | 21.1 | (18.2 - 24.3) | 831 |
| | 10th | 16.9 | (14.1 - 20.1) | 1,626 | 17.5 | (14.0 - 21.7) | 784 | 15.9 | (13.3 - 18.8) | 824 |
| | 11th | 17.2 | (14.8 - 19.9) | 1,465 | 20.0 | (16.5 - 24.1) | 662 | 14.5 | (11.7 - 17.9) | 787 |
| | 12th | 16.0 | (13.7 - 18.6) | 1,083 | 16.4 | (13.0 - 20.5) | 531 | 15.5 | (12.4 - 19.1) | 543 |
| Race/H | Ethnicity | | | | | | | | | |
| | Asian* | 15.7 | (10.2 - 23.5) | 182 | - | - | 82 | - | - | 97 |
| | Black* | 19.7 | (17.4 - 22.3) | 1,154 | 22.9 | (20.0 - 26.1) | 535 | 16.3 | (12.9 - 20.3) | 610 |
| | Hispanic/Latino | 15.0 | (13.3 - 16.8) | 2,051 | 12.7 | (10.7 - 15.1) | 961 | 16.9 | (14.4 - 19.8) | 1,068 |
| | White* | 15.7 | (13.8 - 17.7) | 2,001 | 15.1 | (12.8 - 17.7) | 977 | 16.3 | (14.0 - 19.0) | 1,008 |
| | All other races* | - | - | 70 | - | - | 35 | - | - | 33 |
| | Multiple races* | 19.1 | (13.9 - 25.8) | 258 | 19.9 | (12.4 - 30.3) | 111 | 18.8 | (12.8 - 26.8) | 145 |

Note: 338 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 37.0 | (34.6 - 39.5) | 5,833 | 41.2 | (38.5 - 43.9) | 2,753 | 32.9 | (30.1 - 35.8) | 3,002 |
| Age | | | | | | | | | | |
| | 15 or younger | 40.9 | (38.1 - 43.7) | 2,237 | 49.3 | (45.5 - 53.1) | 997 | 33.3 | (29.8 - 36.9) | 1,218 |
| | 16 or 17 | 35.2 | (32.8 - 37.7) | 2,873 | 37.7 | (34.4 - 41.1) | 1,381 | 32.5 | (29.7 - 35.3) | 1,462 |
| | 18 or older | 34.6 | (30.3 - 39.1) | 698 | 35.3 | (30.3 - 40.5) | 370 | 33.3 | (26.8 - 40.6) | 320 |
| Grade | | | | | | | | | | |
| | 9th | 40.8 | (37.6 - 44.0) | 1,598 | 48.6 | (44.2 - 53.0) | 747 | 32.7 | (28.8 - 36.8) | 831 |
| | 10th | 37.4 | (33.7 - 41.4) | 1,626 | 42.3 | (37.2 - 47.5) | 784 | 33.0 | (28.6 - 37.7) | 824 |
| | 11th | 34.1 | (31.4 - 36.8) | 1,465 | 36.2 | (32.1 - 40.6) | 662 | 31.4 | (28.1 - 34.9) | 787 |
| | 12th | 35.7 | (31.6 - 40.0) | 1,083 | 36.6 | (31.6 - 42.0) | 531 | 34.6 | (29.7 - 39.9) | 543 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 47.5 | (40.6 - 54.5) | 182 | - | - | 82 | - | - | 97 |
| | Black* | 31.8 | (27.9 - 35.9) | 1,154 | 32.3 | (27.6 - 37.3) | 535 | 31.2 | (26.2 - 36.7) | 610 |
| | Hispanic/Latino | 42.7 | (39.5 - 46.0) | 2,051 | 50.0 | (46.5 - 53.5) | 961 | 35.8 | (31.9 - 39.8) | 1,068 |
| | White* | 38.1 | (35.3 - 40.9) | 2,001 | 42.2 | (38.6 - 45.9) | 977 | 33.5 | (30.0 - 37.3) | 1,008 |
| | All other races* | - | - | 70 | - | - | 35 | - | - | 33 |
| | Multiple races* | 31.5 | (26.4 - 37.1) | 258 | 35.1 | (25.7 - 45.8) | 111 | 29.0 | (22.9 - 36.1) | 145 |

Note: 338 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN79: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 39.3 | (37.7 - 40.9) | 5,919 | 49.1 | (46.9 - 51.4) | 2,796 | 29.7 | (27.7 - 31.7) | 3,038 |
| Age | | | | | | | | | | |
| | 15 or younger | 41.1 | (38.8 - 43.4) | 2,277 | 49.4 | (45.4 - 53.4) | 1,018 | 33.7 | (31.3 - 36.2) | 1,234 |
| | 16 or 17 | 39.1 | (37.2 - 41.1) | 2,908 | 49.8 | (46.4 - 53.3) | 1,397 | 28.3 | (25.6 - 31.1) | 1,478 |
| | 18 or older | 35.7 | (32.0 - 39.6) | 709 | 46.1 | (41.2 - 51.2) | 377 | 23.8 | (18.0 - 30.8) | 324 |
| Grade | | | | | | | | | | |
| | 9th | 43.6 | (40.9 - 46.5) | 1,630 | 52.6 | (48.1 - 57.1) | 766 | 34.6 | (31.4 - 38.0) | 845 |
| | 10th | 38.9 | (36.0 - 41.8) | 1,646 | 47.8 | (43.7 - 51.9) | 794 | 30.0 | (26.9 - 33.3) | 835 |
| | 11th | 37.8 | (34.8 - 40.8) | 1,469 | 48.6 | (43.7 - 53.6) | 662 | 27.4 | (23.9 - 31.1) | 789 |
| | 12th | 36.5 | (33.3 - 39.8) | 1,107 | 47.0 | (42.6 - 51.5) | 544 | 26.5 | (22.0 - 31.7) | 551 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 38.9 | (31.3 - 47.1) | 185 | - | - | 83 | - | - | 98 |
| | Black* | 35.0 | (32.2 - 37.9) | 1,154 | 45.3 | (41.3 - 49.5) | 536 | 25.1 | (21.8 - 28.8) | 608 |
| | Hispanic/Latino | 35.2 | (32.2 - 38.3) | 2,065 | 47.7 | (43.7 - 51.8) | 966 | 22.9 | (19.7 - 26.5) | 1,075 |
| | White* | 44.4 | (42.2 - 46.7) | 2,051 | 52.0 | (48.8 - 55.1) | 1,004 | 36.8 | (33.7 - 40.0) | 1,033 |
| | All other races* | - | - | 74 | - | - | 38 | - | - | 33 |
| | Multiple races* | 42.4 | (36.2 - 48.9) | 264 | 52.6 | (43.8 - 61.3) | 114 | 33.9 | (26.5 - 42.3) | 148 |

Note: 252 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

| | | Total | | | Male | | | Female | | | |
|--------------|---------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Tota | al | 22.2 | (20.8 - 23.7) | 5,919 | 16.4 | (14.8 - 18.1) | 2,796 | 27.7 | (25.7 - 29.9) | 3,038 | |
| Age | | | | | | | | | | | |
| 15 c | or younger | 18.7 | (16.9 - 20.7) | 2,277 | 14.9 | (12.4 - 17.8) | 1,018 | 22.0 | (19.3 - 24.9) | 1,234 | |
| 16 0 | or 17 | 23.1 | (21.5 - 24.9) | 2,908 | 16.2 | (13.9 - 18.9) | 1,397 | 30.0 | (27.3 - 32.9) | 1,478 | |
| 18 c | or older | 27.0 | (23.6 - 30.6) | 709 | 20.0 | (15.8 - 25.0) | 377 | 35.0 | (29.3 - 41.2) | 324 | |
| Grade | | | | | | | | | | | |
| 9th | | 17.4 | (15.4 - 19.6) | 1,630 | 13.7 | (11.1 - 16.8) | 766 | 21.1 | (18.1 - 24.4) | 845 | |
| 10th | h | 21.8 | (19.6 - 24.2) | 1,646 | 16.6 | (13.6 - 20.1) | 794 | 26.3 | (23.3 - 29.6) | 835 | |
| 11tl | h | 24.1 | (22.3 - 26.0) | 1,469 | 16.9 | (14.3 - 19.8) | 662 | 31.1 | (27.5 - 34.9) | 789 | |
| 12th | h | 25.7 | (22.7 - 29.0) | 1,107 | 18.4 | (15.4 - 21.9) | 544 | 32.9 | (27.8 - 38.4) | 551 | |
| Race/Ethnici | ty | | | | | | | | | | |
| Asia | an* | 19.4 | (13.8 - 26.6) | 185 | - | - | 83 | - | - | 98 | |
| Blac | ck* | 28.9 | (26.3 - 31.7) | 1,154 | 22.0 | (18.4 - 26.0) | 536 | 35.2 | (31.0 - 39.6) | 608 | |
| His | panic/Latino | 24.3 | (22.1 - 26.6) | 2,065 | 15.5 | (12.9 - 18.4) | 966 | 33.0 | (29.6 - 36.5) | 1,075 | |
| Wh | ite* | 16.4 | (14.7 - 18.3) | 2,051 | 13.4 | (11.4 - 15.6) | 1,004 | 19.5 | (17.0 - 22.3) | 1,033 | |
| All | other races* | - | - | 74 | - | - | 38 | - | - | 33 | |
| Mul | ltiple races* | 19.8 | (15.7 - 24.7) | 264 | 16.5 | (10.6 - 24.7) | 114 | 22.8 | (17.0 - 29.8) | 148 | |

Note: 252 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 22.8 | (21.6 - 24.0) | 5,919 | 31.3 | (29.6 - 33.0) | 2,796 | 14.5 | (13.1 - 16.1) | 3,038 |
| Age | | | | | | | | | | |
| | 15 or younger | 24.2 | (22.2 - 26.4) | 2,277 | 32.9 | (29.6 - 36.4) | 1,018 | 16.5 | (14.2 - 19.1) | 1,234 |
| | 16 or 17 | 22.7 | (21.2 - 24.3) | 2,908 | 31.9 | (29.3 - 34.6) | 1,397 | 13.5 | (11.6 - 15.6) | 1,478 |
| | 18 or older | 19.8 | (16.9 - 23.0) | 709 | 25.9 | (21.9 - 30.4) | 377 | 13.0 | (8.7 - 18.8) | 324 |
| Grade | | | | | | | | | | |
| | 9th | 26.6 | (24.4 - 28.9) | 1,630 | 35.9 | (32.4 - 39.5) | 766 | 17.5 | (14.5 - 20.9) | 845 |
| | 10th | 22.5 | (20.3 - 24.9) | 1,646 | 31.1 | (27.8 - 34.5) | 794 | 14.2 | (11.7 - 17.2) | 835 |
| | 11th | 22.2 | (19.9 - 24.7) | 1,469 | 31.1 | (27.4 - 35.1) | 662 | 13.5 | (10.9 - 16.7) | 789 |
| | 12th | 19.1 | (16.8 - 21.6) | 1,107 | 26.0 | (22.9 - 29.4) | 544 | 12.6 | (9.5 - 16.4) | 551 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 17.2 | (12.3 - 23.4) | 185 | - | - | 83 | - | - | 98 |
| | Black* | 20.0 | (17.9 - 22.3) | 1,154 | 29.1 | (26.0 - 32.3) | 536 | 11.3 | (9.0 - 14.1) | 608 |
| | Hispanic/Latino | 20.4 | (18.4 - 22.5) | 2,065 | 30.1 | (27.3 - 33.0) | 966 | 11.1 | (9.1 - 13.5) | 1,075 |
| | White* | 26.1 | (24.3 - 28.0) | 2,051 | 33.0 | (30.2 - 36.0) | 1,004 | 19.0 | (16.6 - 21.6) | 1,033 |
| | All other races* | - | - | 74 | - | - | 38 | - | - | 33 |
| | Multiple races* | 24.2 | (18.0 - 31.8) | 264 | 33.9 | (24.1 - 45.3) | 114 | 16.5 | (10.1 - 25.9) | 148 |

Note: 252 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN80: Percentage of students who watched television 3 or more hours per day (on an average school day)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 23.3 | (21.5 - 25.1) | 5,923 | 22.7 | (21.0 - 24.5) | 2,797 | 23.9 | (21.3 - 26.7) | 3,044 |
| Age | | | | | | | | | | |
| | 15 or younger | 22.3 | (20.1 - 24.6) | 2,281 | 21.0 | (18.3 - 24.1) | 1,019 | 23.3 | (20.1 - 26.9) | 1,237 |
| | 16 or 17 | 24.3 | (22.1 - 26.6) | 2,909 | 23.4 | (21.0 - 26.0) | 1,396 | 25.4 | (22.4 - 28.7) | 1,481 |
| | 18 or older | 21.8 | (18.3 - 25.7) | 711 | 23.8 | (19.4 - 28.8) | 379 | 20.1 | (15.3 - 25.9) | 324 |
| Grade | | | | | | | | | | |
| | 9th | 23.4 | (20.8 - 26.1) | 1,626 | 22.0 | (19.0 - 25.3) | 762 | 24.9 | (21.1 - 29.2) | 846 |
| | 10th | 22.9 | (20.3 - 25.7) | 1,651 | 21.8 | (18.9 - 25.1) | 796 | 23.9 | (19.6 - 28.8) | 838 |
| | 11th | 24.2 | (21.5 - 27.1) | 1,471 | 24.0 | (20.7 - 27.7) | 664 | 24.8 | (21.3 - 28.7) | 790 |
| | 12th | 22.6 | (19.7 - 25.8) | 1,109 | 23.3 | (19.2 - 27.9) | 545 | 22.0 | (18.3 - 26.2) | 552 |
| Race/I | Ethnicity | | | | | | | | | |
| | Asian* | 12.4 | (8.5 - 17.6) | 186 | - | - | 83 | - | - | 99 |
| | Black* | 32.1 | (28.9 - 35.5) | 1,157 | 31.1 | (27.5 - 35.1) | 538 | 33.4 | (28.6 - 38.6) | 609 |
| | Hispanic/Latino | 21.1 | (19.0 - 23.2) | 2,065 | 19.8 | (17.1 - 22.7) | 965 | 22.1 | (19.2 - 25.2) | 1,078 |
| | White* | 18.3 | (16.4 - 20.4) | 2,052 | 18.0 | (15.9 - 20.3) | 1,004 | 18.8 | (15.6 - 22.6) | 1,034 |
| | All other races* | - | - | 74 | - | - | 38 | - | - | 33 |
| | Multiple races* | 27.3 | (21.7 - 33.7) | 264 | 29.3 | (19.9 - 40.8) | 114 | 25.2 | (18.5 - 33.4) | 148 |

Note: 248 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN81: Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)

| | | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Total | 45.3 | (43.4 - 47.1) | 5,902 | 46.4 | (43.9 - 49.0) | 2,786 | 44.0 | (41.7 - 46.3) | 3,032 | |
| Age | | | | | | | | | | |
| 15 or younger | 45.4 | (42.5 - 48.3) | 2,267 | 45.8 | (41.3 - 50.3) | 1,009 | 44.8 | (41.8 - 47.9) | 1,233 | |
| 16 or 17 | 46.6 | (44.4 - 48.8) | 2,903 | 48.3 | (45.4 - 51.3) | 1,396 | 44.7 | (41.8 - 47.6) | 1,474 | |
| 18 or older | 40.5 | (37.0 - 44.0) | 709 | 41.8 | (36.7 - 47.1) | 378 | 38.8 | (33.3 - 44.7) | 323 | |
| Grade | | | | | | | | | | |
| 9th | 46.0 | (42.2 - 49.9) | 1,618 | 47.8 | (42.3 - 53.3) | 756 | 43.8 | (40.1 - 47.7) | 843 | |
| 10th | 46.3 | (42.9 - 49.7) | 1,643 | 46.9 | (42.3 - 51.6) | 793 | 45.8 | (41.4 - 50.2) | 833 | |
| 11th | 44.5 | (41.3 - 47.8) | 1,466 | 47.2 | (42.8 - 51.6) | 662 | 42.2 | (38.1 - 46.4) | 787 | |
| 12th | 43.9 | (40.4 - 47.4) | 1,108 | 43.5 | (39.2 - 47.9) | 545 | 43.5 | (38.5 - 48.7) | 551 | |
| Race/Ethnicity | | | | | | | | | | |
| Asian* | 51.3 | (40.8 - 61.6) | 185 | - | - | 83 | - | - | 98 | |
| Black* | 46.1 | (43.7 - 48.5) | 1,152 | 47.7 | (43.7 - 51.8) | 538 | 44.8 | (40.9 - 48.7) | 604 | |
| Hispanic/Latino | 44.1 | (41.8 - 46.5) | 2,060 | 43.3 | (40.2 - 46.4) | 963 | 44.7 | (41.6 - 47.9) | 1,074 | |
| White* | 44.3 | (41.0 - 47.6) | 2,046 | 45.8 | (41.8 - 49.9) | 999 | 42.3 | (38.2 - 46.5) | 1,033 | |
| All other races* | - | - | 74 | - | - | 38 | - | - | 33 | |
| Multiple races* | 56.0 | (49.9 - 61.9) | 260 | 55.2 | (46.0 - 64.1) | 111 | 57.4 | (49.5 - 64.9) | 147 | |

Note: 269 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN82: Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 41.2 | (38.4 - 44.0) | 5,792 | 49.9 | (46.9 - 53.0) | 2,736 | 32.1 | (28.8 - 35.6) | 2,979 |
| Age | | | | | | | | | | |
| | 15 or younger | 52.7 | (47.7 - 57.6) | 2,212 | 59.7 | (54.0 - 65.1) | 987 | 46.1 | (40.4 - 51.9) | 1,205 |
| | 16 or 17 | 35.3 | (32.4 - 38.2) | 2,864 | 45.9 | (42.0 - 49.8) | 1,376 | 24.2 | (20.8 - 27.9) | 1,455 |
| | 18 or older | 33.7 | (29.4 - 38.2) | 695 | 42.2 | (36.7 - 47.9) | 370 | 23.2 | (17.6 - 30.0) | 317 |
| Grade | | | | | | | | | | |
| | 9th | 61.6 | (55.7 - 67.3) | 1,577 | 66.8 | (60.3 - 72.7) | 737 | 56.3 | (49.1 - 63.3) | 822 |
| | 10th | 41.0 | (36.7 - 45.4) | 1,613 | 50.2 | (45.2 - 55.1) | 779 | 32.1 | (27.2 - 37.4) | 817 |
| | 11th | 31.7 | (29.1 - 34.5) | 1,460 | 43.2 | (38.7 - 47.8) | 660 | 19.5 | (16.6 - 22.8) | 783 |
| | 12th | 29.0 | (25.2 - 33.1) | 1,082 | 38.7 | (33.5 - 44.2) | 531 | 19.5 | (15.0 - 25.0) | 540 |
| Race/I | Ethnicity | | | | | | | | | |
| | Asian* | 27.6 | (21.3 - 35.0) | 184 | - | - | 82 | - | - | 98 |
| | Black* | 47.5 | (42.7 - 52.3) | 1,140 | 57.9 | (52.4 - 63.3) | 534 | 37.1 | (31.2 - 43.4) | 596 |
| | Hispanic/Latino | 42.3 | (37.9 - 46.8) | 2,034 | 51.1 | (47.1 - 55.1) | 952 | 33.4 | (27.9 - 39.4) | 1,061 |
| | White* | 36.0 | (32.5 - 39.6) | 1,992 | 43.9 | (39.9 - 48.0) | 973 | 27.5 | (23.3 - 32.2) | 1,005 |
| | All other races* | - | - | 72 | - | - | 37 | - | - | 33 |
| | Multiple races* | 45.8 | (39.5 - 52.3) | 254 | 48.0 | (36.8 - 59.4) | 107 | 43.3 | (34.9 - 52.1) | 145 |

Note: 379 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QNDLYPE: Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 21.9 | (19.2 - 24.8) | 5,792 | 28.2 | (25.1 - 31.5) | 2,736 | 15.4 | (12.5 - 18.7) | 2,979 |
| Age | | | | | | | | | | |
| | 15 or younger | 28.3 | (23.7 - 33.3) | 2,212 | 34.6 | (29.4 - 40.2) | 987 | 22.4 | (17.3 - 28.5) | 1,205 |
| | 16 or 17 | 18.3 | (15.7 - 21.3) | 2,864 | 25.1 | (21.4 - 29.3) | 1,376 | 11.2 | (8.6 - 14.4) | 1,455 |
| | 18 or older | 18.7 | (15.4 - 22.5) | 695 | 24.7 | (20.1 - 30.0) | 370 | 11.7 | (8.1 - 16.6) | 317 |
| Grade | | | | | | | | | | |
| | 9th | 33.2 | (27.4 - 39.5) | 1,577 | 39.7 | (33.2 - 46.6) | 737 | 26.5 | (19.9 - 34.4) | 822 |
| | 10th | 20.5 | (16.9 - 24.5) | 1,613 | 26.8 | (22.5 - 31.5) | 779 | 14.3 | (10.5 - 19.1) | 817 |
| | 11th | 17.1 | (14.8 - 19.8) | 1,460 | 24.3 | (20.6 - 28.3) | 660 | 9.5 | (7.1 - 12.6) | 783 |
| | 12th | 15.9 | (12.3 - 20.4) | 1,082 | 21.2 | (16.1 - 27.5) | 531 | 10.7 | (7.3 - 15.4) | 540 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 16.0 | (10.9 - 22.9) | 184 | - | - | 82 | - | - | 98 |
| | Black* | 23.4 | (18.8 - 28.6) | 1,140 | 29.5 | (23.8 - 35.9) | 534 | 17.3 | (12.6 - 23.3) | 596 |
| | Hispanic/Latino | 19.4 | (15.9 - 23.4) | 2,034 | 25.1 | (21.2 - 29.5) | 952 | 13.6 | (9.9 - 18.3) | 1,061 |
| | White* | 22.0 | (19.0 - 25.3) | 1,992 | 28.8 | (25.0 - 32.9) | 973 | 14.7 | (11.5 - 18.6) | 1,005 |
| | All other races* | - | - | 72 | - | - | 37 | - | - | 33 |
| | Multiple races* | 28.3 | (22.4 - 35.1) | 254 | 31.5 | (21.8 - 43.1) | 107 | 24.7 | (17.3 - 34.0) | 145 |

Note: 379 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN83: Percentage of students who played on at least one sports team (counting any teams run by their school or community groups, during the 12 months before the survey)

| | | Total | | Male | | | Female | | | |
|---------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 46.8 | (44.9 - 48.8) | 5,897 | 51.9 | (49.8 - 54.0) | 2,782 | 41.9 | (39.0 - 44.8) | 3,034 |
| Age | | | | | | | | | | |
| | 15 or younger | 51.7 | (49.1 - 54.4) | 2,266 | 56.1 | (52.3 - 59.7) | 1,011 | 47.7 | (44.0 - 51.4) | 1,232 |
| | 16 or 17 | 46.1 | (43.6 - 48.5) | 2,904 | 51.6 | (48.5 - 54.6) | 1,392 | 40.7 | (37.3 - 44.1) | 1,479 |
| | 18 or older | 37.8 | (33.6 - 42.1) | 705 | 44.2 | (38.6 - 50.1) | 376 | 30.7 | (25.2 - 36.8) | 321 |
| Grade | | | | | | | | | | |
| | 9th | 52.7 | (49.9 - 55.4) | 1,621 | 57.1 | (53.4 - 60.7) | 759 | 48.2 | (44.4 - 52.1) | 844 |
| | 10th | 49.8 | (46.6 - 52.9) | 1,645 | 55.1 | (50.5 - 59.6) | 793 | 44.7 | (40.3 - 49.1) | 835 |
| | 11th | 45.1 | (42.1 - 48.2) | 1,465 | 50.6 | (46.2 - 55.1) | 660 | 39.9 | (35.3 - 44.8) | 788 |
| | 12th | 39.0 | (34.6 - 43.4) | 1,101 | 44.1 | (38.5 - 49.9) | 541 | 34.0 | (29.1 - 39.3) | 549 |
| Race/Et | chnicity | | | | | | | | | |
| | Asian* | 40.7 | (32.7 - 49.1) | 186 | - | - | 83 | - | - | 99 |
| | Black* | 49.3 | (45.7 - 53.0) | 1,149 | 58.0 | (53.9 - 62.0) | 535 | 40.7 | (35.4 - 46.2) | 604 |
| | Hispanic/Latino | 40.3 | (36.8 - 44.0) | 2,054 | 46.6 | (42.7 - 50.5) | 957 | 34.2 | (30.2 - 38.5) | 1,074 |
| | White* | 49.1 | (46.6 - 51.7) | 2,050 | 50.4 | (46.9 - 53.8) | 1,002 | 48.2 | (43.9 - 52.5) | 1,034 |
| | All other races* | - | - | 73 | - | - | 37 | - | - | 33 |
| | Multiple races* | 48.3 | (42.5 - 54.2) | 263 | 57.5 | (46.6 - 67.7) | 114 | 39.9 | (34.6 - 45.4) | 147 |

Note: 274 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN84: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 12.7 | (11.4 - 14.1) | 5,825 | 15.2 | (13.2 - 17.3) | 2,752 | 9.9 | (8.6 - 11.4) | 2,995 |
| Age | | | | | | | | | | |
| | 15 or younger | 13.5 | (11.7 - 15.7) | 2,226 | 15.7 | (12.8 - 19.2) | 993 | 11.1 | (9.1 - 13.4) | 1,212 |
| | 16 or 17 | 12.3 | (10.9 - 13.8) | 2,882 | 14.7 | (12.5 - 17.3) | 1,384 | 9.7 | (8.2 - 11.5) | 1,465 |
| | 18 or older | 11.9 | (9.6 - 14.7) | 696 | 15.3 | (11.9 - 19.4) | 372 | 7.9 | (5.4 - 11.4) | 316 |
| Grade | | | | | | | | | | |
| | 9th | 14.2 | (12.2 - 16.5) | 1,589 | 16.5 | (13.5 - 20.0) | 744 | 11.2 | (9.1 - 13.7) | 826 |
| | 10th | 13.0 | (10.8 - 15.6) | 1,624 | 15.6 | (12.4 - 19.6) | 783 | 10.5 | (8.1 - 13.4) | 824 |
| | 11th | 11.9 | (10.2 - 13.9) | 1,467 | 12.9 | (10.0 - 16.5) | 663 | 10.8 | (8.8 - 13.2) | 787 |
| | 12th | 10.8 | (9.1 - 12.8) | 1,084 | 14.8 | (12.1 - 18.0) | 533 | 6.8 | (5.0 - 9.3) | 540 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 9.6 | (5.8 - 15.4) | 184 | - | - | 82 | - | - | 98 |
| | Black* | 14.0 | (11.7 - 16.7) | 1,149 | 18.2 | (14.6 - 22.5) | 536 | 9.9 | (7.7 - 12.7) | 603 |
| | Hispanic/Latino | 11.9 | (10.4 - 13.7) | 2,043 | 12.1 | (9.7 - 14.9) | 956 | 11.4 | (9.7 - 13.5) | 1,065 |
| | White* | 11.6 | (9.9 - 13.6) | 2,002 | 13.7 | (11.4 - 16.4) | 979 | 9.1 | (7.1 - 11.6) | 1,009 |
| | All other races* | - | - | 72 | - | - | 37 | - | - | 33 |
| | Multiple races* | 14.9 | (10.3 - 20.9) | 260 | 19.4 | (11.6 - 30.5) | 112 | 10.7 | (6.7 - 16.5) | 146 |

Note: 346 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN85: Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 12.0 | (10.6 - 13.6) | 5,898 | 11.9 | (10.3 - 13.8) | 2,784 | 12.0 | (10.3 - 14.0) | 3,030 |
| Age | | | | | | | | | | |
| | 15 or younger | 8.8 | (7.4 - 10.4) | 2,265 | 10.2 | (8.5 - 12.3) | 1,014 | 7.2 | (5.6 - 9.3) | 1,228 |
| | 16 or 17 | 12.8 | (11.0 - 14.8) | 2,901 | 12.3 | (10.4 - 14.5) | 1,391 | 13.5 | (10.9 - 16.6) | 1,477 |
| | 18 or older | 17.0 | (13.9 - 20.7) | 707 | 14.5 | (10.4 - 19.8) | 376 | 19.6 | (15.6 - 24.4) | 323 |
| Grade | | | | | | | | | | |
| | 9th | 8.8 | (7.1 - 10.8) | 1,617 | 9.8 | (7.6 - 12.5) | 758 | 7.6 | (5.7 - 10.1) | 840 |
| | 10th | 9.7 | (7.7 - 12.2) | 1,640 | 10.5 | (8.3 - 13.2) | 790 | 8.9 | (6.4 - 12.3) | 832 |
| | 11th | 13.7 | (11.8 - 15.8) | 1,469 | 13.4 | (10.9 - 16.3) | 663 | 14.1 | (10.9 - 18.0) | 788 |
| | 12th | 16.0 | (13.0 - 19.5) | 1,105 | 14.1 | (10.5 - 18.7) | 543 | 17.7 | (14.3 - 21.8) | 551 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 6.9 | (3.8 - 12.3) | 186 | - | - | 83 | - | - | 99 |
| | Black* | 14.9 | (12.2 - 17.9) | 1,148 | 16.4 | (13.2 - 20.2) | 535 | 13.2 | (9.5 - 18.1) | 603 |
| | Hispanic/Latino | 11.9 | (10.2 - 13.9) | 2,055 | 11.0 | (8.8 - 13.7) | 957 | 12.7 | (10.1 - 15.8) | 1,074 |
| | White* | 9.8 | (8.2 - 11.8) | 2,050 | 8.9 | (6.9 - 11.5) | 1,004 | 11.0 | (9.2 - 13.1) | 1,031 |
| | All other races* | - | - | 72 | - | - | 37 | - | - | 33 |
| | Multiple races* | 13.8 | (10.7 - 17.6) | 265 | 15.7 | (10.0 - 23.8) | 115 | 12.4 | (8.0 - 18.9) | 148 |

Note: 273 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 66.5 | (64.3 - 68.7) | 5,890 | 64.8 | (62.3 - 67.2) | 2,785 | 68.7 | (66.1 - 71.1) | 3,024 |
| Age | | | | | | | | | | |
| | 15 or younger | 68.5 | (65.8 - 71.2) | 2,255 | 66.0 | (62.4 - 69.5) | 1,008 | 71.3 | (67.7 - 74.7) | 1,223 |
| | 16 or 17 | 67.2 | (64.6 - 69.8) | 2,904 | 66.3 | (63.2 - 69.2) | 1,395 | 68.3 | (65.0 - 71.3) | 1,478 |
| | 18 or older | 60.0 | (54.5 - 65.2) | 707 | 57.5 | (50.0 - 64.6) | 378 | 63.5 | (57.0 - 69.4) | 321 |
| Grade | | | | | | | | | | |
| | 9th | 67.7 | (64.5 - 70.8) | 1,613 | 65.6 | (61.7 - 69.4) | 757 | 70.3 | (65.8 - 74.4) | 838 |
| | 10th | 66.9 | (63.5 - 70.1) | 1,642 | 64.1 | (59.5 - 68.4) | 792 | 69.8 | (66.0 - 73.3) | 833 |
| | 11th | 67.7 | (64.1 - 71.0) | 1,465 | 67.2 | (62.7 - 71.3) | 661 | 68.0 | (63.9 - 71.8) | 787 |
| | 12th | 64.6 | (60.1 - 68.8) | 1,103 | 62.6 | (57.4 - 67.6) | 544 | 67.1 | (61.4 - 72.3) | 547 |
| Race/I | Ethnicity | | | | | | | | | |
| | Asian* | 71.5 | (63.8 - 78.1) | 187 | - | - | 84 | _ | - | 99 |
| | Black* | 56.8 | (52.8 - 60.7) | 1,152 | 53.5 | (48.2 - 58.8) | 535 | 60.3 | (55.8 - 64.6) | 608 |
| | Hispanic/Latino | 66.5 | (64.2 - 68.6) | 2,045 | 66.2 | (62.3 - 69.8) | 959 | 66.6 | (63.8 - 69.3) | 1,063 |
| | White* | 74.7 | (72.0 - 77.3) | 2,042 | 73.0 | (69.7 - 76.1) | 997 | 76.5 | (73.2 - 79.5) | 1,031 |
| | All other races* | - | - | 74 | - | - | 39 | - | - | 33 |
| | Multiple races* | 63.5 | (57.7 - 68.9) | 264 | 60.9 | (51.7 - 69.4) | 115 | 65.2 | (57.4 - 72.2) | 147 |

Note: 281 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 4.7 | (3.9 - 5.6) | 5,890 | 5.2 | (4.4 - 6.2) | 2,785 | 3.9 | (2.9 - 5.1) | 3,024 |
| Age | | | | | | | | | | |
| | 15 or younger | 4.2 | (3.4 - 5.3) | 2,255 | 4.4 | (3.2 - 5.9) | 1,008 | 3.6 | (2.5 - 5.3) | 1,223 |
| | 16 or 17 | 4.9 | (3.9 - 6.2) | 2,904 | 5.5 | (4.2 - 7.1) | 1,395 | 4.3 | (3.1 - 6.1) | 1,478 |
| | 18 or older | 4.6 | (3.4 - 6.3) | 707 | 6.0 | (4.0 - 8.8) | 378 | 2.8 | (1.4 - 5.6) | 321 |
| Grade | , | | | | | | | | | |
| | 9th | 4.4 | (3.4 - 5.8) | 1,613 | 4.2 | (2.9 - 6.0) | 757 | 4.4 | (3.0 - 6.5) | 838 |
| | 10th | 4.5 | (3.3 - 6.2) | 1,642 | 5.4 | (3.8 - 7.6) | 792 | 3.6 | (2.4 - 5.5) | 833 |
| | 11th | 5.0 | (3.6 - 6.8) | 1,465 | 6.0 | (4.1 - 8.6) | 661 | 4.0 | (2.5 - 6.3) | 787 |
| | 12th | 3.8 | (2.8 - 5.3) | 1,103 | 4.4 | (3.0 - 6.4) | 544 | 3.2 | (1.8 - 5.7) | 547 |
| Race/l | Ethnicity | | | | | | | | | |
| | Asian* | 4.6 | (2.2 - 9.4) | 187 | - | - | 84 | - | - | 99 |
| | Black* | 7.6 | (5.8 - 9.9) | 1,152 | 7.7 | (6.0 - 9.9) | 535 | 7.2 | (4.8 - 10.6) | 608 |
| | Hispanic/Latino | 3.6 | (2.8 - 4.5) | 2,045 | 3.9 | (2.8 - 5.4) | 959 | 3.2 | (2.2 - 4.6) | 1,063 |
| | White* | 2.7 | (2.0 - 3.6) | 2,042 | 3.6 | (2.6 - 5.0) | 997 | 1.8 | (1.1 - 2.9) | 1,031 |
| | All other races* | - | - | 74 | - | - | 39 | - | - | 33 |
| | Multiple races* | 4.2 | (2.4 - 7.4) | 264 | 7.5 | (3.8 - 14.1) | 115 | 1.6 | (0.5 - 4.7) | 147 |

Note: 281 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma

| | | Total | | | Male | | | Female | | | |
|-----------|------------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Т | otal | 22.2 | (20.8 - 23.8) | 5,887 | 23.9 | (21.8 - 26.2) | 2,785 | 20.5 | (18.8 - 22.3) | 3,024 | |
| Age | | | | | | | | | | | |
| 1 | 5 or younger | 21.7 | (19.8 - 23.7) | 2,259 | 24.0 | (21.4 - 26.8) | 1,013 | 19.4 | (17.0 - 22.0) | 1,223 | |
| 1 | 6 or 17 | 22.5 | (20.4 - 24.6) | 2,897 | 24.8 | (22.0 - 27.9) | 1,389 | 20.0 | (17.6 - 22.7) | 1,478 | |
| 1 | 8 or older | 22.9 | (19.3 - 26.9) | 708 | 21.2 | (16.3 - 27.0) | 379 | 24.6 | (20.1 - 29.7) | 321 | |
| Grade | | | | | | | | | | | |
| 9 | th | 22.4 | (20.2 - 24.6) | 1,617 | 24.4 | (21.2 - 28.0) | 761 | 19.8 | (17.2 - 22.8) | 838 | |
| 1 | Oth | 22.6 | (20.4 - 24.9) | 1,640 | 25.2 | (21.3 - 29.6) | 790 | 19.9 | (17.2 - 23.0) | 834 | |
| 1 | 1th | 20.6 | (18.3 - 23.1) | 1,464 | 23.1 | (19.8 - 26.8) | 660 | 17.9 | (14.6 - 21.6) | 787 | |
| 1 | 2th | 23.4 | (20.8 - 26.3) | 1,100 | 22.7 | (18.3 - 27.8) | 543 | 24.1 | (20.4 - 28.2) | 546 | |
| Race/Ethn | icity | | | | | | | | | | |
| A | Asian* | 18.5 | (13.1 - 25.5) | 187 | - | - | 84 | - | - | 99 | |
| E | Black* | 25.1 | (22.0 - 28.5) | 1,150 | 28.7 | (24.0 - 34.0) | 535 | 21.2 | (18.0 - 24.8) | 606 | |
| ŀ | Hispanic/Latino | 23.3 | (21.0 - 25.7) | 2,044 | 26.0 | (22.6 - 29.8) | 958 | 20.4 | (17.9 - 23.2) | 1,064 | |
| V | White* | 19.3 | (17.5 - 21.2) | 2,046 | 18.9 | (16.2 - 22.0) | 1,001 | 19.6 | (17.3 - 22.1) | 1,031 | |
| A | All other races* | - | - | 73 | - | - | 38 | - | - | 33 | |
| N | Multiple races* | 27.6 | (22.2 - 33.8) | 264 | 34.2 | (26.0 - 43.3) | 114 | 21.8 | (14.7 - 31.1) | 148 | |

Note: 284 students were excluded from this analysis.

^{*}Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN88: Percentage of students who got 8 or more hours of sleep (on an average school night)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 21.1 | (19.7 - 22.6) | 5,875 | 22.6 | (21.1 - 24.2) | 2,781 | 19.5 | (17.4 - 21.6) | 3,014 |
| Age | | | | | | | | | | |
| | 15 or younger | 26.0 | (24.0 - 28.1) | 2,257 | 28.5 | (25.2 - 32.1) | 1,013 | 23.8 | (21.0 - 26.9) | 1,220 |
| | 16 or 17 | 18.8 | (16.9 - 20.9) | 2,890 | 20.4 | (18.1 - 22.9) | 1,387 | 17.0 | (14.5 - 19.9) | 1,472 |
| | 18 or older | 17.1 | (14.3 - 20.4) | 705 | 17.3 | (13.3 - 22.2) | 377 | 16.7 | (12.4 - 22.1) | 320 |
| Grade | | | | | | | | | | |
| | 9th | 28.1 | (25.8 - 30.6) | 1,616 | 29.8 | (26.2 - 33.7) | 762 | 26.2 | (23.3 - 29.2) | 837 |
| | 10th | 21.4 | (19.0 - 24.1) | 1,631 | 23.5 | (20.0 - 27.5) | 784 | 19.5 | (16.4 - 23.1) | 830 |
| | 11th | 17.8 | (15.4 - 20.4) | 1,461 | 19.2 | (16.0 - 23.0) | 662 | 16.4 | (13.2 - 20.2) | 783 |
| | 12th | 16.1 | (14.2 - 18.1) | 1,099 | 16.7 | (13.9 - 19.9) | 542 | 15.4 | (12.6 - 18.6) | 545 |
| Race/E | Ethnicity | | | | | | | | | |
| | Asian* | 17.0 | (12.0 - 23.5) | 187 | - | - | 84 | - | - | 99 |
| | Black* | 20.6 | (17.6 - 24.0) | 1,143 | 19.6 | (16.2 - 23.6) | 530 | 21.6 | (17.3 - 26.7) | 604 |
| | Hispanic/Latino | 20.5 | (18.6 - 22.5) | 2,042 | 23.0 | (20.7 - 25.4) | 961 | 18.0 | (15.4 - 20.8) | 1,060 |
| | White* | 21.8 | (19.9 - 23.9) | 2,041 | 24.9 | (22.3 - 27.8) | 999 | 18.5 | (16.1 - 21.3) | 1,028 |
| | All other races* | - | - | 75 | - | - | 39 | - | - | 33 |
| | Multiple races* | 20.9 | (15.9 - 26.9) | 263 | 20.2 | (13.5 - 29.0) | 114 | 21.7 | (14.2 - 31.7) | 147 |

Note: 296 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN89: Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 73.5 | (71.4 - 75.4) | 5,806 | 67.7 | (65.4 - 70.0) | 2,752 | 79.8 | (77.8 - 81.7) | 2,976 |
| Age | | | | | | | | | | |
| | 15 or younger | 72.3 | (69.8 - 74.7) | 2,232 | 66.5 | (63.2 - 69.7) | 1,002 | 78.2 | (75.1 - 81.0) | 1,208 |
| | 16 or 17 | 74.1 | (71.6 - 76.5) | 2,853 | 67.7 | (64.3 - 71.0) | 1,374 | 80.8 | (78.1 - 83.2) | 1,448 |
| | 18 or older | 74.4 | (70.5 - 78.0) | 699 | 70.3 | (64.8 - 75.3) | 373 | 80.4 | (74.8 - 85.0) | 318 |
| Grade | | | | | | | | | | |
| | 9th | 69.4 | (66.5 - 72.1) | 1,596 | 64.3 | (60.4 - 68.0) | 750 | 75.2 | (71.5 - 78.6) | 830 |
| | 10th | 70.5 | (67.1 - 73.7) | 1,613 | 63.8 | (59.1 - 68.3) | 780 | 77.5 | (74.3 - 80.4) | 815 |
| | 11th | 75.3 | (71.8 - 78.6) | 1,442 | 68.9 | (63.9 - 73.6) | 653 | 82.3 | (78.5 - 85.5) | 772 |
| | 12th | 79.9 | (76.5 - 83.0) | 1,091 | 75.3 | (70.2 - 79.7) | 539 | 84.9 | (80.8 - 88.2) | 540 |
| Race/E | Ethnicity | | | | | | | | | |
| | Asian* | 91.9 | (87.3 - 95.0) | 185 | - | - | 83 | - | - | 98 |
| | Black* | 68.9 | (65.4 - 72.1) | 1,132 | 61.8 | (57.3 - 66.1) | 526 | 76.2 | (72.3 - 79.7) | 597 |
| | Hispanic/Latino | 70.1 | (67.4 - 72.6) | 2,010 | 65.1 | (61.3 - 68.6) | 943 | 75.2 | (71.6 - 78.4) | 1,046 |
| | White* | 78.4 | (75.8 - 80.7) | 2,026 | 72.9 | (69.6 - 76.0) | 991 | 84.6 | (81.6 - 87.1) | 1,020 |
| | All other races* | - | - | 72 | - | - | 38 | - | - | 32 |
| | Multiple races* | 74.5 | (68.4 - 79.8) | 259 | 67.2 | (57.1 - 75.8) | 114 | 80.4 | (72.1 - 86.7) | 143 |

Note: 365 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN90: Percentage of students who used a handheld device to talk or use apps while driving a car or other vehicle (such as the internet, FaceTime, G-mail, Twitter, Facebook, and Snapchat, on at least 1 day during the 30 days before the survey, among students who drove a car or other vehicle during the 30 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 38.7 | (36.2 - 41.3) | 3,479 | 40.9 | (37.8 - 44.1) | 1,709 | 36.4 | (33.1 - 39.9) | 1,731 |
| Age | | | | | | | | | | |
| | 15 or younger | 20.9 | (17.8 - 24.4) | 986 | 23.8 | (19.5 - 28.7) | 457 | 17.8 | (13.6 - 23.0) | 520 |
| | 16 or 17 | 41.5 | (38.3 - 44.8) | 1,939 | 43.0 | (38.9 - 47.1) | 952 | 40.1 | (36.1 - 44.2) | 969 |
| | 18 or older | 54.2 | (49.3 - 59.0) | 543 | 55.2 | (50.0 - 60.2) | 298 | 52.9 | (45.4 - 60.3) | 241 |
| Grade | | | | | | | | | | |
| | 9th | 22.1 | (18.5 - 26.3) | 661 | 25.7 | (20.1 - 32.3) | 328 | 18.1 | (12.5 - 25.4) | 326 |
| | 10th | 25.7 | (22.3 - 29.4) | 912 | 29.4 | (24.7 - 34.6) | 464 | 21.6 | (17.2 - 26.8) | 442 |
| | 11th | 41.9 | (38.0 - 45.9) | 1,023 | 43.7 | (38.6 - 48.9) | 470 | 40.1 | (35.5 - 44.9) | 540 |
| | 12th | 55.5 | (51.5 - 59.4) | 845 | 56.6 | (52.1 - 60.9) | 427 | 54.6 | (49.0 - 60.1) | 413 |
| Race/E | Ethnicity | | | | | | | | | |
| | Asian* | - | - | 94 | - | - | 47 | - | - | 43 |
| | Black* | 34.4 | (31.0 - 37.9) | 661 | 39.4 | (33.7 - 45.3) | 328 | 29.1 | (23.7 - 35.1) | 328 |
| | Hispanic/Latino | 35.7 | (31.8 - 39.7) | 1,147 | 36.6 | (33.0 - 40.4) | 578 | 33.8 | (28.3 - 39.8) | 557 |
| | White* | 43.0 | (39.4 - 46.8) | 1,314 | 44.4 | (39.6 - 49.3) | 630 | 41.8 | (37.5 - 46.4) | 676 |
| | All other races* | - | - | 45 | - | - | 22 | - | - | 23 |
| | Multiple races* | 39.1 | (31.5 - 47.2) | 153 | - | - | 73 | - | - | 79 |

Note: 2,692 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN91: Percentage of students who reported that their property had been stolen or deliberately damaged on school property one or more times (such as their car, clothing, or books, during the 12 months before the survey)

| | | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Total | 18.5 | (17.4 - 19.8) | 5,744 | 20.3 | (18.7 - 21.9) | 2,741 | 16.6 | (15.1 - 18.3) | 2,921 | |
| Age | | | | | | | | | | |
| 15 or younger | 21.1 | (19.3 - 22.9) | 2,215 | 23.2 | (20.4 - 26.3) | 993 | 19.0 | (16.6 - 21.6) | 1,199 | |
| 16 or 17 | 17.5 | (15.8 - 19.3) | 2,821 | 18.7 | (16.5 - 21.1) | 1,378 | 16.1 | (13.7 - 18.7) | 1,410 | |
| 18 or older | 16.0 | (13.3 - 19.1) | 684 | 19.2 | (15.1 - 24.1) | 366 | 12.2 | (8.5 - 17.1) | 311 | |
| Grade | | | | | | | | | | |
| 9th | 22.0 | (19.8 - 24.4) | 1,608 | 25.1 | (21.8 - 28.6) | 757 | 18.8 | (16.2 - 21.8) | 830 | |
| 10th | 19.0 | (16.7 - 21.5) | 1,566 | 17.9 | (14.6 - 21.6) | 768 | 20.1 | (17.2 - 23.3) | 781 | |
| 11th | 16.8 | (14.9 - 18.9) | 1,435 | 20.0 | (16.7 - 23.6) | 653 | 13.5 | (10.7 - 16.8) | 764 | |
| 12th | 15.4 | (13.0 - 18.2) | 1,072 | 17.0 | (13.6 - 21.1) | 531 | 13.6 | (10.8 - 17.1) | 530 | |
| Race/Ethnicity | | | | | | | | | | |
| Asian* | 20.3 | (13.9 - 28.6) | 176 | - | - | 82 | - | - | 90 | |
| Black* | 18.7 | (16.2 - 21.4) | 1,096 | 21.9 | (18.9 - 25.3) | 514 | 15.6 | (12.8 - 19.0) | 572 | |
| Hispanic/Latino | 17.9 | (16.4 - 19.7) | 2,005 | 19.0 | (16.8 - 21.3) | 952 | 16.7 | (14.5 - 19.2) | 1,028 | |
| White* | 17.9 | (16.0 - 20.0) | 2,025 | 19.2 | (16.7 - 21.8) | 990 | 16.4 | (13.6 - 19.6) | 1,019 | |
| All other races* | - | - | 69 | - | - | 37 | - | - | 30 | |
| Multiple races* | 19.4 | (14.7 - 25.3) | 257 | 24.0 | (17.1 - 32.7) | 114 | 15.0 | (9.7 - 22.4) | 141 | |

Note: 427 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN92: Percentage of students who were injured in a physical fight (one or more times during the 12 months before the survey; injuries had to be treated by a doctor or nurse)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 3.9 | (3.3 - 4.6) | 5,757 | 4.7 | (3.8 - 5.8) | 2,751 | 2.8 | (2.1 - 3.7) | 2,922 |
| Age | | | | | | | | | | |
| | 15 or younger | 3.8 | (2.9 - 5.1) | 2,221 | 5.0 | (3.4 - 7.1) | 999 | 2.5 | (1.6 - 4.0) | 1,199 |
| | 16 or 17 | 3.7 | (2.8 - 4.8) | 2,826 | 4.3 | (3.1 - 5.9) | 1,380 | 2.9 | (2.0 - 4.3) | 1,411 |
| | 18 or older | 4.6 | (3.2 - 6.4) | 685 | 5.9 | (3.7 - 9.2) | 367 | 3.1 | (1.6 - 5.9) | 311 |
| Grade | | | | | | | | | | |
| | 9th | 3.8 | (2.8 - 5.3) | 1,620 | 4.6 | (3.0 - 6.9) | 767 | 2.8 | (1.7 - 4.5) | 832 |
| | 10th | 4.4 | (3.4 - 5.7) | 1,563 | 5.5 | (3.9 - 7.7) | 766 | 3.0 | (2.0 - 4.6) | 780 |
| | 11th | 3.0 | (2.2 - 4.1) | 1,438 | 3.9 | (2.6 - 5.9) | 655 | 2.0 | (1.2 - 3.2) | 764 |
| | 12th | 4.0 | (2.9 - 5.5) | 1,073 | 4.9 | (3.2 - 7.5) | 532 | 3.0 | (1.8 - 5.2) | 530 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 4.9 | (2.6 - 9.0) | 180 | - | - | 86 | - | - | 90 |
| | Black* | 5.1 | (3.8 - 6.8) | 1,094 | 6.8 | (4.8 - 9.6) | 513 | 3.4 | (2.3 - 5.0) | 570 |
| | Hispanic/Latino | 4.3 | (3.5 - 5.2) | 2,011 | 5.1 | (3.8 - 6.9) | 957 | 3.1 | (2.1 - 4.4) | 1,029 |
| | White* | 2.5 | (1.9 - 3.4) | 2,026 | 3.0 | (2.0 - 4.4) | 991 | 1.9 | (1.1 - 3.2) | 1,019 |
| | All other races* | - | - | 68 | - | - | 36 | - | - | 30 |
| | Multiple races* | 4.5 | (2.3 - 8.7) | 260 | 6.7 | (3.2 - 13.8) | 115 | 2.6 | (0.8 - 7.9) | 143 |

Note: 414 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN93: Percentage of students who reported that someone they were dating or going out with threatened them, limited their activities against their will, or made them feel unsafe in any other way (one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 9.6 | (8.6 - 10.8) | 3,732 | 7.4 | (6.1 - 9.0) | 1,776 | 11.8 | (10.2 - 13.6) | 1,912 |
| Age | | | | | | | | | |
| 15 or younger | 9.2 | (7.7 - 11.1) | 1,297 | 7.2 | (5.1 - 10.0) | 580 | 11.2 | (9.0 - 13.8) | 702 |
| 16 or 17 | 10.1 | (8.6 - 11.8) | 1,936 | 7.6 | (5.8 - 9.9) | 939 | 12.5 | (10.1 - 15.4) | 982 |
| 18 or older | 8.7 | (6.4 - 11.8) | 484 | 7.2 | (4.3 - 11.9) | 253 | 10.1 | (6.5 - 15.4) | 227 |
| Grade | | | | | | | | | |
| 9th | 9.1 | (7.3 - 11.2) | 949 | 7.2 | (5.1 - 10.0) | 457 | 11.3 | (8.5 - 14.8) | 479 |
| 10th | 9.0 | (7.0 - 11.4) | 1,001 | 6.6 | (4.1 - 10.3) | 476 | 10.9 | (8.1 - 14.7) | 520 |
| 11th | 10.5 | (8.4 - 13.1) | 982 | 8.1 | (5.7 - 11.4) | 451 | 13.0 | (9.9 - 16.8) | 520 |
| 12th | 9.2 | (7.1 - 11.9) | 766 | 6.9 | (4.5 - 10.5) | 375 | 11.3 | (7.8 - 16.1) | 385 |
| Race/Ethnicity | | | | | | | | | |
| Asian* | - | - | 76 | - | - | 35 | - | - | 40 |
| Black* | 8.7 | (6.7 - 11.3) | 713 | 8.2 | (5.5 - 12.2) | 354 | 9.0 | (6.4 - 12.4) | 353 |
| Hispanic/Latino | 10.6 | (9.0 - 12.5) | 1,300 | 8.0 | (6.2 - 10.3) | 609 | 12.9 | (10.4 - 15.8) | 679 |
| White* | 9.2 | (7.7 - 11.0) | 1,346 | 5.6 | (4.2 - 7.5) | 642 | 13.1 | (10.6 - 16.1) | 695 |
| All other races* | - | - | 40 | - | - | 19 | - | - | 20 |
| Multiple races* | 16.2 | (11.3 - 22.7) | 178 | - | - | 80 | - | - | 96 |

Note: 2,439 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN94: Percentage of students who have been the victim of teasing or name calling because of their weight, size, or physical appearance (during the 12 months before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 21.9 | (20.7 - 23.1) | 5,889 | 18.1 | (16.5 - 19.8) | 2,815 | 25.9 | (24.3 - 27.5) | 2,988 |
| Age | | | | | | | | | | |
| | 15 or younger | 26.8 | (24.9 - 28.8) | 2,300 | 22.1 | (20.0 - 24.5) | 1,039 | 31.2 | (28.4 - 34.1) | 1,236 |
| | 16 or 17 | 19.5 | (18.1 - 21.0) | 2,869 | 15.7 | (13.4 - 18.4) | 1,399 | 23.7 | (21.6 - 25.9) | 1,436 |
| | 18 or older | 18.0 | (15.4 - 21.0) | 694 | 16.9 | (12.9 - 21.9) | 372 | 19.2 | (15.8 - 23.1) | 315 |
| Grade | | | | | | | | | | |
| | 9th | 26.9 | (24.6 - 29.3) | 1,672 | 21.9 | (19.5 - 24.5) | 795 | 32.3 | (28.9 - 35.8) | 856 |
| | 10th | 21.9 | (19.3 - 24.7) | 1,615 | 15.3 | (12.6 - 18.6) | 792 | 28.6 | (24.8 - 32.7) | 806 |
| | 11th | 18.6 | (16.6 - 20.7) | 1,446 | 15.7 | (12.9 - 18.9) | 656 | 21.4 | (18.2 - 25.1) | 771 |
| | 12th | 19.6 | (17.5 - 22.0) | 1,088 | 18.9 | (15.4 - 23.1) | 539 | 20.4 | (17.3 - 24.0) | 538 |
| Race/E | Ethnicity | | | | | | | | | |
| | Asian* | 20.1 | (15.5 - 25.7) | 185 | - | - | 87 | - | - | 94 |
| | Black* | 19.5 | (17.6 - 21.5) | 1,121 | 17.1 | (14.0 - 20.8) | 522 | 21.7 | (18.4 - 25.4) | 588 |
| | Hispanic/Latino | 20.3 | (18.4 - 22.4) | 2,031 | 16.9 | (14.5 - 19.5) | 967 | 23.7 | (21.0 - 26.6) | 1,039 |
| | White* | 23.7 | (21.9 - 25.6) | 2,090 | 18.7 | (16.5 - 21.1) | 1,025 | 29.4 | (27.0 - 32.0) | 1,048 |
| | All other races* | - | - | 71 | - | - | 39 | - | - | 30 |
| | Multiple races* | 26.6 | (21.6 - 32.2) | 265 | 23.3 | (17.3 - 30.6) | 117 | 29.1 | (23.1 - 36.0) | 146 |

Note: 282 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN95: Percentage of students who have been the victim of teasing or name calling because someone thought they were gay, lesbian, or bisexual (during the 12 months before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 9.7 | (8.9 - 10.7) | 5,935 | 9.0 | (7.9 - 10.4) | 2,832 | 10.4 | (9.0 - 12.0) | 3,016 |
| Age | | | | | | | | | | |
| | 15 or younger | 10.3 | (9.1 - 11.7) | 2,301 | 9.2 | (7.7 - 11.1) | 1,039 | 11.4 | (9.3 - 13.8) | 1,238 |
| | 16 or 17 | 9.5 | (8.3 - 10.7) | 2,901 | 8.8 | (7.2 - 10.8) | 1,408 | 10.2 | (8.6 - 12.0) | 1,458 |
| | 18 or older | 9.2 | (7.4 - 11.4) | 705 | 9.3 | (6.4 - 13.4) | 379 | 8.7 | (5.5 - 13.4) | 319 |
| Grade | | | | | | | | | | |
| | 9th | 10.5 | (9.0 - 12.2) | 1,673 | 9.6 | (7.9 - 11.6) | 795 | 11.6 | (9.1 - 14.6) | 857 |
| | 10th | 10.0 | (8.3 - 12.1) | 1,629 | 8.8 | (6.7 - 11.6) | 795 | 11.1 | (8.4 - 14.4) | 816 |
| | 11th | 8.6 | (7.4 - 10.1) | 1,466 | 8.6 | (6.6 - 11.0) | 664 | 8.6 | (6.7 - 11.1) | 783 |
| | 12th | 9.5 | (7.5 - 12.0) | 1,098 | 8.9 | (6.2 - 12.5) | 545 | 10.1 | (7.0 - 14.2) | 543 |
| Race/I | Ethnicity | | | | | | | | | |
| | Asian* | 4.2 | (2.0 - 8.4) | 186 | _ | - | 87 | _ | - | 95 |
| | Black* | 7.9 | (6.3 - 9.8) | 1,137 | 7.7 | (5.5 - 10.7) | 530 | 7.9 | (5.6 - 11.0) | 596 |
| | Hispanic/Latino | 9.3 | (8.2 - 10.5) | 2,049 | 9.8 | (8.0 - 11.9) | 971 | 8.8 | (7.2 - 10.8) | 1,052 |
| | White* | 10.8 | (9.6 - 12.1) | 2,098 | 8.8 | (7.1 - 10.7) | 1,030 | 12.9 | (10.8 - 15.4) | 1,051 |
| | All other races* | - | - | 73 | - | - | 40 | - | - | 31 |
| | Multiple races* | 14.5 | (10.6 - 19.5) | 266 | 16.7 | (11.0 - 24.6) | 116 | 12.8 | (8.3 - 19.4) | 148 |

Note: 236 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN96: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 14.1 | (13.1 - 15.1) | 5,781 | 9.4 | (8.1 - 10.9) | 2,766 | 18.8 | (17.1 - 20.5) | 2,930 |
| Age | | | | | | | | | | |
| | 15 or younger | 15.9 | (14.2 - 17.8) | 2,241 | 9.2 | (7.3 - 11.6) | 1,012 | 21.8 | (19.3 - 24.6) | 1,206 |
| | 16 or 17 | 13.2 | (11.9 - 14.6) | 2,833 | 9.0 | (7.3 - 11.1) | 1,385 | 17.6 | (15.6 - 19.7) | 1,413 |
| | 18 or older | 12.7 | (10.4 - 15.4) | 683 | 11.0 | (7.8 - 15.3) | 365 | 14.6 | (11.4 - 18.5) | 311 |
| Grade | | | | | | | | | | |
| | 9th | 16.5 | (14.6 - 18.5) | 1,632 | 10.2 | (7.9 - 12.9) | 777 | 23.1 | (20.5 - 26.1) | 834 |
| | 10th | 14.2 | (12.0 - 16.8) | 1,574 | 8.3 | (6.0 - 11.3) | 772 | 20.2 | (16.2 - 24.8) | 784 |
| | 11th | 12.6 | (10.9 - 14.6) | 1,442 | 8.4 | (6.4 - 10.9) | 656 | 16.4 | (13.5 - 19.9) | 767 |
| | 12th | 12.4 | (10.3 - 14.8) | 1,071 | 10.2 | (7.4 - 13.9) | 530 | 14.6 | (12.0 - 17.7) | 530 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 15.3 | (10.5 - 22.0) | 183 | - | - | 86 | - | - | 93 |
| | Black* | 10.6 | (8.6 - 12.9) | 1,112 | 10.3 | (7.8 - 13.6) | 517 | 10.9 | (7.9 - 14.9) | 584 |
| | Hispanic/Latino | 13.7 | (12.4 - 15.0) | 2,013 | 7.9 | (6.6 - 9.6) | 957 | 19.2 | (17.0 - 21.7) | 1,031 |
| | White* | 16.3 | (14.8 - 17.8) | 2,028 | 9.1 | (7.0 - 11.6) | 1,000 | 23.8 | (21.3 - 26.6) | 1,011 |
| | All other races* | - | - | 72 | - | - | 39 | - | - | 31 |
| | Multiple races* | 18.4 | (13.6 - 24.5) | 257 | 15.6 | (9.8 - 23.8) | 115 | 21.2 | (14.3 - 30.4) | 140 |

Note: 390 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN97: Percentage of students who have been pregnant or gotten someone pregnant (one or more times)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 3.2 | (2.6 - 3.8) | 5,576 | 4.1 | (3.1 - 5.3) | 2,634 | 2.2 | (1.6 - 2.9) | 2,862 |
| Age | | | | | | | | | | |
| | 15 or younger | 2.2 | (1.7 - 2.8) | 2,159 | 2.8 | (1.9 - 4.1) | 960 | 1.4 | (0.9 - 2.3) | 1,176 |
| | 16 or 17 | 3.7 | (2.8 - 4.7) | 2,730 | 4.8 | (3.4 - 6.9) | 1,317 | 2.5 | (1.7 - 3.6) | 1,381 |
| | 18 or older | 3.9 | (2.5 - 6.0) | 664 | 4.5 | (2.7 - 7.3) | 353 | 3.0 | (1.6 - 5.7) | 304 |
| Grade | | | | | | | | | | |
| | 9th | 2.3 | (1.7 - 3.1) | 1,569 | 3.0 | (1.9 - 4.6) | 735 | 1.3 | (0.7 - 2.4) | 813 |
| | 10th | 3.0 | (1.9 - 4.5) | 1,505 | 4.6 | (2.8 - 7.6) | 728 | 1.4 | (0.7 - 2.9) | 760 |
| | 11th | 3.4 | (2.5 - 4.7) | 1,398 | 4.3 | (2.9 - 6.3) | 631 | 2.5 | (1.5 - 4.1) | 750 |
| | 12th | 3.6 | (2.6 - 5.0) | 1,045 | 4.1 | (2.6 - 6.3) | 512 | 3.1 | (1.7 - 5.6) | 523 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 1.6 | (0.5 - 5.0) | 174 | - | - | 81 | - | - | 89 |
| | Black* | 4.3 | (3.2 - 5.8) | 1,048 | 5.4 | (3.5 - 8.2) | 485 | 3.0 | (1.9 - 4.6) | 553 |
| | Hispanic/Latino | 3.6 | (2.8 - 4.7) | 1,938 | 4.6 | (3.1 - 6.6) | 910 | 2.7 | (1.7 - 4.1) | 1,005 |
| | White* | 1.9 | (1.3 - 2.7) | 1,978 | 2.5 | (1.7 - 3.6) | 962 | 1.3 | (0.7 - 2.5) | 1,001 |
| | All other races* | - | - | 69 | - | - | 36 | - | - | 31 |
| | Multiple races* | 3.3 | (1.6 - 6.8) | 257 | 6.5 | (3.0 - 13.4) | 112 | 0.7 | (0.1 - 5.1) | 143 |

Note: 595 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN98: Percentage of students who had oral sex

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 37.2 | (35.4 - 39.0) | 5,658 | 40.3 | (37.8 - 42.8) | 2,682 | 34.2 | (32.0 - 36.5) | 2,894 |
| Age | | | | | | | | | | |
| | 15 or younger | 24.0 | (21.7 - 26.5) | 2,202 | 27.0 | (23.5 - 30.8) | 984 | 21.1 | (18.9 - 23.5) | 1,193 |
| | 16 or 17 | 42.6 | (40.4 - 44.8) | 2,754 | 45.3 | (42.3 - 48.4) | 1,331 | 40.1 | (37.0 - 43.3) | 1,392 |
| | 18 or older | 51.0 | (46.9 - 55.0) | 677 | 53.0 | (47.1 - 58.9) | 363 | 48.2 | (42.2 - 54.2) | 308 |
| Grade | | | | | | | | | | |
| | 9th | 21.1 | (18.7 - 23.6) | 1,598 | 25.6 | (21.6 - 30.1) | 752 | 16.3 | (14.3 - 18.6) | 825 |
| | 10th | 34.5 | (31.6 - 37.5) | 1,532 | 34.3 | (30.3 - 38.5) | 746 | 34.9 | (30.8 - 39.3) | 770 |
| | 11th | 42.9 | (40.0 - 45.9) | 1,403 | 49.1 | (44.5 - 53.6) | 634 | 37.0 | (33.3 - 40.8) | 751 |
| | 12th | 51.6 | (48.4 - 54.8) | 1,062 | 54.0 | (48.9 - 59.1) | 522 | 49.1 | (44.9 - 53.4) | 531 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 19.2 | (13.2 - 27.0) | 176 | - | - | 82 | - | - | 90 |
| | Black* | 34.0 | (30.8 - 37.5) | 1,049 | 40.4 | (35.4 - 45.6) | 485 | 28.4 | (24.3 - 32.9) | 554 |
| | Hispanic/Latino | 39.3 | (36.3 - 42.4) | 1,958 | 43.1 | (39.0 - 47.4) | 919 | 35.2 | (31.4 - 39.3) | 1,015 |
| | White* | 39.5 | (36.6 - 42.4) | 2,027 | 39.8 | (36.4 - 43.4) | 992 | 39.1 | (35.5 - 42.8) | 1,020 |
| | All other races* | - | - | 69 | - | - | 36 | - | - | 31 |
| | Multiple races* | 33.8 | (27.6 - 40.7) | 259 | 40.9 | (31.5 - 51.0) | 114 | 28.3 | (19.6 - 38.9) | 143 |

Note: 513 students were excluded from this analysis.

^{*}Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN99: Percentage of students who exercised to lose weight or to keep from gaining weight (during the 30 days before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 56.5 | (54.9 - 58.2) | 5,624 | 54.2 | (52.1 - 56.3) | 2,679 | 59.4 | (57.2 - 61.6) | 2,865 |
| Age | | | | | | | | | | |
| | 15 or younger | 59.8 | (57.5 - 62.1) | 2,180 | 56.6 | (53.4 - 59.6) | 980 | 63.1 | (59.9 - 66.2) | 1,177 |
| | 16 or 17 | 55.7 | (53.8 - 57.6) | 2,744 | 54.9 | (52.1 - 57.8) | 1,333 | 57.1 | (54.0 - 60.0) | 1,379 |
| | 18 or older | 51.8 | (47.0 - 56.6) | 676 | 46.7 | (41.3 - 52.2) | 362 | 57.8 | (50.7 - 64.7) | 308 |
| Grade | | | | | | | | | | |
| | 9th | 60.6 | (57.5 - 63.6) | 1,580 | 57.2 | (53.2 - 61.0) | 744 | 64.8 | (60.7 - 68.6) | 815 |
| | 10th | 58.4 | (55.6 - 61.2) | 1,524 | 58.5 | (54.4 - 62.5) | 746 | 58.8 | (54.5 - 62.9) | 761 |
| | 11th | 53.9 | (51.2 - 56.5) | 1,412 | 53.2 | (49.6 - 56.8) | 643 | 54.9 | (50.4 - 59.3) | 751 |
| | 12th | 53.1 | (49.8 - 56.4) | 1,049 | 47.3 | (43.2 - 51.4) | 517 | 58.8 | (54.1 - 63.5) | 523 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 51.8 | (44.9 - 58.5) | 174 | - | - | 82 | - | - | 89 |
| | Black* | 50.9 | (47.4 - 54.5) | 1,050 | 50.3 | (45.5 - 55.0) | 491 | 52.5 | (47.3 - 57.6) | 548 |
| | Hispanic/Latino | 58.5 | (55.5 - 61.5) | 1,966 | 59.4 | (55.3 - 63.4) | 930 | 57.4 | (53.8 - 60.9) | 1,012 |
| | White* | 59.9 | (57.0 - 62.8) | 1,995 | 54.0 | (50.4 - 57.6) | 976 | 66.5 | (63.1 - 69.8) | 1,004 |
| | All other races* | - | - | 69 | - | - | 36 | - | - | 31 |
| | Multiple races* | 54.4 | (48.8 - 59.8) | 257 | 53.6 | (45.7 - 61.3) | 115 | 55.0 | (47.3 - 62.6) | 140 |

Note: 547 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN100: Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight (during the 30 days before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 37.7 | (36.0 - 39.4) | 5,615 | 30.1 | (28.6 - 31.8) | 2,678 | 45.6 | (43.2 - 48.1) | 2,855 |
| Age | | | | | | | | | | |
| | 15 or younger | 38.4 | (36.0 - 40.8) | 2,173 | 30.7 | (27.6 - 33.9) | 979 | 45.7 | (43.2 - 48.4) | 1,171 |
| | 16 or 17 | 37.5 | (35.3 - 39.8) | 2,741 | 29.7 | (27.6 - 31.9) | 1,332 | 45.8 | (42.4 - 49.2) | 1,376 |
| | 18 or older | 36.9 | (32.8 - 41.1) | 676 | 30.6 | (25.5 - 36.1) | 363 | 44.8 | (37.4 - 52.4) | 307 |
| Grade | | | | | | | | | | |
| | 9th | 38.9 | (35.9 - 42.0) | 1,580 | 30.6 | (26.7 - 34.8) | 745 | 47.9 | (44.4 - 51.5) | 814 |
| | 10th | 36.3 | (34.0 - 38.7) | 1,516 | 31.1 | (27.7 - 34.8) | 741 | 41.6 | (38.3 - 44.9) | 757 |
| | 11th | 37.4 | (34.0 - 40.9) | 1,411 | 28.1 | (24.4 - 32.2) | 643 | 47.0 | (42.1 - 51.9) | 749 |
| | 12th | 38.3 | (35.2 - 41.5) | 1,049 | 30.8 | (26.6 - 35.4) | 519 | 45.7 | (40.6 - 50.9) | 521 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 39.5 | (32.8 - 46.5) | 176 | - | - | 83 | - | - | 89 |
| | Black* | 32.8 | (29.4 - 36.4) | 1,050 | 27.2 | (24.1 - 30.6) | 496 | 38.9 | (33.7 - 44.5) | 543 |
| | Hispanic/Latino | 40.7 | (38.4 - 43.0) | 1,959 | 35.1 | (32.0 - 38.3) | 928 | 46.0 | (42.8 - 49.3) | 1,007 |
| | White* | 39.4 | (37.0 - 41.8) | 1,994 | 29.1 | (26.3 - 32.0) | 974 | 50.4 | (47.3 - 53.6) | 1,004 |
| | All other races* | - | - | 69 | - | - | 36 | - | - | 31 |
| | Multiple races* | 38.7 | (32.4 - 45.3) | 256 | 33.7 | (25.8 - 42.7) | 114 | 42.7 | (34.8 - 51.1) | 140 |

Note: 556 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN101: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight (also called fasting, during the 30 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 11.6 | (10.5 - 12.8) | 5,613 | 8.7 | (7.2 - 10.4) | 2,675 | 14.6 | (13.3 - 16.1) | 2,856 |
| Age | | | | | | | | | | |
| | 15 or younger | 12.8 | (11.1 - 14.8) | 2,171 | 9.9 | (7.5 - 12.9) | 977 | 15.5 | (13.4 - 17.9) | 1,171 |
| | 16 or 17 | 11.5 | (10.2 - 13.0) | 2,740 | 8.4 | (6.6 - 10.5) | 1,331 | 14.9 | (13.2 - 16.9) | 1,376 |
| | 18 or older | 9.1 | (6.8 - 12.0) | 677 | 6.9 | (4.6 - 10.4) | 363 | 11.3 | (7.7 - 16.5) | 308 |
| Grade | | | | | | | | | | |
| | 9th | 14.2 | (12.0 - 16.8) | 1,575 | 10.9 | (8.2 - 14.4) | 742 | 17.7 | (14.7 - 21.1) | 812 |
| | 10th | 11.5 | (9.7 - 13.6) | 1,520 | 9.5 | (7.1 - 12.6) | 743 | 13.7 | (11.5 - 16.4) | 759 |
| | 11th | 11.1 | (9.2 - 13.3) | 1,408 | 7.8 | (5.5 - 10.9) | 642 | 14.4 | (11.7 - 17.5) | 747 |
| | 12th | 9.3 | (7.6 - 11.2) | 1,050 | 6.1 | (4.3 - 8.6) | 518 | 12.2 | (9.5 - 15.7) | 523 |
| Race/I | Ethnicity | | | | | | | | | |
| | Asian* | 7.7 | (4.4 - 13.3) | 175 | - | - | 83 | - | - | 88 |
| | Black* | 12.7 | (10.8 - 14.8) | 1,053 | 10.3 | (7.3 - 14.3) | 495 | 15.2 | (12.5 - 18.4) | 547 |
| | Hispanic/Latino | 11.1 | (9.6 - 12.9) | 1,956 | 8.3 | (6.0 - 11.4) | 926 | 13.8 | (12.0 - 15.9) | 1,006 |
| | White* | 11.3 | (9.8 - 13.0) | 1,993 | 7.7 | (6.0 - 9.8) | 974 | 15.2 | (13.1 - 17.5) | 1,003 |
| | All other races* | - | - | 69 | - | - | 36 | - | - | 31 |
| | Multiple races* | 11.7 | (7.9 - 17.1) | 257 | 8.9 | (4.9 - 15.6) | 114 | 14.3 | (9.4 - 21.4) | 141 |

Note: 558 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN102: Percentage of students who took some diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight (during the 30 days before the survey)

| | | Total | | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 5.4 | (4.6 - 6.3) | 5,697 | 5.8 | (4.8 - 7.0) | 2,713 | 4.8 | (3.9 - 5.9) | 2,901 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 5.1 | (3.9 - 6.7) | 2,213 | 5.9 | (4.4 - 8.0) | 996 | 4.2 | (2.9 - 5.9) | 1,193 | |
| | 16 or 17 | 5.4 | (4.5 - 6.5) | 2,772 | 5.5 | (4.3 - 7.1) | 1,345 | 5.5 | (4.3 - 6.9) | 1,394 | |
| | 18 or older | 5.5 | (3.9 - 7.7) | 687 | 6.6 | (4.1 - 10.5) | 368 | 4.0 | (2.1 - 7.3) | 313 | |
| Grade | | | | | | | | | | | |
| | 9th | 5.0 | (3.8 - 6.7) | 1,603 | 5.5 | (3.8 - 7.9) | 755 | 4.5 | (3.0 - 6.9) | 827 | |
| | 10th | 6.0 | (4.8 - 7.6) | 1,548 | 7.3 | (5.4 - 9.7) | 758 | 4.9 | (3.5 - 6.8) | 773 | |
| | 11th | 4.3 | (3.4 - 5.5) | 1,412 | 4.0 | (2.7 - 5.8) | 641 | 4.4 | (3.1 - 6.2) | 752 | |
| | 12th | 5.6 | (3.9 - 7.9) | 1,070 | 6.4 | (4.2 - 9.6) | 529 | 4.8 | (3.0 - 7.6) | 533 | |
| Race/E | Ethnicity | | | | | | | | | | |
| | Asian* | 3.7 | (1.5 - 8.8) | 178 | - | - | 84 | - | - | 90 | |
| | Black* | 6.3 | (4.9 - 8.0) | 1,058 | 7.5 | (5.5 - 10.0) | 497 | 5.0 | (3.4 - 7.4) | 550 | |
| | Hispanic/Latino | 6.3 | (5.2 - 7.7) | 1,977 | 5.7 | (4.4 - 7.4) | 932 | 6.8 | (5.0 - 9.2) | 1,020 | |
| | White* | 4.1 | (3.0 - 5.7) | 2,037 | 4.9 | (3.4 - 7.1) | 997 | 3.3 | (2.1 - 5.1) | 1,025 | |
| | All other races* | - | - | 69 | - | - | 36 | - | - | 31 | |
| | Multiple races* | 3.1 | (1.4 - 6.4) | 259 | 5.0 | (2.0 - 11.9) | 114 | 1.5 | (0.4 - 5.7) | 143 | |

Note: 474 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN103: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight (during the 30 days before the survey)

| | | Total | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 4.4 | (3.8 - 5.2) | 5,617 | 3.6 | (2.8 - 4.7) | 2,675 | 5.2 | (4.3 - 6.3) | 2,861 |
| Age | | | | | | | | | | |
| | 15 or younger | 4.4 | (3.4 - 5.7) | 2,170 | 4.2 | (2.8 - 6.1) | 976 | 4.5 | (3.1 - 6.4) | 1,171 |
| | 16 or 17 | 4.3 | (3.6 - 5.2) | 2,746 | 3.3 | (2.3 - 4.5) | 1,333 | 5.4 | (4.4 - 6.7) | 1,380 |
| | 18 or older | 5.0 | (3.4 - 7.4) | 677 | 3.7 | (1.9 - 7.1) | 362 | 6.2 | (4.0 - 9.5) | 309 |
| Grade | | | | | | | | | | |
| | 9th | 5.0 | (3.8 - 6.6) | 1,574 | 4.5 | (2.9 - 6.8) | 741 | 5.7 | (3.9 - 8.2) | 812 |
| | 10th | 4.1 | (3.2 - 5.4) | 1,522 | 4.0 | (2.7 - 6.0) | 746 | 4.3 | (3.0 - 6.0) | 759 |
| | 11th | 3.9 | (3.1 - 4.9) | 1,412 | 2.5 | (1.4 - 4.6) | 642 | 4.8 | (3.7 - 6.3) | 751 |
| | 12th | 4.6 | (3.3 - 6.4) | 1,049 | 3.6 | (2.0 - 6.4) | 516 | 5.6 | (3.7 - 8.4) | 524 |
| Race/F | Ethnicity | | | | | | | | | |
| | Asian* | 2.8 | (1.2 - 6.5) | 175 | _ | - | 82 | - | _ | 89 |
| | Black* | 5.1 | (3.9 - 6.5) | 1,053 | 5.1 | (3.3 - 7.7) | 493 | 4.9 | (3.3 - 7.3) | 549 |
| | Hispanic/Latino | 5.5 | (4.7 - 6.5) | 1,962 | 4.2 | (3.0 - 5.8) | 929 | 6.8 | (5.5 - 8.4) | 1,009 |
| | White* | 3.3 | (2.5 - 4.4) | 1,989 | 2.3 | (1.4 - 3.7) | 973 | 4.4 | (3.2 - 6.0) | 1,001 |
| | All other races* | - | - | 69 | - | - | 36 | - | - | 31 |
| | Multiple races* | 6.3 | (3.8 - 10.5) | 256 | 5.1 | (2.0 - 12.1) | 113 | 7.6 | (4.1 - 13.4) | 141 |

Note: 554 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN104: Percentage of students who did not drink a can, bottle, or glass of a sports drink (such as Gatorade or PowerAde, not counting low-calorie sports drinks such as Propel or G2, during the 7 days before the survey)

| | | Total | | | Male | | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 47.4 | (45.6 - 49.2) | 5,651 | 38.5 | (36.5 - 40.6) | 2,685 | 56.4 | (53.7 - 59.0) | 2,885 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 47.3 | (44.4 - 50.1) | 2,198 | 40.1 | (36.3 - 43.9) | 984 | 54.0 | (50.4 - 57.5) | 1,189 | |
| | 16 or 17 | 47.2 | (45.0 - 49.4) | 2,747 | 36.8 | (34.2 - 39.4) | 1,331 | 57.9 | (54.4 - 61.4) | 1,384 | |
| | 18 or older | 48.3 | (44.0 - 52.6) | 683 | 41.0 | (34.9 - 47.4) | 365 | 57.2 | (50.3 - 63.9) | 311 | |
| Grade | | | | | | | | | | | |
| | 9th | 44.9 | (42.1 - 47.7) | 1,589 | 37.4 | (33.3 - 41.6) | 745 | 52.7 | (48.4 - 57.0) | 825 | |
| | 10th | 46.8 | (43.9 - 49.7) | 1,539 | 38.4 | (34.6 - 42.3) | 754 | 54.9 | (50.8 - 59.0) | 768 | |
| | 11th | 45.8 | (42.3 - 49.5) | 1,395 | 34.9 | (30.2 - 39.8) | 632 | 57.2 | (52.0 - 62.2) | 746 | |
| | 12th | 52.8 | (49.8 - 55.8) | 1,065 | 44.0 | (39.5 - 48.7) | 524 | 61.5 | (57.0 - 65.9) | 530 | |
| Race/E | thnicity | | | | | | | | | | |
| | Asian* | 57.1 | (49.5 - 64.3) | 176 | - | - | 82 | - | - | 90 | |
| | Black* | 42.6 | (39.3 - 45.9) | 1,050 | 33.4 | (29.3 - 37.9) | 491 | 51.4 | (46.3 - 56.4) | 549 | |
| | Hispanic/Latino | 50.0 | (48.1 - 52.0) | 1,954 | 40.8 | (38.3 - 43.4) | 919 | 58.9 | (55.7 - 62.0) | 1,013 | |
| | White* | 49.4 | (46.7 - 52.1) | 2,026 | 40.6 | (37.3 - 44.1) | 993 | 59.1 | (55.6 - 62.6) | 1,018 | |
| | All other races* | - | - | 69 | - | - | 37 | - | - | 30 | |
| | Multiple races* | 46.6 | (39.9 - 53.4) | 255 | 41.3 | (32.5 - 50.7) | 110 | 51.6 | (43.3 - 59.9) | 143 | |

Note: 520 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN105: Percentage of students who drank a can, bottle, or glass of an energy drink (such as Red Bull or Jolt, not including diet energy drinks or sports drinks such as Gatorade or PowerAde, one or more times per day during the 7 days before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 5.1 | (4.4 - 5.9) | 5,654 | 7.2 | (6.2 - 8.3) | 2,689 | 2.9 | (2.3 - 3.7) | 2,884 |
| Age | | | | | | | | | | |
| | 15 or younger | 4.9 | (3.8 - 6.2) | 2,203 | 6.0 | (4.5 - 8.1) | 988 | 3.4 | (2.3 - 5.0) | 1,189 |
| | 16 or 17 | 4.5 | (3.7 - 5.5) | 2,746 | 6.6 | (5.4 - 8.1) | 1,331 | 2.2 | (1.5 - 3.4) | 1,383 |
| | 18 or older | 7.7 | (5.9 - 10.1) | 682 | 11.3 | (8.3 - 15.2) | 365 | 3.7 | (2.2 - 6.4) | 311 |
| Grade | | | | | | | | | | |
| | 9th | 4.9 | (3.7 - 6.4) | 1,592 | 6.0 | (4.2 - 8.6) | 748 | 3.7 | (2.6 - 5.3) | 825 |
| | 10th | 5.5 | (4.2 - 7.0) | 1,539 | 8.2 | (6.1 - 11.0) | 755 | 2.6 | (1.6 - 4.3) | 767 |
| | 11th | 4.2 | (3.1 - 5.8) | 1,397 | 5.9 | (4.0 - 8.7) | 634 | 2.5 | (1.4 - 4.2) | 746 |
| | 12th | 5.4 | (4.2 - 6.9) | 1,062 | 8.0 | (6.1 - 10.5) | 522 | 2.6 | (1.6 - 4.4) | 530 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 6.6 | (3.7 - 11.3) | 176 | - | - | 82 | - | - | 90 |
| | Black* | 5.8 | (4.4 - 7.6) | 1,051 | 9.4 | (6.9 - 12.6) | 492 | 2.4 | (1.4 - 4.0) | 549 |
| | Hispanic/Latino | 5.1 | (4.2 - 6.2) | 1,956 | 6.2 | (4.8 - 7.8) | 921 | 3.8 | (2.7 - 5.3) | 1,013 |
| | White* | 4.1 | (3.1 - 5.2) | 2,024 | 5.4 | (4.1 - 7.0) | 992 | 2.6 | (1.7 - 4.0) | 1,017 |
| | All other races* | - | - | 70 | - | - | 37 | - | - | 30 |
| | Multiple races* | 6.1 | (3.6 - 10.1) | 257 | 9.2 | (4.9 - 16.9) | 112 | 3.4 | (1.5 - 7.9) | 143 |

Note: 517 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN106: Percentage of students who ate at least one meal or snack from a fast food restaurant (such as McDonald's, Taco Bell, or KFC, on three or more days during the 7 days before the survey)

| | | | Total | | | Male | | | Female | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 29.0 | (27.4 - 30.6) | 5,644 | 28.5 | (26.6 - 30.4) | 2,679 | 29.4 | (27.2 - 31.7) | 2,883 |
| Age | | | | | | | | | | |
| | 15 or younger | 26.0 | (23.6 - 28.4) | 2,200 | 23.9 | (21.1 - 27.0) | 986 | 27.6 | (24.5 - 31.0) | 1,188 |
| | 16 or 17 | 30.3 | (28.0 - 32.6) | 2,742 | 30.1 | (27.5 - 32.9) | 1,325 | 30.3 | (26.9 - 34.0) | 1,384 |
| | 18 or older | 31.7 | (27.8 - 35.8) | 680 | 33.1 | (27.6 - 39.2) | 363 | 30.5 | (25.5 - 36.0) | 310 |
| Grade | | | | | | | | | | |
| | 9th | 26.8 | (23.8 - 30.0) | 1,592 | 24.7 | (20.7 - 29.1) | 747 | 28.8 | (25.2 - 32.7) | 825 |
| | 10th | 26.1 | (23.1 - 29.3) | 1,533 | 26.7 | (23.4 - 30.3) | 749 | 25.3 | (21.3 - 29.7) | 767 |
| | 11th | 31.9 | (29.5 - 34.4) | 1,395 | 31.7 | (27.8 - 35.9) | 631 | 32.3 | (27.9 - 36.9) | 747 |
| | 12th | 30.9 | (28.1 - 33.9) | 1,061 | 30.9 | (26.8 - 35.3) | 522 | 30.9 | (27.1 - 35.1) | 528 |
| Race/E | Ethnicity | | | | | | | | | |
| | Asian* | 20.0 | (15.5 - 25.4) | 176 | - | - | 83 | - | - | 89 |
| | Black* | 36.1 | (32.8 - 39.6) | 1,047 | 35.8 | (31.3 - 40.5) | 488 | 36.2 | (32.0 - 40.7) | 549 |
| | Hispanic/Latino | 29.0 | (26.6 - 31.6) | 1,952 | 28.7 | (25.7 - 32.0) | 918 | 29.2 | (25.7 - 32.9) | 1,011 |
| | White* | 24.1 | (22.1 - 26.2) | 2,023 | 22.9 | (20.8 - 25.1) | 990 | 25.5 | (22.4 - 28.9) | 1,018 |
| | All other races* | - | - | 70 | - | - | 36 | - | - | 31 |
| | Multiple races* | 27.1 | (21.8 - 33.1) | 256 | 28.6 | (20.5 - 38.5) | 111 | 25.3 | (18.8 - 33.1) | 143 |

Note: 527 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN107: Percentage of students who ate dinner at home with at least one of their parents on four or more days (during the 7 days before the survey)

| | | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 65.1 | (63.2 - 67.0) | 5,596 | 67.1 | (64.8 - 69.3) | 2,656 | 63.3 | (60.8 - 65.8) | 2,865 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 70.5 | (67.7 - 73.2) | 2,178 | 72.5 | (68.3 - 76.4) | 976 | 68.8 | (64.9 - 72.5) | 1,183 | |
| | 16 or 17 | 63.4 | (60.9 - 65.8) | 2,729 | 65.6 | (62.1 - 68.9) | 1,321 | 61.1 | (58.1 - 64.0) | 1,375 | |
| | 18 or older | 58.2 | (53.1 - 63.1) | 667 | 60.0 | (53.4 - 66.2) | 354 | 56.5 | (49.6 - 63.1) | 306 | |
| Grade | | | | | | | | | | | |
| | 9th | 70.6 | (67.4 - 73.6) | 1,572 | 72.1 | (67.8 - 76.0) | 735 | 69.1 | (65.0 - 72.8) | 819 | |
| | 10th | 66.9 | (63.7 - 70.0) | 1,531 | 68.8 | (64.4 - 72.9) | 747 | 65.3 | (61.0 - 69.4) | 767 | |
| | 11th | 64.7 | (61.4 - 67.8) | 1,393 | 66.6 | (62.0 - 71.0) | 634 | 62.7 | (58.8 - 66.5) | 742 | |
| | 12th | 57.8 | (54.3 - 61.2) | 1,040 | 60.0 | (55.2 - 64.6) | 509 | 55.7 | (50.8 - 60.4) | 522 | |
| Race/E | Ethnicity | | | | | | | | | | |
| | Asian* | 75.5 | (67.7 - 81.9) | 177 | - | - | 82 | - | - | 91 | |
| | Black* | 57.2 | (53.9 - 60.4) | 1,058 | 57.1 | (52.6 - 61.5) | 492 | 57.7 | (52.3 - 62.9) | 556 | |
| | Hispanic/Latino | 69.6 | (67.5 - 71.7) | 1,941 | 72.1 | (69.3 - 74.7) | 914 | 67.2 | (63.7 - 70.5) | 1,006 | |
| | White* | 68.6 | (66.6 - 70.6) | 1,986 | 71.5 | (68.7 - 74.2) | 971 | 65.5 | (62.6 - 68.3) | 1,001 | |
| | All other races* | - | - | 68 | - | - | 36 | - | - | 30 | |
| | Multiple races* | 60.5 | (55.2 - 65.4) | 253 | 62.7 | (53.9 - 70.8) | 110 | 58.8 | (49.7 - 67.3) | 141 | |

Note: 575 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN108: Percentage of students who reported their doctor or nurse discussed ways to prevent pregnancy, AIDS, or other sexually transmitted diseases (STDs) (during their last check-up, among students who have had a check-up)

| | | Total | | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 34.8 | (33.0 - 36.6) | 4,899 | 32.4 | (30.2 - 34.7) | 2,260 | 37.1 | (34.5 - 39.8) | 2,569 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 28.0 | (25.7 - 30.3) | 1,863 | 27.4 | (24.3 - 30.7) | 797 | 28.3 | (24.7 - 32.2) | 1,046 | |
| | 16 or 17 | 37.9 | (35.8 - 40.0) | 2,431 | 35.5 | (32.7 - 38.5) | 1,154 | 40.0 | (36.9 - 43.2) | 1,251 | |
| | 18 or older | 40.6 | (35.2 - 46.3) | 585 | 32.6 | (26.2 - 39.7) | 306 | 49.8 | (42.1 - 57.6) | 272 | |
| Grade | | | | | | | | | | | |
| | 9th | 27.8 | (25.2 - 30.4) | 1,341 | 27.1 | (23.7 - 30.8) | 601 | 28.0 | (24.0 - 32.3) | 722 | |
| | 10th | 33.2 | (30.8 - 35.8) | 1,331 | 33.4 | (29.8 - 37.2) | 635 | 33.0 | (29.5 - 36.5) | 680 | |
| | 11th | 38.1 | (34.8 - 41.5) | 1,251 | 35.8 | (30.7 - 41.2) | 563 | 40.7 | (36.7 - 44.8) | 674 | |
| | 12th | 40.8 | (36.9 - 44.9) | 929 | 33.7 | (28.5 - 39.3) | 439 | 46.9 | (41.5 - 52.5) | 482 | |
| Race/E | thnicity | | | | | | | | | | |
| | Asian* | 22.7 | (17.2 - 29.4) | 156 | - | - | 70 | - | - | 83 | |
| | Black* | 37.0 | (34.1 - 40.0) | 908 | 37.0 | (32.4 - 41.8) | 404 | 36.4 | (32.1 - 40.9) | 495 | |
| | Hispanic/Latino | 34.5 | (31.4 - 37.7) | 1,684 | 32.3 | (28.2 - 36.6) | 769 | 36.6 | (32.2 - 41.3) | 893 | |
| | White* | 33.9 | (31.4 - 36.4) | 1,781 | 30.2 | (26.6 - 34.0) | 853 | 37.8 | (33.9 - 41.8) | 915 | |
| | All other races* | - | - | 50 | - | - | 26 | - | - | 23 | |
| | Multiple races* | 38.7 | (31.3 - 46.7) | 223 | - | - | 97 | 37.5 | (27.8 - 48.3) | 125 | |

Note: 1,272 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN109: Percentage of students who have talked about AIDS or HIV infection with their parents or other adults in their family

| | | | Total | | | Male | | | Female | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 41.0 | (39.7 - 42.4) | 5,525 | 38.9 | (36.9 - 40.9) | 2,624 | 43.5 | (41.6 - 45.4) | 2,825 |
| Age | | | | | | | | | | |
| | 15 or younger | 39.0 | (36.6 - 41.3) | 2,131 | 37.5 | (34.7 - 40.5) | 957 | 40.6 | (37.7 - 43.5) | 1,154 |
| | 16 or 17 | 42.5 | (40.3 - 44.7) | 2,705 | 40.9 | (38.0 - 43.8) | 1,307 | 44.3 | (41.2 - 47.5) | 1,366 |
| | 18 or older | 41.5 | (37.2 - 45.9) | 668 | 35.4 | (30.4 - 40.8) | 357 | 48.3 | (40.1 - 56.6) | 304 |
| Grade | | | | | | | | | | |
| | 9th | 37.8 | (35.0 - 40.6) | 1,540 | 36.8 | (33.4 - 40.3) | 722 | 38.9 | (35.5 - 42.5) | 800 |
| | 10th | 42.9 | (40.1 - 45.7) | 1,499 | 40.9 | (36.9 - 45.1) | 732 | 45.5 | (42.1 - 48.9) | 750 |
| | 11th | 43.6 | (40.8 - 46.5) | 1,392 | 41.0 | (36.7 - 45.5) | 630 | 46.2 | (42.8 - 49.5) | 744 |
| | 12th | 40.0 | (36.8 - 43.3) | 1,036 | 36.5 | (32.4 - 40.8) | 511 | 43.6 | (38.6 - 48.9) | 516 |
| Race/I | Ethnicity | | | | | | | | | |
| | Asian* | 26.5 | (20.7 - 33.3) | 175 | - | - | 82 | - | - | 89 |
| | Black* | 43.5 | (40.5 - 46.5) | 1,035 | 40.8 | (36.6 - 45.3) | 484 | 46.4 | (42.3 - 50.5) | 541 |
| | Hispanic/Latino | 45.6 | (42.9 - 48.3) | 1,919 | 44.4 | (40.4 - 48.5) | 903 | 47.3 | (44.7 - 49.9) | 994 |
| | White* | 37.6 | (35.3 - 39.8) | 1,968 | 35.2 | (31.7 - 38.9) | 964 | 39.8 | (36.9 - 42.7) | 990 |
| | All other races* | - | - | 68 | - | - | 35 | - | - | 31 |
| | Multiple races* | 48.9 | (42.5 - 55.3) | 251 | 44.2 | (35.2 - 53.6) | 109 | 52.0 | (43.5 - 60.4) | 140 |

Note: 646 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN110: Percentage of students who have ever been taught about AIDS or HIV infection during grades 9 through 12

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 73.9 | (71.9 - 75.7) | 5,537 | 72.2 | (69.5 - 74.7) | 2,637 | 76.1 | (74.0 - 78.1) | 2,824 |
| Age | | | | | | | | | | |
| | 15 or younger | 66.9 | (63.5 - 70.1) | 2,137 | 67.1 | (62.8 - 71.0) | 962 | 67.1 | (63.1 - 70.8) | 1,154 |
| | 16 or 17 | 77.9 | (76.3 - 79.4) | 2,713 | 74.8 | (72.3 - 77.2) | 1,315 | 81.4 | (79.4 - 83.2) | 1,366 |
| | 18 or older | 77.8 | (72.9 - 81.9) | 667 | 75.2 | (68.7 - 80.7) | 357 | 81.2 | (76.7 - 85.0) | 303 |
| Grade | | | | | | | | | | |
| | 9th | 61.0 | (57.3 - 64.6) | 1,549 | 62.3 | (57.8 - 66.5) | 730 | 59.8 | (55.2 - 64.3) | 801 |
| | 10th | 77.3 | (74.4 - 80.0) | 1,500 | 74.0 | (70.2 - 77.6) | 732 | 80.8 | (77.2 - 83.9) | 751 |
| | 11th | 81.2 | (78.5 - 83.5) | 1,393 | 79.9 | (76.4 - 83.0) | 634 | 83.0 | (79.3 - 86.1) | 741 |
| | 12th | 77.6 | (74.2 - 80.7) | 1,036 | 74.1 | (69.3 - 78.3) | 511 | 81.4 | (77.7 - 84.6) | 515 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 73.1 | (66.3 - 78.9) | 176 | - | - | 83 | - | - | 89 |
| | Black* | 76.4 | (73.4 - 79.2) | 1,039 | 71.6 | (67.4 - 75.5) | 484 | 81.4 | (77.8 - 84.4) | 545 |
| | Hispanic/Latino | 72.7 | (69.6 - 75.5) | 1,923 | 71.2 | (67.6 - 74.5) | 913 | 74.4 | (70.6 - 77.8) | 988 |
| | White* | 73.2 | (70.3 - 75.9) | 1,966 | 73.3 | (69.5 - 76.8) | 961 | 72.9 | (69.3 - 76.3) | 991 |
| | All other races* | - | - | 68 | - | - | 36 | - | - | 30 |
| | Multiple races* | 77.3 | (70.6 - 82.8) | 254 | 72.3 | (62.6 - 80.3) | 111 | 81.9 | (72.8 - 88.4) | 141 |

Note: 634 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN111: Percentage of students who think it is very important or important for schools to help students address the problems of today (such as drug abuse, violence, AIDS/HIV, teen pregnancy, abuse, and suicide)

| | | Total | | | Male | | Female | | | |
|-----------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| 7 | Γotal | 87.9 | (86.7 - 88.9) | 5,531 | 84.3 | (82.7 - 85.7) | 2,634 | 91.7 | (90.4 - 92.9) | 2,822 |
| Age | | | | | | | | | | |
| 1 | 15 or younger | 87.5 | (85.5 - 89.2) | 2,131 | 84.4 | (81.1 - 87.2) | 960 | 90.6 | (88.7 - 92.2) | 1,151 |
| 1 | l6 or 17 | 88.7 | (87.0 - 90.2) | 2,713 | 85.3 | (83.0 - 87.4) | 1,314 | 92.4 | (90.5 - 94.0) | 1,367 |
| 1 | 8 or older | 86.2 | (82.7 - 89.1) | 668 | 80.5 | (75.2 - 85.0) | 358 | 92.5 | (87.9 - 95.5) | 303 |
| Grade | | | | | | | | | | |
| ç | 9th | 87.5 | (85.4 - 89.3) | 1,547 | 85.5 | (82.0 - 88.4) | 729 | 89.9 | (87.6 - 91.9) | 801 |
| 1 | l Oth | 88.0 | (86.1 - 89.7) | 1,495 | 83.7 | (80.6 - 86.4) | 729 | 92.2 | (90.4 - 93.6) | 749 |
| 1 | 11th | 88.7 | (86.5 - 90.6) | 1,395 | 84.8 | (81.7 - 87.5) | 636 | 92.7 | (90.4 - 94.5) | 741 |
| 1 | 2th | 87.8 | (85.3 - 90.0) | 1,035 | 83.3 | (79.6 - 86.5) | 510 | 92.5 | (89.4 - 94.8) | 515 |
| Race/Ethn | nicity | | | | | | | | | |
| A | Asian* | 86.8 | (81.5 - 90.8) | 176 | - | - | 83 | - | - | 89 |
| I | Black* | 90.1 | (87.4 - 92.3) | 1,035 | 87.8 | (83.6 - 91.0) | 483 | 92.2 | (89.3 - 94.4) | 542 |
| I | Hispanic/Latino | 87.7 | (86.2 - 89.1) | 1,921 | 85.4 | (82.6 - 87.8) | 910 | 89.9 | (88.0 - 91.6) | 989 |
| 7 | White* | 87.1 | (85.6 - 88.5) | 1,966 | 82.4 | (80.5 - 84.1) | 961 | 92.4 | (90.7 - 93.8) | 991 |
| A | All other races* | - | - | 69 | - | - | 36 | - | - | 31 |
| N | Multiple races* | 87.3 | (82.8 - 90.7) | 253 | 78.3 | (71.2 - 84.0) | 111 | 94.8 | (88.3 - 97.8) | 140 |
| A | All other races* | - | - | 69 | - | - · | 36 | - | - | 31 |

Note: 640 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN112: Percentage of students who talked to a teacher or other adult in their school about a personal problem they had (during the 12 months before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 27.7 | (26.3 - 29.2) | 5,549 | 24.9 | (23.4 - 26.6) | 2,640 | 30.4 | (28.5 - 32.5) | 2,834 |
| Age | | | | | | | | | | |
| | 15 or younger | 25.0 | (23.0 - 27.0) | 2,127 | 22.0 | (19.2 - 25.1) | 957 | 27.3 | (24.4 - 30.5) | 1,149 |
| | 16 or 17 | 29.3 | (27.1 - 31.6) | 2,730 | 27.2 | (24.4 - 30.2) | 1,320 | 31.6 | (28.7 - 34.6) | 1,378 |
| | 18 or older | 28.9 | (25.5 - 32.6) | 673 | 24.0 | (19.7 - 28.9) | 360 | 34.6 | (28.7 - 41.0) | 306 |
| Grade | | | | | | | | | | |
| | 9th | 24.9 | (22.7 - 27.4) | 1,540 | 22.4 | (18.9 - 26.3) | 725 | 27.2 | (24.0 - 30.6) | 797 |
| | 10th | 27.1 | (24.4 - 30.0) | 1,506 | 24.9 | (20.8 - 29.5) | 735 | 29.6 | (26.2 - 33.2) | 754 |
| | 11th | 28.1 | (25.1 - 31.3) | 1,407 | 24.3 | (21.3 - 27.7) | 638 | 31.5 | (27.7 - 35.7) | 751 |
| | 12th | 30.9 | (27.9 - 34.0) | 1,039 | 28.2 | (24.4 - 32.3) | 513 | 33.7 | (29.4 - 38.2) | 516 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 19.0 | (10.5 - 32.1) | 177 | - | - | 83 | - | - | 90 |
| | Black* | 23.8 | (21.3 - 26.5) | 1,045 | 22.1 | (19.2 - 25.3) | 487 | 25.6 | (22.1 - 29.4) | 548 |
| | Hispanic/Latino | 27.7 | (25.0 - 30.5) | 1,937 | 25.1 | (21.9 - 28.5) | 917 | 30.1 | (27.0 - 33.5) | 998 |
| | White* | 30.8 | (28.1 - 33.7) | 1,961 | 27.4 | (23.9 - 31.1) | 960 | 34.2 | (30.7 - 37.8) | 987 |
| | All other races* | - | - | 69 | - | - | 36 | - | - | 31 |
| | Multiple races* | 33.5 | (26.5 - 41.4) | 252 | 28.6 | (20.0 - 39.2) | 110 | 37.6 | (29.5 - 46.4) | 140 |

Note: 622 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN113: Percentage of students who reported that, if they or one of their friends were being physically or sexually abused, they know who they should report it to

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 74.5 | (73.0 - 76.1) | 5,521 | 72.1 | (69.7 - 74.4) | 2,627 | 77.4 | (75.7 - 79.1) | 2,818 |
| Age | | | | | | | | | | |
| | 15 or younger | 75.6 | (73.3 - 77.8) | 2,124 | 75.0 | (71.6 - 78.1) | 955 | 76.6 | (73.6 - 79.4) | 1,148 |
| | 16 or 17 | 74.4 | (71.8 - 76.8) | 2,711 | 71.2 | (67.6 - 74.5) | 1,312 | 77.8 | (74.7 - 80.6) | 1,367 |
| | 18 or older | 73.1 | (68.6 - 77.1) | 666 | 69.1 | (62.4 - 75.2) | 357 | 78.2 | (73.9 - 81.9) | 302 |
| Grade | | | | | | | | | | |
| | 9th | 75.5 | (72.9 - 78.0) | 1,538 | 74.9 | (71.2 - 78.2) | 724 | 76.5 | (73.1 - 79.5) | 796 |
| | 10th | 73.7 | (69.9 - 77.1) | 1,497 | 70.8 | (65.9 - 75.3) | 730 | 76.7 | (73.0 - 80.0) | 750 |
| | 11th | 74.0 | (70.8 - 77.0) | 1,394 | 71.3 | (66.0 - 76.1) | 634 | 77.1 | (73.8 - 80.2) | 742 |
| | 12th | 75.9 | (72.2 - 79.2) | 1,034 | 72.2 | (66.8 - 77.1) | 510 | 79.6 | (76.1 - 82.8) | 514 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 67.2 | (59.6 - 74.0) | 176 | - | - | 83 | - | - | 89 |
| | Black* | 69.3 | (65.1 - 73.3) | 1,034 | 61.0 | (55.4 - 66.3) | 482 | 77.7 | (73.9 - 81.1) | 542 |
| | Hispanic/Latino | 74.8 | (72.7 - 76.7) | 1,918 | 72.5 | (69.5 - 75.4) | 908 | 77.1 | (73.3 - 80.4) | 988 |
| | White* | 78.4 | (76.3 - 80.4) | 1,965 | 79.0 | (75.8 - 81.9) | 962 | 77.8 | (75.1 - 80.3) | 989 |
| | All other races* | - | - | 69 | - | - | 36 | - | - | 31 |
| | Multiple races* | 80.3 | (73.5 - 85.6) | 249 | 82.1 | (73.0 - 88.6) | 108 | 79.3 | (69.9 - 86.3) | 139 |

Note: 650 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN114: Percentage of students who most of the time or always wear sunscreen (with an SPF of 15 or higher when they are outside for more than one hour on a sunny day)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 8.8 | (8.0 - 9.8) | 5,507 | 6.9 | (5.8 - 8.2) | 2,618 | 10.8 | (9.5 - 12.3) | 2,816 |
| Age | | | | | | | | | | |
| | 15 or younger | 9.7 | (8.5 - 11.0) | 2,122 | 7.9 | (6.1 - 10.2) | 954 | 11.5 | (9.7 - 13.6) | 1,148 |
| | 16 or 17 | 8.1 | (7.0 - 9.4) | 2,702 | 6.1 | (5.0 - 7.5) | 1,306 | 10.1 | (8.3 - 12.3) | 1,365 |
| | 18 or older | 9.2 | (7.1 - 11.9) | 664 | 7.4 | (4.7 - 11.5) | 355 | 11.3 | (7.8 - 16.2) | 302 |
| Grade | | | | | | | | | | |
| | 9th | 9.1 | (7.6 - 10.8) | 1,538 | 7.7 | (6.0 - 9.8) | 724 | 10.6 | (8.2 - 13.7) | 797 |
| | 10th | 8.9 | (7.3 - 10.8) | 1,492 | 7.5 | (5.2 - 10.7) | 726 | 10.2 | (8.3 - 12.5) | 749 |
| | 11th | 7.4 | (5.9 - 9.2) | 1,390 | 4.6 | (3.3 - 6.4) | 632 | 10.2 | (7.9 - 13.0) | 741 |
| | 12th | 9.8 | (7.9 - 12.2) | 1,030 | 7.5 | (5.5 - 10.2) | 507 | 12.1 | (8.6 - 16.8) | 513 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 15.3 | (9.9 - 22.8) | 175 | - | - | 82 | - | - | 89 |
| | Black* | 4.7 | (3.4 - 6.4) | 1,033 | 5.9 | (4.0 - 8.7) | 481 | 3.5 | (2.2 - 5.4) | 543 |
| | Hispanic/Latino | 7.8 | (6.7 - 9.1) | 1,914 | 6.4 | (5.1 - 7.9) | 907 | 9.2 | (7.5 - 11.1) | 986 |
| | White* | 12.0 | (10.7 - 13.5) | 1,955 | 7.5 | (5.9 - 9.5) | 954 | 17.0 | (14.6 - 19.7) | 987 |
| | All other races* | - | - | 68 | - | - | 35 | - | - | 31 |
| | Multiple races* | 7.6 | (4.6 - 12.4) | 252 | 7.3 | (3.3 - 15.5) | 110 | 8.0 | (4.2 - 14.9) | 140 |

Note: 664 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QN115: Percentage of students who have not received a flu shot (during the 12 months before the survey)

| | | | Total | | | Male | | | Female | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 44.5 | (42.9 - 46.2) | 5,511 | 41.2 | (38.9 - 43.6) | 2,620 | 48.1 | (45.6 - 50.7) | 2,817 |
| Age | | | | | | | | | | |
| | 15 or younger | 43.2 | (40.8 - 45.6) | 2,124 | 39.8 | (36.3 - 43.4) | 954 | 46.5 | (43.1 - 50.0) | 1,150 |
| | 16 or 17 | 44.3 | (41.9 - 46.7) | 2,702 | 40.5 | (37.3 - 43.9) | 1,307 | 48.4 | (45.4 - 51.4) | 1,364 |
| | 18 or older | 49.2 | (45.2 - 53.2) | 665 | 46.8 | (41.2 - 52.4) | 356 | 51.6 | (44.2 - 58.8) | 302 |
| Grade | | | | | | | | | | |
| | 9th | 42.2 | (39.4 - 45.0) | 1,542 | 38.7 | (35.2 - 42.2) | 724 | 46.0 | (42.0 - 50.1) | 800 |
| | 10th | 44.4 | (41.6 - 47.3) | 1,492 | 40.2 | (35.5 - 45.0) | 726 | 48.9 | (44.8 - 53.0) | 748 |
| | 11th | 44.0 | (41.1 - 46.9) | 1,389 | 39.5 | (35.6 - 43.6) | 632 | 48.3 | (44.0 - 52.7) | 740 |
| | 12th | 48.3 | (44.8 - 51.8) | 1,030 | 47.1 | (42.4 - 52.0) | 508 | 49.5 | (44.2 - 54.8) | 513 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 34.2 | (28.4 - 40.6) | 174 | - | - | 82 | - | - | 88 |
| | Black* | 41.0 | (38.1 - 43.9) | 1,029 | 38.1 | (33.5 - 43.0) | 479 | 44.2 | (40.3 - 48.1) | 541 |
| | Hispanic/Latino | 40.8 | (38.1 - 43.5) | 1,914 | 38.8 | (35.3 - 42.5) | 905 | 42.7 | (39.1 - 46.4) | 987 |
| | White* | 49.7 | (47.0 - 52.5) | 1,964 | 45.6 | (41.5 - 49.7) | 960 | 54.2 | (50.3 - 58.1) | 989 |
| | All other races* | - | - | 69 | - | - | 36 | - | - | 31 |
| | Multiple races* | 42.5 | (36.1 - 49.1) | 253 | 38.4 | (28.3 - 49.6) | 110 | 45.0 | (36.4 - 53.9) | 141 |

Note: 660 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QNSPDRK1: Percentage of students who drank a can, bottle, or glass of a sports drink one or more times per day (such as Gatorade or Powerade, not counting low calorie sports drinks such as Propel or G2, during the 7 days before the survey)

| | | Total | | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 14.6 | (13.3 - 16.1) | 5,651 | 19.5 | (17.9 - 21.3) | 2,685 | 9.5 | (8.1 - 11.1) | 2,885 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 15.0 | (13.2 - 17.0) | 2,198 | 19.6 | (16.9 - 22.5) | 984 | 10.5 | (8.6 - 12.6) | 1,189 | |
| | 16 or 17 | 13.5 | (11.7 - 15.4) | 2,747 | 18.3 | (15.9 - 20.9) | 1,331 | 8.4 | (6.5 - 10.8) | 1,384 | |
| | 18 or older | 17.6 | (15.1 - 20.4) | 683 | 23.2 | (18.8 - 28.3) | 365 | 10.8 | (8.1 - 14.4) | 311 | |
| Grade | | | | | | | | | | | |
| | 9th | 16.2 | (14.2 - 18.4) | 1,589 | 21.5 | (18.3 - 25.2) | 745 | 10.6 | (8.7 - 12.8) | 825 | |
| | 10th | 14.2 | (12.2 - 16.5) | 1,539 | 18.1 | (15.4 - 21.2) | 754 | 10.2 | (8.1 - 12.9) | 768 | |
| | 11th | 15.0 | (12.6 - 17.7) | 1,395 | 20.6 | (17.1 - 24.5) | 632 | 8.9 | (6.5 - 12.2) | 746 | |
| | 12th | 12.7 | (10.8 - 15.0) | 1,065 | 17.8 | (14.6 - 21.5) | 524 | 7.8 | (5.5 - 11.1) | 530 | |
| Race/E | thnicity | | | | | | | | | | |
| | Asian* | 9.4 | (5.1 - 16.8) | 176 | - | - | 82 | - | _ | 90 | |
| | Black* | 18.2 | (15.9 - 20.7) | 1,050 | 23.8 | (20.3 - 27.7) | 491 | 12.3 | (9.7 - 15.5) | 549 | |
| | Hispanic/Latino | 13.5 | (12.1 - 15.1) | 1,954 | 17.3 | (15.2 - 19.6) | 919 | 9.7 | (8.0 - 11.7) | 1,013 | |
| | White* | 11.9 | (10.2 - 14.0) | 2,026 | 17.3 | (14.8 - 20.2) | 993 | 6.2 | (4.7 - 8.1) | 1,018 | |
| | All other races* | - | - | 69 | - | - | 37 | - | - | 30 | |
| | Multiple races* | 15.8 | (11.2 - 21.9) | 255 | 22.1 | (14.7 - 31.7) | 110 | 10.9 | (6.0 - 18.8) | 143 | |

Note: 520 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QNSPDRK2: Percentage of students who drank a can, bottle, or glass of a sports drink two or more times per day (such as Gatorade or Powerade, not counting low calorie sports drinks such as Propel or G2, during the 7 days before the survey)

| | | Total | | | Male | | Female | | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 8.9 | (7.9 - 10.1) | 5,651 | 12.0 | (10.7 - 13.5) | 2,685 | 5.6 | (4.6 - 6.8) | 2,885 |
| Age | | | | | | | | | | |
| | 15 or younger | 9.0 | (7.6 - 10.7) | 2,198 | 11.6 | (9.4 - 14.2) | 984 | 6.3 | (4.9 - 8.2) | 1,189 |
| | 16 or 17 | 8.2 | (7.0 - 9.7) | 2,747 | 11.6 | (9.7 - 13.9) | 1,331 | 4.6 | (3.5 - 6.1) | 1,384 |
| | 18 or older | 10.9 | (8.7 - 13.6) | 683 | 14.1 | (10.3 - 18.9) | 365 | 7.1 | (4.7 - 10.6) | 311 |
| Grade | | | | | | | | | | |
| | 9th | 10.2 | (8.5 - 12.3) | 1,589 | 13.6 | (10.6 - 17.3) | 745 | 6.5 | (5.1 - 8.3) | 825 |
| | 10th | 8.0 | (6.6 - 9.7) | 1,539 | 10.5 | (8.6 - 12.7) | 754 | 5.4 | (3.7 - 8.0) | 768 |
| | 11th | 9.1 | (7.3 - 11.3) | 1,395 | 12.8 | (9.8 - 16.5) | 632 | 5.2 | (3.6 - 7.6) | 746 |
| | 12th | 7.6 | (6.1 - 9.5) | 1,065 | 10.6 | (8.2 - 13.7) | 524 | 4.6 | (3.0 - 7.1) | 530 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 5.6 | (2.7 - 11.4) | 176 | - | - | 82 | - | - | 90 |
| | Black* | 12.0 | (9.9 - 14.3) | 1,050 | 15.8 | (13.2 - 18.8) | 491 | 7.8 | (5.9 - 10.3) | 549 |
| | Hispanic/Latino | 8.7 | (7.4 - 10.1) | 1,954 | 10.5 | (8.4 - 13.0) | 919 | 6.6 | (5.2 - 8.4) | 1,013 |
| | White* | 6.1 | (5.0 - 7.6) | 2,026 | 9.5 | (7.8 - 11.5) | 993 | 2.6 | (1.7 - 4.0) | 1,018 |
| | All other races* | - | - | 69 | - | - | 37 | - | - | 30 |
| | Multiple races* | 12.0 | (7.8 - 18.2) | 255 | 17.7 | (10.6 - 28.1) | 110 | 7.5 | (3.6 - 14.8) | 143 |

Note: 520 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Florida High School Survey **Summary Tables - Weighted Data**

QNSPDRK3: Percentage of students who drank a can, bottle, or glass of a sports drink three or more times per day (such as Gatorade or Powerade, not counting low calorie sports drinks such as Propel or G2, during the 7 days before the survey)

| | | Total | | | Male | | | Female | | |
|--------|------------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 5.1 | (4.4 - 6.0) | 5,651 | 7.3 | (6.2 - 8.7) | 2,685 | 2.7 | (2.1 - 3.5) | 2,885 |
| Age | | | | | | | | | | |
| | 15 or younger | 4.9 | (3.8 - 6.1) | 2,198 | 6.3 | (4.9 - 8.1) | 984 | 3.1 | (2.2 - 4.4) | 1,189 |
| | 16 or 17 | 4.9 | (4.0 - 6.0) | 2,747 | 7.4 | (5.7 - 9.4) | 1,331 | 2.2 | (1.5 - 3.1) | 1,384 |
| | 18 or older | 6.6 | (5.1 - 8.6) | 683 | 9.5 | (6.9 - 12.9) | 365 | 3.5 | (2.1 - 5.7) | 311 |
| Grade | | | | | | | | | | |
| | 9th | 5.6 | (4.2 - 7.3) | 1,589 | 7.7 | (5.7 - 10.3) | 745 | 3.1 | (2.0 - 4.6) | 825 |
| | 10th | 4.6 | (3.5 - 6.1) | 1,539 | 6.5 | (4.9 - 8.7) | 754 | 2.5 | (1.5 - 4.1) | 768 |
| | 11th | 5.4 | (4.0 - 7.1) | 1,395 | 7.7 | (5.3 - 11.0) | 632 | 3.0 | (1.8 - 4.9) | 746 |
| | 12th | 4.6 | (3.5 - 6.0) | 1,065 | 7.2 | (5.2 - 9.8) | 524 | 1.9 | (1.1 - 3.3) | 530 |
| Race/E | thnicity | | | | | | | | | |
| | Asian* | 4.1 | (1.9 - 8.9) | 176 | - | - | 82 | - | - | 90 |
| | Black* | 7.3 | (5.8 - 9.2) | 1,050 | 10.7 | (8.3 - 13.7) | 491 | 3.7 | (2.5 - 5.6) | 549 |
| | Hispanic/Latino | 5.7 | (4.5 - 7.1) | 1,954 | 7.4 | (5.7 - 9.6) | 919 | 3.7 | (2.7 - 5.1) | 1,013 |
| | White* | 2.8 | (2.0 - 4.0) | 2,026 | 4.5 | (3.1 - 6.6) | 993 | 1.0 | (0.6 - 1.8) | 1,018 |
| | All other races* | - | - | 69 | - | - | 37 | - | - | 30 |
| | Multiple races* | 7.0 | (4.1 - 11.8) | 255 | 10.3 | (5.7 - 17.8) | 110 | 4.3 | (1.7 - 10.9) | 143 |

Note: 520 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.