



Holmes County School Board

701 East Pennsylvania Avenue
Bonifay, FL 32425
TEL (850) 547-9341
FAX (850) 547-0381
www.hdsb.org

SUPERINTENDENT
Buddy L. Brown
BOARD MEMBERS
Wilburn Baker, Chair
Leesa Lee, Vice-Chair
Kaci Johnson
Alan Justice
Shirley Owens

12/17/21

Holmes District School board is accepting proposals for drainage work to be completed at Bethlehem High School's baseball field. Proposals will be accepted starting January 3, 2022 through 1:00PM on January 7, 2022. Please drop off proposals at the Holmes District School Board Offices located at 701 E Pennsylvania Ave, Bonifay, Fl. Please contact Brian Morgan at 850-547-9341 ext 1261 with questions or to make arrangements for a site visit to work site.

Scope of Work:

Install a French Drain system approximately 500' long along the west side of the existing baseball field. The drainpipe will be 24" perforated pipe with sock backfilled with appropriate river rock and sand adequate for the size pipe. 3 Type C concrete inlets with grates will be installed. The piping will outfall into an improved open ditch lined with rip rap leading to an existing swamp on the north side of the baseball field. The contractor will be responsible for all work necessary to complete installation of drain system including excavation of trench, backfilling with topsoil, and seeding when work is completed to prevent erosion.

General:

General

1. All work is to comply with the local building and regulations.
2. The contractor will rectify any damage to all areas on completion of the work.
3. The contractor shall supply all materials and labor in order to complete the work.
4. All waste material shall be taken from site and disposed of by the contractor.
5. All measurements are to be confirmed by the contractor on site.